

Arlberg 13

PRODUCT DESCRIPTION

Arlberg Geometric size ranges from 24" to 72", custom configurations of squares and rectangles made of an extruded aluminum frame and uniformly backlit acrylic lens, over 6,500 color finishes and suspension cable lengths are available. 3000K/3500K/4000K selectable by switch. RGBW and CCT tunable / dimmable using remote, DMX, App and Google Alexa



FEATURES

- 5-year limited warranty.
- Ships assembled.
- Direct Illumination.
- Extruded aluminum housing up to 72".
- Fixture lumens per watt ratio up to 65 LPW.

SPECIFICATIONS

- 90+ CRI.
- Input: 100-277V, 50/60Hz.
- 1-10V dimming standard, ELV / TRIAC dimming available.
- UL listed, suitable for dry location.
- Gloss White, Black Jack, Platinum Silver and Oil bronze color finish as standard, 6,500 custom colors are available.
- Built in color temperature selectable. Choose from 3000K/3500K/4000K. Custom color temperatures. lumen outputs, RGBW, Tunable White available.

PARTS PACKED WITH STANDARD FIXTURE

- Plastic Anchors, Screws, Wire Connectors
- CCT Selector Switch



MODEL INFORMATION:

Example: SB-J01C80WSB

| Products Series | Wattage/Size | Options | RGBW/CCT Select Only | Profile Finishes | Aircraft Cable | |
|---------------------|--|---|--|---|------------------------------------|--|
| *SB-J01C SB-J01O | *80W=32"X32" 100W=40"X40" 120W=48"X48" 140W=60"X60" 160W=72"X72" | *S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set | T=3K-4K Tunable White | *B=Black Jack | *Blank=10' foot 120" (Standard) | |
| | | L=ELV/Triac dimming with 3000K/3500K/4000K Color Selectable | R4=RGB+4000K (standard) | S=Platinum Silver | 5'=5 foot 60" | |
| | | D=DMX | R3=RGB+3000K | W=Gloss White | 15'=15 foot 180" | |
| | | Z=ZigBee | | O=Oil Rubbed Bronze | 20'=20 foot 240" | |
| | | DMX for RGBW and Tunable White, control by Wall Switch or DMX control system. | Do not select this column if selected "S" | Full Color Name or RAL number for Custom Colors, select from Color Collections | | |
| | | ZigBee for RGBW and CCT tunable / dimmable using remote, DMX, App and Google Alexa. | | | | |
| | | | | | 25'=25 foot 300" | |

LUMEN OUTPUT

| Model Number | Size | Wattage | Kevin | Lumen |
|--------------|---------|---------|-------------------|----------|
| SB-J01C/O | 32"X32" | 80W | 3000K/3500K/4000K | 5191 lm |
| | 40"X40" | 100W | 3000K/3500K/4000K | 6361 lm |
| | 48"X48" | 120W | 3000K/3500K/4000K | 7830 lm |
| | 60"X60" | 140W | 3000K/3500K/4000K | 8255 lm |
| | 72"X72" | 160W | 3000K/3500K/4000K | 10382 lm |

STANDARD COLOR FINISHES



GLOSS WHITE



PLATINUM SILVER



BLACK JACK




OIL RUBBED BRONZE

In addition to our standard colors, we offer more than 6,500 [finishes and colors](#) for your luminaire. We can match your paint sample or any RAL finish. Add texture and originality to create a perfect match.

EMERGENCY BATTERY OPTIONS

[SEE SPEC](#)

| PICTURE | MODEL NUMBER | DESCRIPTION |
|--|----------------|--|
|  | SB-EBP/5W/B | Factory installed Remote Emergency Battery Pack 5W 90 minutes |
| | SB-EBP/10.7W/B | Factory installed Remote Emergency Battery Pack 10.7W 90 minutes |
| | SB-EBP/17W/B | Factory installed Remote Emergency Battery Pack 17W 90 minutes |

RGBW/TUNABLE WHITE SMART CONTROL

[SEE SPEC AND VIDEO](#)

Get Smart


Using Amazon Echo, Echo Dot, or any Alexa-enabled device allows you to turn your luminaire on and off, dim the light and change light color to Red, Green, Blue or White independently by using voice command or Smart phone app, DMX, Handheld remote or wall control.

DIMENSIONS & WEIGHTS: Canopy Size for ZigBee & DMX: 15.75" x 2.76"


15.57" = 16" / 23.62" = 24" / 31.5" = 32" / 39.37" = 40" / 47.24" = 48" / 59.06" = 60" / 70.87" = 72"

SB-J01C


25 lbs




27 lbs




29 lbs



31 lbs




33 lbs




SB-J010


25 lbs




27 lbs




29 lbs



31 lbs




33 lbs




PHOTOMETRIC:


SB-J01C80W 32\"/>



SB-J01C100W 40"X40" 100W @ 4000K



SB-J01C120W 48"X48" 120W @ 4000K



SB-J01C140W 60"X60" 140W @ 4000K

