

Arlberg 2



PRODUCT DESCRIPTION

Arlberg Geometric size ranges from 24" to 72", custom configurations of squares and rectangles made of an extruded aluminum frame and uniformly backlit acrylic lens, over 6,500 color finishes and suspension cable lengths are available. 3000K/3500K/4000K selectable by switch. RGBW and CCT tunable / dimmable using remote, DMX, App and Google Alexa

FEATURES


- 5-year limited warranty.
- Ships assembled.
- Direct Illumination.
- Extruded aluminum housing up to 72".
- Fixture lumens per watt ratio 80 LPW.

SPECIFICATIONS

- 90+ CRI.
- Input: 100-277V, 50/60Hz.
- 1-10V dimming standard, ELV / TRIAC dimming available.
- UL listed, suitable for dry location.
- Gloss White, Black Jack, Platinum Silver and Oil bronze color finish as standard, 6,500 custom colors are available.
- Built in color temperature selectable. Choose from 3000K/3500K/4000K. Custom color temperatures. lumen outputs, RGBW, Tunable White available.

PARTS PACKED WITH STANDARD FIXTURE

- Plastic Anchors, Screws, Wire Connectors
- CCT Selector Switch



MODEL INFORMATION:

Example: SB-J02E60WSB

Products Series	Wattage/Size	Options	RGBW/CCT Select Only	Profile Finishes	Aircraft Cable
*SB-J02E SB-J02J	*60W=16"X32"+ Ø16 100W=24"X 48"+ Ø24" 120W=30"X 36"+ Ø48" 150W=36"X 72"+ Ø60"	*S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set	T=3K-4K Tunable White	*B=Black Jack	*Blank=10' foot 120" (Standard)
		L=ELV/Triac dimming with 3000K/3500K/4000K Color Selectable	R4=RGB+4000K (standard)	S=Platinum Silver	5'=5 foot 60"
		D=DMX	R3=RGB+3000K	W=Gloss White	15'=15 foot 180"
		Z=ZigBee		O=Oil Rubbed Bronze	20'=20 foot 240"
		DMX for RGBW and Tunable White, control by Wall Switch or DMX control system.	Do not select this column if selected "S"	Full Color Name or RAL number for Custom Colors, select from Color Collections	
		ZigBee for RGBW and CCT tunable / dimmable using remote, DMX, App and Google Alexa.			
					25'=25 foot 300"

LUMEN OUTPUT

Model Number	Size	Wattage	Kevin	Lumen
SB-J02E/J	16"X32"+ Ø16	60W	3000K/3500K/4000K	4292 lm
	24"X 48"+ Ø24"	100W	3000K/3500K/4000K	6136 lm
	30"X 36"+ Ø48"	120W	3000K/3500K/4000K	8460 lm
	36"X 72"+ Ø60"	150W	3000K/3500K/4000K	9584 lm

STANDARD COLOR FINISHES



GLOSS WHITE



PLATINUM SILVER



BLACK JACK




OIL RUBBED BRONZE

In addition to our standard colors, we offer more than 6,500 [finishes and colors](#) for your luminaire. We can match your paint sample or any RAL finish. Add texture and originality to create a perfect match.

EMERGENCY BATTERY OPTIONS

[SEE SPEC](#)

PICTURE	MODEL NUMBER	DESCRIPTION
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes

RGBW/TUNABLE WHITE SMART CONTROL

[SEE SPEC AND VIDEO](#)





Get Smart

Using Amazon Echo, Echo Dot, or any Alexa-enabled device allows you to turn your luminaire on and off, dim the light and change light color to Red, Green, Blue or White independently by using voice command or Smart phone app, DMX, Handheld remote or wall control.

DIMENSIONS & WEIGHTS: Canopy Size for ZigBee & DMX: 15.75" x 2.76"


15.57" = 16" / 23.62" = 24" / 31.5" = 32" / 39.37" = 40" / 47.24" = 48" / 59.06" = 60" / 70.87" = 72"

SB-J02E




SB-J02J


26 lbs




30 lbs



35 lbs




41 lbs




PHOTOMETRIC:


16" Circular light 20W @ 4000K




24" Circular light 30W @ 4000K




32" Circular light 40W @ 4000K




48" Circular light 60W @ 4000K




60" Circular light 70W @ 4000K




16" X 32" Rectangular 40W @ 4000K



24" X 48" Rectangular 60W @ 4000K



30" X 60" Rectangular 70W @ 4000K



36" X 72" Rectangular 80W @ 4000K

