



## Arlberg 8

### PRODUCT DESCRIPTION

**Arlberg Geometric** size ranges from 24" to 72", custom configurations of squares and rectangles made of an extruded aluminum frame and uniformly backlit acrylic lens, over 6,500 color finishes and suspension cable lengths are available. 3000K/3500K/4000K selectable by switch. RGBW and CCT tunable / dimmable using remote, DMX, App and Google Alexa



### FEATURES

- 5-year limited warranty.
- Ships assembled.
- Direct Illumination.
- Extruded aluminum housing up to 72".
- Fixture lumens per watt ratio 80 LPW.

### SPECIFICATIONS

- 90+ CRI.
- Input: 100-277V, 50/60Hz.
- 1-10V dimming standard, ELV / TRIAC dimming available.
- UL listed, suitable for dry location.
- Gloss White, Black Jack, Platinum Silver and Oil bronze color finish as standard, 6,500 custom colors are available.
- Built in color temperature selectable. Choose from 3000K/3500K/4000K. Custom color temperatures. lumen outputs, RGBW, Tunable White available.

### PARTS PACKED WITH STANDARD FIXTURE

- Plastic Anchors, Screws, Wire Connectors
- CCT Selector Switch



**MODEL INFORMATION:**

**Example: SB-J02B80WSB**

Products Series	Wattage/Size	Options	RGBW/CCT Select Only	Profile Finishes	Aircraft Cable	
*SB-J02B SB-J02T SB-J02R	*80W=24"X24"+32"X32" 100W=32"X32"+40"X40" 120W=48"X48"+60"x60" 150W=60"X60"+72"x72"	*S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set	T=3K-4K Tunable White	*B=Black Jack	*Blank=10' foot 120" (Standard)	
		L=ELV/Triac dimming with 3000K/3500K/4000K Color Selectable	R4=RGB+4000K (standard)	S=Platinum Silver	5'=5 foot 60"	
		D=DMX	R3=RGB+3000K	W=Gloss White	15'=15 foot 180"	
		Z=ZigBee		O=Oil Rubbed Bronze	20'=20 foot 240"	
		DMX for RGBW and Tunable White, control by Wall Switch or DMX control system.	<b>Do not select this column if selected "S"</b>	<b>Full Color Name or RAL number for Custom Colors, select from <a href="#">Color Collections</a></b>		
		ZigBee for RGBW and CCT tunable / dimmable using remote, DMX, App and Google Alexa.				

**LUMEN OUTPUT**

Model Number	Size	Wattage	Kevin	Lumen
SB-J02B/T/R	24"X24"+32"X32"	80W	3000K/3500K/4000K	5045 lm
	32"X32"+40"X40"	100W	3000K/3500K/4000K	6320 lm
	48"X48"+60"x60"	120W	3000K/3500K/4000K	8422 lm
	60"X60"+72"x72"	150W	3000K/3500K/4000K	10137 lm


## STANDARD COLOR FINISHES



In addition to our standard colors, we offer more than 6,500 [finishes and colors](#) for your luminaire. We can match your paint sample or any RAL finish. Add texture and originality to create a perfect match.

## EMERGENCY BATTERY OPTIONS

[SEE SPEC](#)

PICTURE	MODEL NUMBER	DESCRIPTION
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes

## RGBW/TUNABLE WHITE SMART CONTROL

[SEE SPEC AND VIDEO](#)

### Get Smart


Using Amazon Echo, Echo Dot, or any Alexa-enabled device allows you to turn your luminaire on and off, dim the light and change light color to Red, Green, Blue or White independently by using voice command or Smart phone app, DMX, Handheld remote or wall control.

## DIMENSIONS & WEIGHTS: Canopy Size for ZigBee & DMX: 15.75" x 2.76"


15.57" = 16" / 23.62" = 24" / 31.5" = 32" / 39.37" = 40" / 47.24" = 48" / 59.06" = 60" / 70.87" = 72"

**SB-J02B**


**22 lbs**




**25 lbs**



**30 lbs**




**34 lbs**




**SB-J02T**


**22 lbs**




**25 lbs**



**30 lbs**





**34 lbs**





**SB-J02R**



**30 lbs**





**34 lbs**



**30 lbs**




**34 lbs**




**PHOTOMETRIC: Test report for single square light only**


**SB-J01A40W 32"X32" 40W @ 4000K**



**SB-J01A50W 40" X 40" 50W @ 4000K**



**SB-J01A60W 48" X 48" 60W @ 4000K**



**SB-J01A70W 60" X 60" 70W @ 4000K**

