

Arlberg 9

PRODUCT DESCRIPTION

Arlberg Geometric size ranges from 24" to 72", custom configurations of squares and rectangles made of an extruded aluminum frame and uniformly backlit acrylic lens, over 6,500 color finishes and suspension cable lengths are available. 3000K/3500K/4000K selectable by switch. RGBW and CCT tunable / dimmable using remote, DMX, App and Google Alexa

FEATURES


- 5-year limited warranty.
- Ships assembled.
- Direct Illumination.
- Extruded aluminum housing up to 72".
- Fixture lumens per watt ratio up to 72 LPW.

SPECIFICATIONS

- 90+ CRI.
- Input: 100-277V, 50/60Hz.
- 1-10V dimming standard, ELV / TRIAC dimming available.
- UL listed, suitable for dry location.
- Gloss White, Black Jack, Platinum Silver and Oil bronze color finish as standard, 6,500 custom colors are available.
- Built in color temperature selectable. Choose from 3000K/3500K/4000K. Custom color temperatures. lumen outputs, RGBW, Tunable White available.

PARTS PACKED WITH STANDARD FIXTURE

- Plastic Anchors, Screws, Wire Connectors
- CCT Selector Switch



MODEL INFORMATION:

Example: SB-J03A90WSB

Products Series	Wattage/Size	Options	RGBW/CCT Select Only	Profile Finishes	Aircraft Cable
*SB-J03A SB-J03B SB-J03F SB-J03G	*90W=16"X16"+24"X24"+32"X32"	*S=1-10V dimming, CRI 90 3000K/3500K/4000K Color	T=3K-4K Tunable White	*B=Black Jack	*Blank=10' foot 120" (Standard)
	150W=32"X32"+40"X40"+48"X48"	Selectable (Standard), 4000K factory color default set	R4=RGB+4000K (standard)	S=Platinum Silver	5'=5 foot 60"
	240W=48"X48"+60"x60"+72"X72"	L=ELV/Triac dimming with 3000K/3500K/4000K Color Selectable	R3=RGB+3000K	W=Gloss White	15'=15 foot 180"
		D=DMX		O=Oil Rubbed Bronze	20'=20 foot 240"
		Z=ZigBee			25'=25 foot 300"
	DMX for RGBW and Tunable White, control by Wall Switch or DMX control system.		Do not select this column if selected "S"	Full Color Name or RAL number for Custom Colors, select from Color Collections	
	ZigBee for RGBW and CCT tunable / dimmable using remote, DMX, App and Google Alexa.				

LUMEN OUTPUT

Model Number	Size	Wattage	Kevin	Lumen
SB-J03A/B/F/G	16"X16"+24"X24"+32"X32"	90W	3000K/3500K/4000K	6487 lm
	32"X32"+40"X40"+48"X48"	150W	3000K/3500K/4000K	10375 lm
	48"X48"+60"x60"+72"X72"	240W	3000K/3500K/4000K	14192 lm

STANDARD COLOR FINISHES



GLOSS WHITE



PLATINUM SILVER



BLACK JACK




OIL RUBBED BRONZE

In addition to our standard colors, we offer more than 6,500 [finishes and colors](#) for your luminaire. We can match your paint sample or any RAL finish. Add texture and originality to create a perfect match.

EMERGENCY BATTERY OPTIONS

[SEE SPEC](#)

PICTURE	MODEL NUMBER	DESCRIPTION
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes

RGBW/TUNABLE WHITE SMART CONTROL

[SEE SPEC AND VIDEO](#)


Get Smart

Using Amazon Echo, Echo Dot, or any Alexa-enabled device allows you to turn your luminaire on and off, dim the light and change light color to Red, Green, Blue or White independently by using voice command or Smart phone app, DMX, Handheld remote or wall control.


DIMENSIONS & WEIGHTS: Canopy Size for ZigBee & DMX: 15.75" x 2.76"

15.57" = 16" / 23.62" = 24" / 31.5" = 32" / 39.37" = 40" / 47.24" = 48" / 59.06" = 60" / 70.87" = 72"


SB-J03A




SB-J03B



SB-J03F




SB-J03G




PHOTOMETRIC: Test report for single square light only


SB-J01A40W 32"X32" 40W @ 4000K



SB-J01A50W 40" X 40" 50W @ 4000K



SB-J01A60W 48" X 48" 60W @ 4000K



SB-J01A70W 60" X 60" 70W @ 4000K

