

## SB-C03-60WSZ



## PRODUCT DESCRIPTION

**Whistler Linear** is a pendant made of extruded aluminum with a direct only lighting component using glare free, non yellowing acrylic. Sizes range from 16" to 72" and can be combined as desired to create multiple combinations of elements. Tunable white and RGBW. Over 6500 powder coated colors. Ships assembled.

### FEATURES


- 5-year limited warranty.
- Ships assembled.
- Illumination inside or outside the profile.
- Extruded aluminum housing 39.37" up to 72", 1 continuous ring without joints.
- Fixture lumens per watt ratio 77 LPW.

### SPECIFICATIONS

- 90+ CRI.
- Input: 100-277V, 50/60Hz.
- 1-10V dimming standard, ELV / TRIAC dimming available.
- UL listed, suitable for dry location.
- Gloss White, Black Jack, Platinum Silver and Oil bronze color finish as standard, 6,500 custom colors are available.
- Built in color temperature selectable. Choose from 3000K/3500K/4000K. Custom color temperatures. lumen outputs, RGBW, Tunable White available.

### PARTS PACKED WITH STANDARD FIXTURE

- Plastic Anchors, Screws, Wire Connectors
- CCT Selector Switch



**MODEL INFORMATION:**

**Example: SB-C03-60WSB**

Products Series	Wattage/Size	Options	RGBW/CCT Select Only	Profile Finishes	Aircraft Cable	
*SB-C03	*60W = 39.37"x3	*S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set	T=3K-4K Tunable White	*B=Black Jack	*Blank=10' foot 120" (Standard)	
		L=ELV/Triac dimming with 3000K/3500K/4000K Color Selectable	R4=RGB+4000K (standard)	S=Platinum Silver	5'=5 foot 60"	
		D=DMX	R3=RGB+3000K	W=Gloss White	15'=15 foot 180"	
		Z=ZigBee		O=Oil Rubbed Bronze	20'=20 foot 240"	
		DMX for RGBW and Tunable White, control by Wall Switch or DMX control system.	<b>Do not select this column if selected "S"</b>	<b>Full Color Name or RAL number for Custom Colors, select from <a href="#">Color Collections</a></b>		
		ZigBee for RGBW and CCT tunable / dimmable using remote, DMX, App and Google Alexa.				

**LUMEN OUTPUT**

Model Number	Size	Wattage	Kevin	Lumen
SB-C03	39.37"x3	60W	3000K/3500K/4000K	4860 lm


**STANDARD COLOR FINISHES**



In addition to our standard colors, we offer more than 6,500 [finishes and colors](#) for your luminaire. We can match your paint sample or any RAL finish. Add texture and originality to create a perfect match.

**EMERGENCY BATTERY OPTIONS**

[SEE SPEC](#)

PICTURE	MODEL NUMBER	DESCRIPTION
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes


**RGBW/TUNABLE WHITE SMART CONTROL**

[SEE SPEC AND VIDEO](#)



# Get Smart

Using Amazon Echo, Echo Dot, or any Alexa-enabled device allows you to turn your luminaire on and off, dim the light and change light color to Red, Green, Blue or White independently by using voice command or Smart phone app, DMX , Handheld remote or wall control .

**DIMENSIONS & WEIGHTS: Canopy Size for ZigBee & DMX: 15.75" x 2.76"**



**PHOTOMETRIC: Test report for 1 Light**



Flux out: 661.1 lm

Height	Eavg, Emax	Angle: 90.71deg	Diameter
1m	196.2, 465.0lx		202.50cm
2m	49.06, 116.3lx		405.01cm
3m	21.80, 51.67lx		607.51cm
4m	12.27, 29.06lx		810.02cm
5m	7.850, 18.60lx		1012.52cm
6m	5.451, 12.92lx		1215.03cm
7m	4.005, 9.490lx		1417.53cm
8m	3.066, 7.266lx		1620.03cm
9m	2.423, 5.741lx		1822.54cm
10m	1.962, 4.650lx		2025.04cm

Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

