

SB-F01-20WSZ



PRODUCT DESCRIPTION

Aspen linear is a pendant made of extruded aluminum with bidirectional horizontal light components using glare free, non yellowing acrylic. Sizes 39.37" and can be combined as desired to create multiple linear masterpieces. Tunable white and RGBW. Over 6500 powder coated colors. Ships assembled.

FEATURES


- 5-year limited warranty.
- Ships assembled.
- Direct and Indirect Illumination.
- Extruded aluminum housing 39.37" up to 72".
- Fixture lumens per watt ratio 85 LPW.

SPECIFICATIONS

- 90+ CRI.
- Input: 100-277V, 50/60Hz.
- 1-10V dimming standard, ELV / TRIAC dimming available.
- UL listed, suitable for dry location.
- Gloss White, Black Jack, Platinum Silver and Oil bronze color finish as standard, 6,500 custom colors are available.
- Built in color temperature selectable. Choose from 3000K/3500K/4000K. Custom color temperatures. lumen outputs, RGBW, Tunable White available.

PARTS PACKED WITH STANDARD FIXTURE

- Plastic Anchors, Screws, Wire Connectors
- CCT Selector Switch



MODEL INFORMATION:

Example: SB-F01-20WSB

Products Series	Wattage/Size	Options	RGBW/CCT Select Only	Profile Finishes	Aircraft Cable	
*SB-F01	*20W = 39.37"	*S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set	T=3K-4K Tunable White	*B=Black Jack	*Blank=10' foot 120" (Standard)	
		L=ELV/Triac dimming with 3000K/3500K/4000K Color Selectable	R4=RGB+4000K (standard)	S=Platinum Silver	5'=5 foot 60"	
		D=DMX	R3=RGB+3000K	W=Gloss White	15'=15 foot 180"	
		Z=ZigBee		O=Oil Rubbed Bronze	20'=20 foot 240"	
		DMX for RGBW and Tunable White, control by Wall Switch or DMX control system.	Do not select this column if selected "S"	Full Color Name or RAL number for Custom Colors, select from Color Collections		25'=25 foot 300"
		ZigBee for RGBW and CCT tunable / dimmable using remote, DMX, App and Google Alexa.				

LUMEN OUTPUT

Model Number	Size	Wattage	Kevin	Lumen
SB-F01	39.37"	20W	3000K/3500K/4000K	1735 lm


STANDARD COLOR FINISHES



In addition to our standard colors, we offer more than 6,500 [finishes and colors](#) for your luminaire. We can match your paint sample or any RAL finish. Add texture and originality to create a perfect match.

EMERGENCY BATTERY OPTIONS

[SEE SPEC](#)

PICTURE	MODEL NUMBER	DESCRIPTION
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes


RGBW/TUNABLE WHITE SMART CONTROL

[SEE SPEC AND VIDEO](#)

Get Smart

Using Amazon Echo, Echo Dot, or any Alexa-enabled device allows you to turn your luminaire on and off, dim the light and change light color to Red, Green, Blue or White independently by using voice command or Smart phone app, DMX, Handheld remote or wall control.

DIMENSIONS & WEIGHTS: Canopy Size for ZigBee & DMX: 15.75" x 2.76"



PHOTOMETRIC: Test For 1 Light only

SB-F01-20WSZ 40" 20W @ 4000K

