

## SB-F03-60WSZ



## PRODUCT DESCRIPTION

**Aspen linear** is a pendant made of extruded aluminum with bidirectional horizontal light components using glare free, non yellowing acrylic. Sizes 39.37" and can be combined as desired to create multiple linear masterpieces. Tunable white and RGBW. Over 6500 powder coated colors. Ships assembled.

### FEATURES

- 5-year limited warranty.
- Ships assembled.
- Direct and Indirect Illumination.
- Extruded aluminum housing 39.37".
- Fixture lumens per watt ratio 85 LPW.

### SPECIFICATIONS

- 90+ CRI.
- Input: 100-277V, 50/60Hz.
- 1-10V dimming standard, ELV / TRIAC dimming available.
- UL listed, suitable for dry location.
- Gloss White, Black Jack, Platinum Silver and Oil bronze color finish as standard, 6,500 custom colors are available.
- Built in color temperature selectable. Choose from 3000K/3500K/4000K. Custom color temperatures. lumen outputs, RGBW, Tunable White available.

### PARTS PACKED WITH STANDARD FIXTURE

- Plastic Anchors, Screws, Wire Connectors
- CCT Selector Switch



**MODEL INFORMATION:**

**Example: SB-F03-60WSB**

Products Series	Wattage/Size	Options	RGBW/CCT Select Only	Profile Finishes	Aircraft Cable	
*SB-F03	*60W = 39.37"x3	*S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set	T=3K-4K Tunable White	*B=Black Jack	*Blank=10' foot 120" (Standard)	
		L=ELV/Triac dimming with 3000K/3500K/4000K Color Selectable	R4=RGB+4000K (standard)	S=Platinum Silver	5'=5 foot 60"	
		D=DMX	R3=RGB+3000K	W=Gloss White	15'=15 foot 180"	
		Z=ZigBee		O=Oil Rubbed Bronze	20'=20 foot 240"	
		DMX for RGBW and Tunable White, control by Wall Switch or DMX control system.	Do not select this column if selected "S"	Full Color Name or RAL number for Custom Colors, select from <a href="#">Color Collections</a>		25'=25 foot 300"
		ZigBee for RGBW and CCT tunable / dimmable using remote, DMX, App and Google Alexa.				

**LUMEN OUTPUT**

Model Number	Size	Wattage	Kevin	Lumen
SB-F03	39.37"x3	60W	3000K/3500K/4000K	5205 lm


**STANDARD COLOR FINISHES**



In addition to our standard colors, we offer more than 6,500 [finishes and colors](#) for your luminaire. We can match your paint sample or any RAL finish. Add texture and originality to create a perfect match.

**EMERGENCY BATTERY OPTIONS**

[SEE SPEC](#)

PICTURE	MODEL NUMBER	DESCRIPTION
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes


**RGBW/TUNABLE WHITE SMART CONTROL**

[SEE SPEC AND VIDEO](#)

# Get Smart



Using Amazon Echo, Echo Dot, or any Alexa-enabled device allows you to turn your luminaire on and off, dim the light and change light color to Red, Green, Blue or White independently by using voice command or Smart phone app, DMX, Handheld remote or wall control.

**DIMENSIONS & WEIGHTS:** Canopy Size for ZigBee & DMX: 15.75" x 2.76"



**PHOTOMETRIC: Test For 1 Linear light only**

**SB-F01-20WSZ 40" 20W @ 4000K**



Flux out: 635.7 lm

Height	Eavg, Emax	Angle: 139.06deg	Diameter
1m	26.81, 127.21lx		535.77cm
2m	6.701, 31.801lx		1071.54cm
3m	2.978, 14.131lx		1607.31cm
4m	1.675, 7.951lx		2143.07cm
5m	1.072, 5.089lx		2678.84cm
6m	0.7446, 3.534lx		3214.61cm
7m	0.5471, 2.596lx		3750.38cm
8m	0.4188, 1.988lx		4286.15cm
9m	0.3309, 1.571lx		4821.92cm
10m	0.2681, 1.272lx		5357.69cm

Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

