



Page: 1 of 4

SB-F05-100WSZ



PRODUCT DESCRIPTION

Aspen linear is a pendant made of extruded aluminum with bidirectional horizontal light components using glare free, non yellowing acrylic. Sizes 39.37" and can be combined as desired to create multiple linear masterpieces. Tunable white and RGBW. Over 6500 powder coated colors. Ships assembled.

FEATURES

- 5-year limited warranty.
- · Ships assembled.
- · Direct and Indirect Illumination.
- Extruded aluminum housing 39.37".
- Fixture lumens per watt ratio 85 LPW.






- Input: 100-277V, 50/60Hz.
- 1-10V dimming standard, ELV / TRIAC dimming available.
- UL listed, suitable for dry location.
- Gloss White, Black Jack, Platinum Silver and Oil bronze color finish as standard, 6,500 custom colors are available.
- Built in color temperature selectable. Choose from 3000K/3500K/4000K.
 Custom color temperatures. lumen outputs, RGBW, Tunable White available.



- Plastic Anchors, Screws, Wire Connectors
- CCT Selector Switch









Page: 2 of 4

Example: SB-F05-100WSB

MODEL INFORMATION:

| Products Series | Wattage/Size | Options | RGBW/CCT Select Only | Profile Finishes | Aircraft Cable |
|--------------------|------------------|---|----------------------------|--|------------------------------------|
| *SB-F05 | *100W = 39.37"x5 | *S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set | T=3K-4K Tunable White | *B=Black Jack | *Blank=10' foot 120" (Standard) |
| | | | R4=RGB+4000K (standard) | S=Platinum Silver | 5'=5 foot 60" |
| | | L=ELV/Triac dimming with 3000K/3500K/4000K Color Selectable | | W=Gloss White | 15'=15 foot 180" |
| | | D=DMX | R3=RGB+3000K | O=Oil Rubbed Bronze | 20'=20 foot 240" |
| | | Z=ZigBee | | | 25'=25 foot 300" |
| | | DMX for RGBW and Tunable White, control by Wall Switch or DMX control system. | Do not select this | Full Color Name or RAL number for Custom Colors, select from Color Collections | |
| | | ZigBee for RGBW and CCT tunable / dimmable using remote, DMX, App and Google Alexa. | Soldini ii Selected G | | |

LUMEN OUTPUT

| Model Number | Size | Wattage | Kevin | Lumen |
|--------------|----------|---------|-------------------|---------|
| SB-F05 | 39.37"x5 | 100W | 3000K/3500K/4000K | 8675 lm |

STANDARD COLOR FINISHES









GLOSS WHITE

PLATINUM SILVER

BLACK JACK

OIL RUBBED BRONZE

In addition to our standard colors, we offer more than 6,500 <u>finishes and colors</u> for your luminaire. We can match your paint sample or any RAL finish. Add texture and originality to create a perfect match.





Page: 3 of 4

EMERGENCY BATTRY OPTIONS

SEE SPEC

| PICTURE | MODEL NUMBER | DESCRIPTION |
|---------|----------------|--|
| | SB-EBP/5W/B | Factory installed Remote Emergency Battery Pack 5W 90 minutes |
| | SB-EBP/10.7W/B | Factory installed Remote Emergency Battery Pack 10.7W 90 minutes |
| | SB-EBP/17W/B | Factory installed Remote Emergency Battery Pack 17W 90 minutes |


RGBW/TUNABLE WHITE SMART CONTROL

SEE SPEC AND VIDEO

Get Smart

Using Amazon Echo, Echo Dot, or any Alexa-enabled device allows you to turn your luminaire on and off, dim the light and change light color to Red, Green, Blue or White independently by using voice command or Smart phone app, DMX, Handheld remote or wall control.

DIMENSIONS & WEIGHTS: Canopy Size for ZigBee & DMX: 15.75" x 2.76"









PHOTOMETRIC: Test For 1 Linear light only

SB-F01-20WSZ 40" 20W @ 4000K

