

## Niseko J01 M/N

### PRODUCT DESCRIPTION

**Niseko** Geometric sizes range from 32" to 72", custom configurations of triangles made of an extruded aluminum frame and uniformly backlit acrylic lenses with direct/indirect distribution. Over 6,500 color finishes and suspension cable lengths are available. 3000K/3500K/4000K selectable by switch. RGBW and CCT tunable / dimmable using remote, DMX, App and Google Alexa.

### FEATURES

- 5-years limited warranty.
- Direct illumination.
- Fixture lumens per watt ratio up to 70 LPW.
- Ships Assembled.
- Customize color temperatures and adjust lumen output, RGBW, Tunable White available
- Driver concealed within the canopy or in the remote box.

### SPECIFICATIONS

- UL listed, suitable for Dry Location
- Input: 100-277V, 50/60Hz
- 90+ CRI.
- Built in color temperature selectable. Select from 3000K/3500K/4000K.
- 1-10V dimming standard, ELV, TRIAC dimming available.
- Suspended on 10' adjustable height cables, custom cable lengths available
- Extruded aluminum housing up to size 72", custom sizes and configurations are available.

### PARTS PACKED WITH STANDARD FIXTURE

- Plastic Anchors, Screws, Wire Connectors
- CCT Selector Switch



SB-J01M



SB-J01N

**MODEL INFORMATION:**

**Example: SB-J01M40WSCB**

Products Series	Wattage/Size	Options	Zigbee/DMX Color Select Only	Profile Finishes	Aircraft Cable
*SB-J01M SB-J0N	40W=32" 50W=40" 60W=48" 70W=60" 80W=72"	*S=Color Selectable 3K/35K/4K (Standard) 4000K factory color default set	T=3K-4K Tunable White	*B=Black Jack (Stock Color)	*Blank=10' foot 120" (Standard)
		27=2700K	R4=RGB+4000K (standard)	S=Platinum Silver (Stock Color)	5'=5 foot 60"
		Z=ZigBee (for RGBW, Tunable White control by handheld remote, Wall Switch, Phone App or Alex, Google, Voice control)	R3= RGB+3000K	W=Gloss White (Stock Color)	15'=15 foot 180"
		D=DMX (for RGBW and Tunable White, control by Wall Switch or DMX control system)	Do not select this column if selected "S"	O=Oil Rubbed Bronze (Stock Color)	20'=20 foot 240"
					25'=25 foot 300"
			*Full Color Name for Custom Colors, select from Color Collections		

**LUMEN OUTPUT**

Model Number	Size	Wattage	Kevin selectable	Lumen
SB-J01M/N	32"	40W	3000K/3500K/4000K	3042 lm
	40"	50W		3500 lm
	48"	60W		3240 lm
	60"	70W		4900 lm
	72"	80W		5823 lm

**STANDARD COLOR FINISHES**



GLOSS WHITE



PLATINUM SILVER



BLACK JACK




OIL RUBBED BRONZE

In addition to our standard colors, we offer more than 6,500 [finishes and colors](#) for your luminaire. We can match your paint sample or any RAL finish. Add texture and originality to create a perfect match.

**EMERGENCY BATTERY OPTIONS**

[SEE SPEC](#)

PICTURE	MODEL NUMBER	DESCRIPTION
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes

**RGBW/TUNABLE WHITE SMART CONTROL**


[SEE SPEC AND VIDEO](#)

# Get Smart

Using Amazon Echo, Echo Dot, or any Alexa-enabled device allows you to turn your luminaire on and off, dim the light and change light color to Red, Green, Blue or White independently by using voice command or Smart phone app, DMX , Handheld remote or wall control .



## DIMENSIONS & WEIGHTS

### SB-J01M





**SB-J01N**



**13 lbs**





**14 lbs**





**15 lbs**



**16 lbs**




**17 lbs**




# PHOTOMETRIC: Test report for single linear


## 32" 1 linear tested @ 4000K




## 40" 1 linear tested @ 4000K



## 48" 1 linear tested @ 4000K



60" 1 linear tested @ 4000K



72" 1 linear tested @ 4000K

