

Silverton Circular

PRODUCT DESCRIPTION

Silverton circular pendants are made of extruded aluminum with a direct only component and a glare free acrylic ring with additional draped acrylic elements. Sizes range from 16" to 72", and can be combined as desired to create multiple ring masterpieces. Over 6500 powder coated colors, custom suspension cable lengths are available. 3000K/3500K/4000K color selectable by switch. RGBW and CCT tunable / dimmable using remote, DMX App and Google Alexa. Ships assembled.



SB-D01E



SB-D01D



SB-D01F

FEATURES

- 5-year limited warranty.
- Ships assembled.
- Direct Illumination.
- Extruded aluminum housing up to 72", 1 continuous ring without joints.
- Fixture lumens per watt ratio 80 LPW.

SPECIFICATIONS

- 90+ CRI.
- Input: 100-277V, 50/60Hz.
- 1-10V dimming standard, ELV / TRIAC dimming available.
- UL listed, suitable for dry location.
- Gloss White, Black Jack, Platinum Silver and Oil bronze color finish as standard, 6,500 custom colors are available.
- Built in color temperature selectable. Choose from 3000K/3500K/4000K. Custom color temperatures. lumen outputs, RGBW, Tunable White available.

PARTS PACKED WITH STANDARD FIXTURE

- Plastic Anchors, Screws, Wire Connectors
- CCT Selector Switch



MODEL INFORMATION:

Example: SB-D01E20WSB

Products Series	Wattage/Size	Options	RGBW/CCT Select Only	Profile Finishes	Aircraft Cable
*SB-D01E	*20W = 16"	*S=1-10V dimming, CRI 90	T=3K-4K Tunable White	*B=Black Jack	*Blank=10' foot 120" (Standard)
SB-D01D	30W = 24"	3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set	R4=RGB+4000K (standard)	S=Platinum Silver	5'=5 foot 60"
SB-D01F	40W = 32"	L=ELV/Triac dimming with 3000K/3500K/4000K Color Selectable	R3=RGB+3000K	W=Gloss White	15'=15 foot 180"
	50W = 40"	D=DMX		O=Oil Rubbed Bronze	20'=20 foot 240"
	60W = 48"	Z=ZigBee			25'=25 foot 300"
	70W = 60"				
	80W = 72"				
		DMX for RGBW and Tunable White, control by Wall Switch or DMX control system.	Do not select this column if selected "S"	Full Color Name or RAL number for Custom Colors, select from Color Collections	
		ZigBee for RGBW and CCT tunable / dimmable using remote, DMX, App and Google Alexa.			

LUMEN OUTPUT

Model Number	Size	Wattage	Kevin	Lumen
SB-D01E/D/F	16"	20W	3000K/3500K/4000K	1333 lm
	24"	30W	3000K/3500K/4000K	2080 lm
	32"	40W	3000K/3500K/4000K	2662 lm
	40"	50W	3000K/3500K/4000K	3300 lm
	48"	60W	3000K/3500K/4000K	4714 lm
	60"	70W	3000K/3500K/4000K	5354 lm
	72"	80W	3000K/3500K/4000K	6622 lm

STANDARD COLOR FINISHES



GLOSS WHITE



PLATINUM SILVER



BLACK JACK




OIL RUBBED BRONZE

In addition to our standard colors, we offer more than 6,500 [finishes and colors](#) for your luminaire. We can match your paint sample or any RAL finish. Add texture and originality to create a perfect match.

EMERGENCY BATTERY OPTIONS

[SEE SPEC](#)

PICTURE	MODEL NUMBER	DESCRIPTION
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes

RGBW/TUNABLE WHITE SMART CONTROL

[SEE SPEC AND VIDEO](#)


Get Smart

Using Amazon Echo, Echo Dot, or any Alexa-enabled device allows you to turn your luminaire on and off, dim the light and change light color to Red, Green, Blue or White independently by using voice command or Smart phone app, DMX, Handheld remote or wall control.


DIMENSIONS & WEIGHTS: Canopy Size for ZigBee & DMX: 15.75" x 2.76"

15.57" = 16" / 23.62" = 24" / 31.5" = 32" / 39.37" = 40" / 47.24" = 48" / 59.06" = 60" / 70.87" = 72"


SB-D01D



SB-D01E




SB-D01F




PHOTOMETRIC:


16" 20W @ 4000K




24" 30W @ 4000K




32" 40W @ 4000K




40" 50W @ 4000K



48" 60W @ 4000K



60" 70W @ 4000K



72" 80W @ 4000K

