







PRODUCT DESCRIPTION

The **Zermatt** linear pendant is made with a center rib of extruded aluminum and edge lit frosted acrylic panels that provide a lambertian 360 deg. distribution. It is 39.5" long and. 5" thick. Tunable white and RGBW. Over 6500 powder coated colors, ships assembled.

FEATURES

- 5-years limited warranty.
- · Direct illumination.
- Fixture lumens per watt ratio up to 93 LPW.
- · Ships Assembled.
- Customize color temperatures and adjust lumen output, RGBW, Tunable White availab
- Driver concealed within the canopy or in the remote box.

SPECIFICATIONS

- · UL listed, suitable for Dry Location
- Input: 100-277V, 50/60Hz
- 90+ CRI.
- Built in color temperature selectable. Select from 3000K/3500K/4000K.
- 1-10V dimming standard, ELV,TRIAC dimming available.
- Suspended on 10' adjustable height cables, custom cable lengths available
- Extruded aluminum housing up to size 60", custom sizes and configurations are available.

PARTS PACKED WITH STANDARD FIXTURE

- Plastic Anchors, Screws, Wire Connectors
- CCT Selector Switch







SB-DE/SS/40W/S1S



SB-DE/SS/40W/S1W





Page: 2 of 5

Example: SB-DE/SS/40W/S1SSB

MODEL INFORMATION:

Products Series	Wattage	Options	Zigbee/DMX Color Select Only	Profile Finishes	Aircraft Cable
*SB-DE/SS/40W/S1S SB-DE/SS/40W/S1W	Blank=40W	*S=Color Selectable 3K/35K/4K (Standard) 4000K factory color default set	T=3K-4K Tunable White	*B=Black Jack (Stock Color)	*Blank=10' foot 120" (Standard)
		27=2700K	R4=RGB+4000K (standard)	S=Platinum Silver (Stock Color)	5'=5 foot 60"
		Z=ZigBee (for RGBW, Tunable White control by handheld remote, Wall Switch, Phone App or Alex, Google, Voice control)	R3= RGB+3000K	W=Gloss White (Stock Color)	15'=15 foot 180"
				O=Oil Rubbed	20'=20 foot 240"
			Do not select this	Bronze (Stock Color)	25'=25 foot 300"
		D=DMX (for RGBW and Tunable White, control by Wall Switch or DMX control system)	column if selected "S"	*Full Color Name for Custom Colors, select from Color	
				Collections	

LUMEN OUTPUT

Model Number	Size	Wattage	Kevin selectable	Lumen
SB-DE/SS/40W/S1S/W	39.5"	40W	3000K/3500K/4000K	3513 lm

STANDARD COLOR FINISHES



GLOSS WHITE



PLATINUM SILVER





BLACK JACK OIL RUBBED BRONZE





Page: 3 of 5

In addition to our standard colors, we offer more than 6,500 <u>finishes and colors</u> for your luminaire. We can match your paint sample or any RAL finish. Add texture and originality to create a perfect match.

EMERGENCY BATTRY OPTIONS

SEE SPEC

PICTURE	MODEL NUMBER	DESCRIPTION	
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes	
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes	
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes	

RGBW/TUNABLE WHITE SMART CONTROL

SEE SPEC AND VIDEO

Get Smart

Using Amazon Echo, Echo Dot, or any Alexa-enabled device allows you to turn your luminaire on and off, dim the light and change light color to Red, Green, Blue or White independently by using voice command or Smart phone app, DMX, Handheld remote or wall control.









DIMENSIONS & WEIGHTS

SB-DE/SS/40W/S1S



SB-DE/SS/40W/S1W







Page: 5 of 5

PHOTOMETRIC:

