

SNOWBALL LIGHTING INCORPORATED (USA)

1555 Goodyear Dr. Suite A El Paso, TX 79936 USA
T +1 915 227 7210
E sales@snowball-inc.com
www.snowball-inc.com

MADE IN USA

Glacier A 15

Architectural & Decorative Lighting



COMPANY PROFILE

SNOWBALL LIGHTING “Glacier” for more than 20 years of experience in providing the local Architectural and Design communities with lighting solutions for any and all interior, commercial, and industrial applications. American-made that designs, engineers, and manufactures quality LED lighting, decorative, architectural, and commercial, in Texas.

Our mission is to develop and produce high efficient, attractive, unconventional and of the highest quality products that has capacity to affect our physical and emotional comfort. We also ensure that our products reach the highest standards when it comes to safety, reliability, and value for the user. To achieve this, our company relies on the personal commitment, experience, dedication and expert skills of everyone in the organization.

Many of our products have obtained CE, RoHS, UL, CUL, certificates. Our technology is unparalleled in the industry and our quality, testing and performance are second to none.

Our ambitious lead times allow for your peace of mind that your project will be completed in a timely manner, without sacrificing quality.

Let us work together to achieve your design goals. We truly believe that you will enjoy working with us and hope that our businesses can both “Snowball” together.

APPLICATIONS



WHISTLER



SILVERTON



BLACKCOMB



GSTAAD



ASPEN



VALBERG




HOWELSEN



BLACK DIAMOND PENDANT



SNOWMASS




DAVOS




MERIBEL




BOZEMAN



CORTINA



NISEKO



ALBERG I-14



APACHE




ZERMATT



ASPEN LINEAR



WHISTLER LINEAR



BLACK DIAMOND LINEAR



MALBUN



VAIL



CHAMONIX



VAL GARDENA


CONTENTS

ARCHITECTURAL RANGE


WHISTLER	P. 04-15
SILVERTON	P. 16-21
BLACKCOMB	P. 22-25
GSTAAD	P. 26-29
ASPEN	P. 30-39
VALBERG	P. 40-45
HOWELSEN	P. 46-49
BLACK DIAMOND PENDANT	P. 50-61
SNOWMASS	P. 62-65
DAVOS	P. 66-75
MERIBEL	P. 76-81
BOZEMAN	P. 82-85
CORTINA	P. 86-89
NISEKO	P. 90-95
ALBERG I-I4	P. 96-111
APACHE	P. 112-115
ZERMATT	P. 116-119
ASPEN LINEAR	P. 120-123
WHISTLER LINEAR	P. 124-127
BLACK DIAMOND LINEAR	P. 128-131
MALBUN	P. 132-139
VAIL	P. 140-165
CHAMONIX	P. 166-173
VAL GARDENA	P. 174-181

TUNABLE WHITE / DIMMING / RGBW WORK WITH:


1. Tunable white Wall Control / RGBW Remote / Wall Control



2. Smart Control



3. Voice Control




WHISTLER

LED Whistler Pendant

Snowball "WHISTLER" LED pendant light offers a different look for maximum effect, designed to be both elegant and creative while providing energy efficient high lumen output. Ranging from 1 tier to multiple tiers and sizes of 16" to 72", extruded aluminum frame with glare-free acrylic lens against yellowing and 10' long adjustable aircraft cable suspension. Available in silver, white, black, bronze and in your choice of any other color finishes. Emergency backup battery available. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for office, conference room and any other commercial applications.



Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Black, White, Silver, and Bronze. Other finishes color, custom figuration, and additional mounting available.





Model Information:

Example: SB-D01A20WSB



Products series	Wattage	Options	Profile Finishes
SB-D01A	20W = 16"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
SB-D01B	30W = 24"		S=Platinum Silver (Stock Color)
SB-D01C	40W = 32"		T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control
	50W = 40"	L=Line Triac dimming	O=Oil Bronze (Stock Color)
	60W = 48"		RAL number for other Color
	70W = 60"		
	80W = 72"		



Model Information:

Example: SB-D02A50WSB

Products series	Wattage	Options	Profile Finishes
SB-D02A	50W = 24"+16"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
SB-D02B	90W = 40"+32"		S=Platinum Silver (Stock Color)
SB-D02C	110W = 48"+40"	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	W=Gloss White (Stock Color)
SB-D02R	150W = 72"+60"		O=Oil Bronze (Stock Color)
		L=Line Triac dimming	RAL number for other Color



Model Information:

Example: SB-D03A90WSB

Products series	Wattage	Options	Profile Finishes
SB-D03A	90W=16"+24"+32"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
SB-D03B	150W=32"+40"+48"		S=Platinum Silver (Stock Color)
SB-D03C	180W=40"+48"+60"	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	W=Gloss White (Stock Color)
SB-D03D	200W=48"+60"+72"		O=Oil Bronze (Stock Color)
SB-D03E		L=Line Triac dimming	RAL number for other Color
SB-D03R			





Model Information:

Example: SB-D04A200WSB

Products series	Wattage	Options	Profile Finishes
SB-D04A SB-D04D SB-D04R	200W=60"+48"+40"+32" 250W=72"+60"+48"+40"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color)
SB-D04B	180W=40"+32"+40"+32" 220W=48"+40"+48"+40" 260W=60"+48"+60"+48" 300W=72"+60"+72"+60"	L=Line Triac dimming	W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color



Model Information:


Example: SB-D05A200WSB

Products series	Wattage	Options	Profile Finishes
SB-D05A SB-D05R	200W=24"+32"+40"+32"+24" 240W=32"+40"+48"+40"+32" 320W=48"+60"+72"+60"+48"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color)
SB-D05B	200W=24"+48"+40"+16"+32" 250W=32"+60"+48"+24"+40" 300W=40"+72"+60"+32"+48"		RAL number for other Color


SILVERTON

LED Silverton Pendant

Snowball "SILVERTON" LED pendant light offers a different look for maximum effect. With ganging sizes of 16" to 72", extruded aluminum frame with glare-free acrylic lens and additional acrylic hanging on the fixture for the most stunning appearance. 10' long adjustable aircraft cable suspension. Available in silver, white, black, bronze and in your choice of any other color finishes. Emergency backup battery available. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for office, conference room and any other commercial / residential applications.



Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Black, White, Silver, and Bronze. Other finishes color, custom figuration, and additional mounting available.






SB-D01D




SB-D01E


SB-D01F



16" / 24"



32" / 40" / 48"



60" / 72"

Model Information:

Example: SB-D01D20WSB

Products series	Wattage	Options	Profile Finishes
SB-D01D	20W = 16"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
SB-D01E	30W = 24"		S=Platinum Silver (Stock Color)
SB-D01F	40W = 32"		T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control
	50W = 40"	L=Line Triac dimming	O=Oil Bronze (Stock Color)
	60W = 48"		RAL number for other Color
	70W = 60"		
	80W = 72"		



Model Information:


Example: **SB-J01S20WSB**

Products series	Wattage	Options	Profile Finishes
SB-J01S	40W = 16" x 32"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
SB-J01T	50W = 20" x 40"		S=Platinum Silver (Stock Color)
	60W = 24" x 48"	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	W=Gloss White (Stock Color)
	70W = 30" x 60"	L=Triac Line Dimming	O=Oil Bronze (Stock Color)
	80W = 36" x 72"		RAL number for other Color


BLACKCOMB

LED Blackcomb Pendant

Snowball "BLACKCOMB" LED pendant light offers a different look for maximum effect, designed to be both elegant and creative while providing energy efficient high lumen output. With sizes ranging from 16" to 72", extruded aluminum frame with glare-free acrylic lens and additional acrylic lens for the most stunning appearance. 10' long adjustable aircraft cable suspension. Available in silver, white, black, bronze and in your choice of any other color finishes. Emergency backup battery available. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for office, conference room and any other commercial / residential applications.



Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Black, White, Silver, and Bronze. Other finishes color, custom figuration, and additional mounting available.





SB-D01G



SB-D01H



SB-D01Y

Model Information:

Example: SB-D01G20WSB


Products series	Wattage	Options	Profile Finishes
SB-D01G	20W = 16"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
SB-D01H	30W = 24"		S=Platinum Silver (Stock Color)
SB-D01Y	40W = 32"	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	W=Gloss White (Stock Color)
	50W = 40"		O=Oil Bronze (Stock Color)
	60W = 48"	L=Line Triac dimming	RAL number for other Color
	70W = 60"		
	80W = 72"		

GSTAAD

LED Gstaad Pendant

Snowball "GSTAAD" LED pendant light design to be elegant creative and inviting. With ranging sizes of 16" to 72", extruded aluminum frame with glare-free acrylic lens and additional clear crystal accents add sparkle to the alluring looking. 10' long adjustable aircraft cable suspension. Available in silver, white, black, bronze and in your choice of any other color finishes. Emergency backup battery available. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for office, conference room and any other commercial / residential applications.

Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Black, White, Silver, and Bronze. Other finishes color, custom figuration, and additional mounting available.





Model Information:

Example: SB-D01J20WSB

Products series	Wattage	Options	Profile Finishes
SB-D01J SB-D01K	20W = 16" 30W = 24" 40W = 32" 50W = 40" 60W = 48" 70W = 60" 80W = 72"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color

ASPEN

LED Aspen Pendant

Snowball "ASPEN" geometric piece is a contemporary classic, and its illumination offers both up light and downlight, it has an ethereal quality in its modern design. Ranging from 1 tier to multiple tiers and sizes of 16" to 72", extruded aluminum frame with glare-free acrylic lens against yellowing and 10' long adjustable aircraft cable suspension. Available in silver, white, black, bronze and in your choice of any other color finishes. Emergency backup battery available. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for office, conference room and any other commercial applications.



Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Black, White, Silver, and Bronze. Other finishes color, custom figuration, and additional mounting available.





Model Information:

Example: SB-D01A20WSB

Products series	Wattage	Options	Profile Finishes
SB-U01A	20W = 16"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
SB-U01B	30W = 24"		S=Platinum Silver (Stock Color)
SB-U01C	40W = 32"	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	W=Gloss White (Stock Color)
	50W = 40"		O=Oil Bronze (Stock Color)
	60W = 48"	L=Line Triac dimming	RAL number for other Color
	70W = 60"		
	80W = 72"		



Model Information:

Example: SB-U02A50WSB

Products series	Wattage	Options	Profile Finishes
SB-U02A	50W=16"+24"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
SB-U02B			S=Platinum Silver (Stock Color)
SB-U02C	90W = 32"+40"	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	W=Gloss White (Stock Color)
SB-U02D	110W = 40"+48"		O=Oil Bronze (Stock Color)
SB-U02R	150W = 60"+72"	L=Line Triac dimming	RAL number for other Color



Model Information:

Example: SB-U03A90WSB


Products series	Wattage	Options	Profile Finishes
SB-U03A	90W=16"+24"+32"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
SB-U03B	150W =32"+40"+48"		
SB-U03C	180W=40"+48"+60"	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	S=Platinum Silver (Stock Color)
SB-U03D	200W=48"+60"+72"		
SB-U03E		L=Line Triac dimming	W=Gloss White (Stock Color)
SB-U03R			
			O=Oil Bronze (Stock Color)
			RAL number for other Color



Model Information:

Example: SB-U04A200WSB

Products series	Wattage	Options	Profile Finishes
SB-U04A SB-U04B SB-U04D	200W=60"+48"+40"+32" 250W=72"+60"+48"+40"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color
SB-U04C SB-U04R	180W=40"+32"+40"+32" 220W=48"+40"+48"+40" 260W=60"+48"+60"+48" 300W=72"+60"+72"+60"	L=Line Triac dimming	



Model Information:

Example: SB-U05A200WSB

Products series	Wattage	Options	Profile Finishes
SB-U05A SB-U05R	200W=32"+40"+48"+40"+32" 290W=40"+48"+60"+48"+40" 340W=48"+60"+72"+60"+48"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color
SB-U05B	200W=32"+48"+24"+32"+24" 250W=40"+60"+32"+40"+32" 300W=48"+72"+40"+48"+40"		
SB-U05C	200W=48"+40"+32"+24"+16" 250W=60"+48"+40"+32"+24" 300W=72"+60"+48"+40"+32"		

VALBERG

LED Valberg Pendant

Snowball "VALBERG" geometric piece is a contemporary classic, and its illumination offers both up light and downlight, it has an ethereal quality in its modern design. Ranging from 1 tier to multiple tiers and sizes of 16" to 72", extruded aluminum frame with glare-free acrylic lens and addition chrome finish clips for the most stunning appearance. 10' long adjustable aircraft cable suspension. Available in silver, white, black, bronze and in your choice of any other color finishes. Emergency backup battery available. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for office, conference room and any other commercial / residential applications.



Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Black, White, Silver, and Bronze. Other finishes color, custom figuration, and additional mounting available.



Silver



Black



White



Bronze






SB-U01D



SB-U01H



SB-U02E



SB-U02F

Model Information:

Example: SB-U01D20WSB

Products series	Wattage	Options	Profile Finishes
SB-U01D SB-U01H	20W = 16" 30W = 24" 40W = 32" 50W = 40" 60W = 48" 70W = 60" 80W = 72"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) Chrome Clips (Stock Color) RAL number for other Color

Model Information:

Example: SB-U02E50WSB

Products series	Wattage	Options	Profile Finishes
SB-U02E SB-U02F	50W=16"+24" 90W = 32"+40" 110W = 40"+48" 150W = 60"+72"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) Chrome Clips (Stock Color) RAL number for other Color



SB-U03F



SB-U03G



SB-U04E



SB-U04G



SB-U04F

Model Information:

Example: SB-U03F90WSB

Products series	Wattage	Options	Profile Finishes
SB-U03F SB-U03G	110W=32"+24"+32" 140W =40"+32"+40" 170W=48"+40"+48" 200W=60"+48"+60" 230W=72"+60"+72"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) Chrome Clips (Stock Color) RAL number for other Color

Model Information:

Example: SB-U04F180WSB


Products series	Wattage	Options	Profile Finishes
SB-U04F	180W=24"+32"+40"+48" 200W=32"+40"+48"+60" 250W=40"+48"+60"+72"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) Chrome Clips (Stock Color) RAL number for other Color

HOWELSEN

LED Howelsen Pendant

Snowball "HOWELSEN" delicate and modern design of this contemporary pendant makes a striking addition to your décor, Its illumination offers both up light and downlight. With sizes ranging from 16" to 72", extruded aluminum frame with glare-free acrylic lens and additional acrylic lens for the most stunning appearance. 10' long adjustable aircraft cable suspension. Available in silver, white, black, bronze and in your choice of any other color finishes. Emergency backup battery available. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for office, conference room and any other commercial / residential applications.

Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Black, White, Silver, and Bronze. Other finishes color, custom figuration, and additional mounting available.





SB-U01E



SB-U01F



SB-U01G

Model Information:

Example: SB-D01E20WSB

Products series	Wattage	Options	Profile Finishes
SB-U01E	20W = 16"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
SB-U01F	30W = 24"		S=Platinum Silver (Stock Color)
SB-U01G	40W = 32"		T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control
	50W = 40"	L=Line Triac dimming	O=Oil Bronze (Stock Color)
	60W = 48"		RAL number for other Color
	70W = 60"		
	80W = 72"		


BLACK DIAMOND PENDANT


LED Black Diamond Pendant

Snowball "BLACK DIAMOND" This pendant supports individual acrylic crystals which creates a dramatic lighting effect. Its timeless yet contemporary design gives it character and perfectly illuminates spaces of high architectural value. Ranging from 1 tier to multiple tiers and sizes ranging from 16" to 72", extruded aluminum frame with acrylic crystals and 10' long adjustable aircraft cable suspension. Available in silver, white, black, bronze and in your choice of any other color finishes. Emergency backup battery available. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for office, conference room and any other commercial applications. Perfect for office, conference room and any other commercial applications.



Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Black, White, Silver, and Bronze. Other finishes color, custom figuration, and additional mounting available.





Model Information:

Example: SB-A01A40WSB




Products series	Wattage	Options	Profile Finishes
SB-A01A SB-A01B SB-A01C SB-A01D	40W=32" 50W=40" 60W=48" 70W=60" 80W=72"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color



Model Information:

Example: SB-A02A90WSB

Products series	Wattage	Options	Profile Finishes
SB-A02A SB-A02B SB-A02C SB-A02D	90W = 32"+40" 110W = 40"+48" 150W = 60"+72"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color





Model Information:

Example: SB-A03A150WSB

Products series	Wattage	Options	Profile Finishes
SB-A03A SB-A03C SB-A03D SB-A03R	150W=32"+40"+48" 180W=40"+48"+60" 200W=48"+60"+72"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color
SB-A03B	120W=32"+40"+32" 160W=40"+48"+40" 190W=48"+60"+48" 220W=60"+72"+60"		



Model Information:

Example: SB-A04A200WSB

Products series	Wattage	Options	Profile Finishes
SB-A04A SB-A04B SB-A04C SB-A04R	200W=32"+40"+48"+60" 250W=40"+48"+60"+72"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color
SB-A04D	180W=40"+32"+40"+32" 220W=48"+40"+48"+40" 260W=60"+48"+60"+48" 300W=72"+60"+72"+60"	L=Line Triac dimming	



SB-A05A

SB-A05R



SB-A05B



SB-A06A



SB-A06R

Model Information:

Example: SB-A05A300WSB

Products series	Wattage	Options	Profile Finishes
SB-A05A SB-A05R SB-A05B	300W=48"+72"+40"+60"+32"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color

Model Information:

Example: SB-A06A280WSB

Products series	Wattage	Options	Profile Finishes
SB-A06A SB-A06R	280W=48"+32"+48"+32"+48"+32" 320W=60"+40"+60"+40"+60"+40"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color

SNOWMASS

LED Snowmass Pendant

Snowball "SNOWMASS" up and downlighting 360-degree LED modular fixture creates a piece with large dimensions where the alabaster and its warm, intimate light stand out. Sizes ranging from 16" to 72" or any custom sizes by your designs, extruded aluminum frame with glare-free acrylic lens and 10' long adjustable aircraft cable suspension. Available in silver, white, black, bronze and in your choice of any other color finishes. Emergency backup battery available. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for office, conference room and any other commercial applications.



Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - White. Other finishes color, custom figuration, and additional mounting available.




White







SB-W01A30W



SB-W03A90W



SB-W03B90W





SB-W03C90W

Model Information:

Example: SB-W07A210WSW

Products series	Wattage/Size	Options	RGBW/CCT Select Only	Profile Finishes	Aircraft Cable
SB-W01A	30W = 25.43"	S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set	T=3K-4K Tunable White	W=Gloss white	Blank=10' foot 120" (Standard)
SB-W03A	90W = 46.38"	L=ELV/Triac dimming with 3000K/3500K/4000K Color Selectable	R4=RGB+4000K (standard)		5'=5 foot 60"
SB-W03B SB-W03C	90W = 56.26"	D=DMX Z=ZigBee DMX for RGBW and Tunable White, control by Wall Switch or DMX control system. ZigBee for RGBW and CCT tunable / dimmable using remote, DMX, App and Google Alexa.	R3=RGB+3000K Do not select this column if selected "S"		15'=15 foot 180" 20'=20 foot 240" 25'=25 foot 300"

Full Color Name or RAL number for Custom Colors, select from Color Collections



Model Information:

Example: SB-W01A30WSB


Products series	Wattage/Size	Options	RGBW/CCT Select Only	Profile Finishes	Aircraft Cable
SB-W07A	210W = 69.8"	S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set	T=3K-4K Tunable White	W=Gloss white	Blank=10' foot 120" (Standard)
SB-W08A	240W = 68.5"	L=ELV/Triac dimming with 3000K/3500K/4000K Color Selectable D=DMX Z=ZigBee DMX for RGBW and Tunable White, control by Wall Switch or DMX control system. ZigBee for RGBW and CCT tunable / dimmable using remote, DMX, App and Google Alexa.	R4=RGB+4000K (standard) R3=RGB+3000K Do not select this column if selected "S"		5'=5 foot 60" 15'=15 foot 180" 20'=20 foot 240" 25'=25 foot 300"
					Full Color Name or RAL number for Custom Colors, select from Color Collections


DAVOS

LED Davos Pendant

Snowball "DAVOS" color selectable LED Luminaries is result of a combination of design and architecture to create lights for inside lighting or outside lighting. Sizes ranging from 32" to 72", extruded aluminum frame with glare-free diffuser lens and 10' long adjustable aircraft cable suspension. Its timeless yet contemporary design gives it character and perfectly illuminates spaces of high architectural value. Available in silver, white, black, bronze and in your choice of any other color finishes. Emergency backup battery available. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for office, conference room and any other commercial applications.

Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Black, White, Silver, and Bronze. Other finishes color, custom figuration, and additional mounting available.







Model Information:

Example: SB-H01A40WSB


Products series	Wattage	Options	Profile Finishes
SB-H01A SB-H01B SB-H01C SB-H01D	40W = 32"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
	50W = 40"	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	S=Platinum Silver (Stock Color)
	60W = 48"		W=Gloss White (Stock Color)
	70W = 60"	L=Line Triac dimming	O=Oil Bronze (Stock Color)
	80W = 72"		RAL number for other Color



Model Information:

Example: SB-H02A90WSB



Products series	Wattage	Options	Profile Finishes
SB-H02A SB-H02B SB-H02C SB-H02D SB-H02E	90W = 32"+40"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
	110W = 40"+48"	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	S=Platinum Silver (Stock Color)
	150W = 60"+72"		W=Gloss White (Stock Color)
		L=Line Triac dimming	O=Oil Bronze (Stock Color)
			RAL number for other Color



Model Information:

Example: SB-H03A150WSB

Products series	Wattage	Options	Profile Finishes
SB-H03A SB-H03B SB-H03D SB-H03R	150W=48" + 40" + 32" 180W=60" + 48" + 40" 200W=72" + 60" + 48"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color)
SB-H03C SB-H03G	150W=32" + 40" + 48" 180W=40" + 48" + 60" 200W=48" + 60" + 72"	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	O=Oil Bronze (Stock Color) RAL number for other Color
SB-H03E SB-H03F	150W=40" + 32" + 40" 160W=48" + 40" + 48" 200W=60" + 48" + 60" 240W=72" + 60" + 72"	L=Line Triac dimming	
SB-H03H	130W=32" + 40" + 32" 200W=48" + 60" + 48" 220W=60" + 72" + 60"		



Model Information:

Example: SB-H04A200WSB

Products series	Wattage	Options	Profile Finishes
SB-H04A	200W=32"+40"+48"+60"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
SB-H04B	250W=40"+48"+60"+72"		S=Platinum Silver (Stock Color)
SB-H04D		T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	W=Gloss White (Stock Color)
SB-H04F			O=Oil Bronze (Stock Color)
SB-H04R		L=Line Triac dimming	RAL number for other Color
SB-H04C	180W=40"+32"+40"+32"		
SB-H04E	220W=48"+40"+48"+40"		
SB-H04G	260W=60"+48"+60"+48" 300W=72"+60"+72"+60"		



SB-H05A



SB-H05B



SB-H05R



SB-H05C



SB-H05D

Model Information:

Example: SB-H05A240WSB


Products series	Wattage	Options	Profile Finishes
SB-H05A	240W=32"+40"+48"+40"+32"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
SB-H05B			S=Platinum Silver (Stock Color)
SB-H05C	280W=40"+48"+60"+48"+40"	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	W=Gloss White (Stock Color)
SB-H05D			O=Oil Bronze (Stock Color)
SB-H05R	340W=48"+60"+72"+60"+48"		RAL number for other Color
		L=Line Triac dimming	

MERIBEL

LED Meribel Pendant

Snowball "MERIBEL" captivating artistic design brings a lighthearted and inspirational look to a modern space. This model includes bright LED module install inside the polished gold metal that radiates from the center of the 1.43 pounds luxuriously thick 1.0" diameter 6.0" crystal glow when illuminated, the lighting illuminates with a soft glow on the aluminum ring with rich diamond cloth inside the ring make a stunning statement lighting. Ranging sizes of 16" to 72", 10' long adjustable aircraft cable suspension. Available in silver, white, black, bronze and in your choice of any other color finishes. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for living rooms, entry areas, restaurant, bars and more.

Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Black, White, Silver, and Bronze. Other finishes color, custom figuration, and additional mounting available.





SB-K01A



SB-K01B

Example: SB-K01A40WSB

Model Information:

Products series	Wattage	Options	Profile Finishes
SB-K01A	40W=32" 6 lights	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
SB-K01B	50W=40" 8 lights	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	S=Platinum Silver (Stock Color)
		L=Line Triac dimming	W=Gloss White (Stock Color)
			O=Oil Bronze (Stock Color)
			RAL number for other Color



SB-K01C



SB-K01D



SB-K01E



SB-K01F



Model Information:

Example: SB-K01C60WSB

Products series	Wattage	Options	Profile Finishes
SB-K01C	60W=48" 10 lights	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
SB-K01D	70W=60" 12 lights		S=Platinum Silver (Stock Color)
SB-K01E	90W=72" 14 lights	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control L=Line Triac dimming	W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color

Model Information:

Example: SB-K01F40WSB


Products series	Wattage	Options	Profile Finishes
SB-K01F	40W=32" 6 lights	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
	50W=40" 8 lights		S=Platinum Silver (Stock Color)
	60W=48" 10 lights	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	W=Gloss White (Stock Color)
	70W=60" 12 lights	L=Line Triac dimming	O=Oil Bronze (Stock Color)
	90W=72" 14 lights		RAL number for other Color

BOZEMAN

LED Bozeman Pendant

Snowball "BOZEMAN" unique design LED Luminaries are designed to be both elegant and creative while providing energy efficient high lumen output. Ranging from sizes 32" to 60" or any custom sizes by your designs, extruded aluminum frame with glare-free acrylic lens and 10' long adjustable aircraft cable suspension. Available in silver, white, black, bronze and in your choice of any other color finishes. Emergency backup battery available. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for office, conference room and any other commercial applications.

Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Black, White, Silver, and Bronze. Other finishes color, custom figuration, and additional mounting available.





SB-J01D



SB-J01H

Model Information:

Example: SB-J01D80WSB


Products series	Wattage	Options	Profile Finishes
SB-J01D	80W = 32" x 32"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color)
SB-J01H	120W = 48" x 48"		S=Platinum Silver (Stock Color)
	150W = 60" x 60"		W=Gloss White (Stock Color)
			O=Oil Bronze (Stock Color) RAL number for other Color

CORTINA

LED Cortina Pendant

Snowball "CORTINA" unique design LED Luminaries are designed to be both elegant and creative while providing energy efficient high lumen output. Ranging from sizes 32" to 72" or any custom sizes by your designs, extruded aluminum frame with glare-free acrylic lens and 10' long adjustable aircraft cable suspension. Available in silver, white, black, bronze and in your choice of any other color finishes. Emergency backup battery available. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for office, conference room and any other commercial applications.

Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Black, White, Silver, and Bronze. Other finishes color, custom figuration, and additional mounting available.





Model Information:

Example: **SB-J01E40WSB**


Products series	Wattage	Options	Profile Finishes
SB-J01E	40W = 32"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
SB-J01L	60W = 40"		S=Platinum Silver (Stock Color)
	80W = 48"	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	W=Gloss White (Stock Color)
	100W = 60"	L=Line Triac dimming	O=Oil Bronze (Stock Color)
	120W = 72"		RAL number for other Color

NISEKO

LED Niseko Pendant

Snowball "NISEKO" With a breathless silhouette, this superbly designed triangle LED pendant light sets itself apart from conventional lighting decor. Luminaries are designed to be both elegant and creative while providing energy efficient high lumen output. Ranging from sizes 32" to 72" or any custom sizes by your designs, extruded aluminum frame with glare-free acrylic lens and 10' long adjustable aircraft cable suspension. Available in silver, white, black, bronze and in your choice of any other color finishes. Emergency backup battery available perfect for office, conference room and any other commercial applications. Emergency backup battery available. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for office, conference room and any other commercial applications.

Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Black, White, Silver, and Bronze. Other finishes color, custom figuration, and additional mounting available.







SB-J01M




SB-J01N



SB-J02L



SB-J01K



SB-J03Y

Model Information:

Example: SB-J01G40WSB


Products series	Wattage	Options	Profile Finishes
SB-J01M SB-J01N	40W = 32" 50W = 40" 60W = 48" 70W = 60" 80W = 72"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color)
SB-J02L	90W=32"+40" 110W=40"+48" 120W=48"+60" 150W=60"+72"	L=Line Triac dimming	W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color
SB-J01K	80W=32"+32" 100W=40"+40" 120W=48"+48" 140W=60"+60" 150W=72"+72"		
SB-J03Y	150W=32"+40"+48" 180W=40"+48"+60" 200W=48"+60"+72"		

ALBERG 1-14



LED Alberg Pendant

Snowball "ALBERG " modular LED fixture made with different shapes such as rectangular , square, triangle and circle. Luminaries are designed to be both elegant and creative while providing energy efficient high lumen output. Ranging from sizes 16" to 72" or any custom sizes by your designs, extruded aluminum frame with glare-free acrylic lens and 10' long adjustable aircraft cable suspension. Available in silver, white, black, bronze and in your choice of any other color finishes. Emergency backup battery available. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for office, conference room and any other commercial applications.

Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Black, White, Silver, and Bronze. Other finishes color, custom figuration, and additional mounting available.



Alberg 1





Model Information:

Example: SB-J02H80WSB

Products series	Wattage	Options	Profile Finishes
SB-J02H	80W=24" x 48"+ Ø16"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
SB-J02K	100W=30" x 60"+ Ø24"		S=Platinum Silver (Stock Color)
	120W=36" x 72"+ Ø32"	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	W=Gloss White (Stock Color)
		L=Line Triac dimming	O=Oil Bronze (Stock Color)
			RAL number for other Color

Alberg 2





Model Information:

Example: SB-J02E60WSB

Products series	Wattage	Options	Profile Finishes
SB-J02E	60W=16" x 32"+ Ø16"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
SB-J02J	100W=24" x 48"+ Ø24"		S=Platinum Silver (Stock Color)
	120W=30" x 60"+ Ø48"	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	W=Gloss White (Stock Color)
	150W=36" x 72"+ Ø60"	L=Line Triac dimming	O=Oil Bronze (Stock Color)
			RAL number for other Color

Alberg 3




Model Information:

Example: SB-J02D60WSB

Products series	Wattage	Options	Profile Finishes
SB-J02D	60W=16"×32"+16"×16"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by Wall Switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color)
SB-J02M	90W=24"×48"+24"×24"		S=Platinum Silver (Stock Color)
	120W=30"×60"+32"×32"		W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color

Alberg 4





Model Information:

Example: SB-J02A80WSB

Products series	Wattage	Options	Profile Finishes
SB-J02A	80W=24"×24"+32"×32"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by Wall Switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color)
SB-J02F	100W=32"×32"+40"×40"		S=Platinum Silver (Stock Color)
	120W=48"×48"+60"×60"		W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color
	150W=60"×60"+72"×72"		

Alberg 5





Model Information:

Example: SB-J03D100WSB

Products series	Wattage	Options	Profile Finishes
SB-J03D	100W=16"X16"+16"X16"+24"x48"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color)
SB-J03I	150W=32"x32"+32"x32"+30"x60"		S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color

Alberg 6



Model Information:

Example: SB-J04A120WSB

Products series	Wattage	Options	Profile Finishes
SB-J04A	120W=16"x16"+16"x16"+24"x48"+Ø16"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color)
SB-J04B	200W=32"x32"+32"x32"+30"x60"+Ø24"		S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color

Alberg 7





Model Information:

Example: SB-J01A40WSB

Products series	Wattage	Options	Profile Finishes
SB-J01A	40W = 32" x 32"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
SB-J01J	50W = 40" x 40"		S=Platinum Silver (Stock Color)
SB-J01R	60W = 48" x 48"	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	W=Gloss White (Stock Color)
	70W = 60" x 60"		O=Oil Bronze (Stock Color)
	80W = 72" x 72"		RAL number for other Color

Alberg 8




Model Information:

Example: SB-J02B80WSB

Products series	Wattage	Options	Profile Finishes
SB-J02B	80W=24" x 24"+32" x 32"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
SB-J02T	100W=32" x 32"+40" x 40"		S=Platinum Silver (Stock Color)
SB-J02R	120W=48" x 48"+60" x 60"	T=3000K-4000K Color Tunable & Dimmable by Wall Switch including phone App and voice control	W=Gloss White (Stock Color)
	150W=60" x 60"+72" x 72"		O=Oil Bronze (Stock Color)
			RAL number for other Color

Alberg 9




Model Information:

Example: SB-J03A90WSB

Products series	Wattage	Options	Profile Finishes
SB-J03A SB-J03B SB-J03F SB-J03G	90W=16"×16"+24"×24"+32"×32" 150W=32"×32"+40"×40"+48"×48" 240W=48"×48"×60"×60"+72"×72"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by Wall Switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color

Alberg 10



Model Information:

Example: SB-J03E120WSB

Products series	Wattage	Options	Profile Finishes
SB-J03E SB-J03H	120W=16"×32"+16"×32"+16"×32" 180W=24"×48"+24"×48"+24"×48" 200W=30"×60"+30"×60"+30"×60" 240W=36"×72"+36"×72"+36"×72"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by Wall Switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color

Alberg 11






Model Information:

Example: SB-J01F40WSB

Products series	Wattage	Options	Profile Finishes
SB-J01B SB-J01F	40W = 16" x 32"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
	50W = 20" x 40"		S=Platinum Silver (Stock Color)
	60W = 24" x 48"	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	W=Gloss White (Stock Color)
	70W = 30" x 60"		O=Oil Bronze (Stock Color)
	80W = 36" x 72"	L=Line Triac dimming	RAL number for other Color

Alberg 12





Model Information:

Example: SB-J02080WSB

Products series	Wattage	Options	Profile Finishes
SB-J020 SB-J02P	150W=24" x 48" + Ø16"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
	180W=30" x 60" + Ø24"		S=Platinum Silver (Stock Color)
	200W=36" x 72" + Ø32"	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	W=Gloss White (Stock Color)
			O=Oil Bronze (Stock Color)
		L=Line Triac dimming	RAL number for other Color

Alberg 13





Model Information:

Example: **SB-J01C40WSB**

Products series	Wattage	Options	Profile Finishes
SB-J01C SB-J01O	80W = 32" x 32" 100W = 40" x 40" 120W = 48" x 48" 140W = 60" x 60" 160W = 72" x 72"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color

Alberg 14



Model Information:

Example: **SB-J01P40WSB**


Products series	Wattage	Options	Profile Finishes
SB-J01P SB-J01Q	80W = 16" x 32" 100W = 20" x 40" 120W = 24" x 48" 140W = 30" x 60" 160W = 36" x 72"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color



APACHE

LED Apache

Snowball "APACHE" Surface mount LED fixture series are designed to be both elegant and creative while providing energy efficient high lumen output. The classic Apache with its low-profile seamless aluminum frame and thick flawless acrylic lens offers a bright consistent down light output within a beautiful fixture. The flexible design of 1-3 rings, suspending options and a range of lumen output makes the Apache a functional LED fixture while providing a sleek look that's sure to impress. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. It suits any kind of space as a composite lamp for offices, halls, stairwells, foyers, restaurant, bars and more.

Fixture can be Surface mount. Standard Finishes - Black, White, Silver, and Bronze. Other finishes color, custom figuration, and additional mounting available.





Model Information:

Example: SB-V01A20WSB


Products series	Wattage	Options	Profile Finishes
SB-V01A	20W = 16" 30W = 24"	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color)
SB-V02A	40W =16"+24"	L=Line Triac dimming	O=Oil Bronze (Stock Color)
SB-V03A	60W =24"+20"+16"		RAL number for other Color


ZERMATT

LED Zermatt Pendant

The "ZERMATT" series LED Luminaries is sure to impress. Utilizing an aluminum frame and solid acrylic lens for both down-light and up-light with a 360-degree spread, these provide a sleek option for architectural design. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for office, conference room, hospital, labs and any other commercial applications.

Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Silver and White, Silver, and Bronze. Other finishes color, custom figuration, and additional mounting available.





SB-DE/SS/40W/S1S



SB-DE/SS/40W/S1W

Model Information:

Example: SB-DE/SS/40W/S1S


Products series	Options	Profile Finishes
SB-DE/SS/40W/S1S SB-DE/SS/40W/S1W	Blank=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim L=Line Triac dimming	S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) Full Color Name or RAL number for Custom Colors

ASPEN LINEAR

LED Aspen linear Pendant

Snowball "ASPEN LINEAR" geometric piece is a contemporary classic, and its illumination offers both up light and downlight, it has an ethereal quality in its modern design. Made extruded aluminum frame with glare-free acrylic lens against yellowing and 10' long adjustable aircraft cable suspension. Available in silver, white, black, bronze and in your choice of any other color finishes. Emergency backup battery available perfect for office, conference room and any other commercial applications. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for office, conference room, hospital, labs, bars and any other commercial applications.

Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Black, White, Silver, and Bronze. Other finishes color, custom figuration, and additional mounting available.





Model Information:

Example: SB-F01-20WSB


Products series	Wattage	Options	Profile Finishes
SB-F01	20W=1 linear	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
SB-F02	40W=2 linear	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	S=Platinum Silver (Stock Color)
SB-F03	60W=3 linear	L=Line Triac dimming	W=Gloss White (Stock Color)
SB-F04	80W=4 linear		O=Oil Bronze (Stock Color)
SB-F05	100W=5 linear		RAL number for other Color
SB-F06	120W=6 linear		
SB-F08	150W=8 linear		

WHISTLER LINEAR

LED Whistler linear Pendant

Snowball "WHISTLER LINEAR" LED pendant light offers a different look for maximum effect, designed to be both elegant and creative while providing energy efficient high lumen output. Fixtures available in 1-8 Lights or any number of Lights by your designs, color temperature are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for office, conference room, hospital, labs, bars and any other commercial applications.

Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Black, White, Silver, and Bronze. Other finishes color, custom figuration, and additional mounting available.





Model Information:

Example: SB-C01-20WSB


Products series	Wattage	Options	Profile Finishes
SB-C01	20W=1 linear	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
SB-C02	40W=2 linear	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	S=Platinum Silver (Stock Color)
SB-C03	60W=3 linear		W=Gloss White (Stock Color)
SB-C04	80W=4 linear	L=Line Triac dimming	O=Oil Bronze (Stock Color)
SB-C05	100W=5 linear		RAL number for other Color
SB-C06	120W=6 linear		
SB-C08	150W=8 linear		


BLACK DIAMOND LINEAR

LED Black Diamond Linear Pendant

Black Diamond Linear with 340-degree LED architectural Linear, this pendant support individual acrylic crystals which creates a dramatic lighting effect. It's a timeless yet contemporary design which gives it character and perfectly illuminates spaces of high architectural value. Made with extruded aluminum frame channels anodized in your choice of platinum silver, matte black, oil bronze and in your choice of any other color finishes. Emergency backup battery available. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for office, conference room and any other commercial applications.

Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Black, White, Silver, and Bronze. Other finishes color, custom figuration, and additional mounting available.





Model Information:

Example: SB-B01-20WSB

Products series	Wattage	Options	Profile Finishes
SB-B01	20W=1 linear	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
SB-B02	40W=2 linear	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	S=Platinum Silver (Stock Color)
SB-B03	60W=3 linear		W=Gloss White (Stock Color)
SB-B04	80W=4 linear	L=Line Triac dimming	O=Oil Bronze (Stock Color)
SB-B05	100W=5 linear		RAL number for other Colo
SB-B06	120W=6 linear		
SB-B08	150W=8 linear		


MALBUN

LED Malbun Pendant

Snowball "MALBUN" Capturing the ethereal beauty of a perfect raindrop. This stunning collection elevates this model which includes bright LED module installed inside the polished gold metal that radiates from the center of the 1.43 pounds luxuriously thick 1.0" diameter 6.0" crystal glow when illuminated. Available in 5-14 Lights or any number of Lights by your designs. 10' long adjustable aircraft cable suspension. Emergency backup battery available. Fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Perfect for living rooms, entry areas, restaurant, bars and more.



Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Canopy standard Finishes - Black, White, Silver, and Bronze. Other finishes color, custom figuration, and additional mounting available.





SB-M05A

Model Information:

Example: SB-M05A30WSB

Products series	Wattage	Options	Canopy Finishes
SB-M05A	30W=5 Crystal	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color



SB-M06A

Model Information:

Example: SB-M06A40WSB

Products series	Wattage	Options	Canopy Finishes
SB-M06A	40W=6 Crystal	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color



SB-M08A

Example: SB-M08A50WSB

Model Information:

Products series	Wattage	Options	Canopy Finishes
SB-M08A	50W=8 Crystal	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color



SB-M10A

Example: SB-M10A60WSB

Model Information:

Products series	Wattage	Options	Canopy Finishes
SB-M10A	60W=10 Crystal	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color




SB-M12A

Model Information:

Example: SB-M12A70WSB

Products series	Wattage	Options	Canopy Finishes
SB-M12A	70W=12 Crystal	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color



SB-M14A

Model Information:

Example: SB-M14A90WSB

Products series	Wattage	Options	Canopy Finishes
SB-M14A	90W=14 Crystal	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control L=Line Triac dimming	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color

VAIL

LED Vail Pendant

Snowball "VAIL" up and downlighting improve your decor with the eye-catching style, with a matte black and matt white gold finish on the upside and underside for a lovely contrast, a stunning fixture that expresses signature style and personality. Great in any contemporary living area. Energy-efficient up lighting illuminates with a soft glow on the rich gold finish aluminum make a stunning statement, while downlights ensure plenty of task lighting. Fixtures available in 5-16 Lights or any number of Lights by your designs, 10' long adjustable aircraft cable suspension, color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Emergency backup battery available perfect for living rooms, entry areas, restaurant, bars and more.



White with Gold



White only




Black with Gold



Black only

Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Black, White, Black with Gold inside, White with Gold inside. Other finishes color, custom figuration, and additional mounting available.





Model Information:

Example: SB-P01A08WSB

Products Series	Vail housing Finishes	Wattage	Options	RGB/CCT Select Only	Canopy Finishes	Aircraft Cable
*SB-P01	*C=White with Gold (standard) A=White (standard) *B=Black (standard) D=Black with Gold (standard) Full Color Name or RAL number for Custom Colors, select from Color Collections	*08W=8W	*S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set. L=ELV / Triac dimming with 3000K/3500K/4000K Color Selectable D=DMX for RGBW or Tunable White Z=ZigBee for RGBW or Tunable White	T=3000K-4000K Tunable White R=RGB Do not select this column if selected "S"	*B=Black Jack S=Platinum Silver W=Gloss White Full Color Name or RAL number for Custom Colors, select from Color Collections	*Blank=10' foot 120" (Standard) 5'=5 foot 60" 15'=15 foot 180" 20'=20 foot 240" 25'=25 foot 300"



SB-P02A White



SB-P02C White Gold

Model Information:

Example: SB-P02C16WSB

Products Series	Vail housing Finishes	Wattage	Options	RGB/CCT Select Only	Canopy Finishes	Aircraft Cable
*SB-P02	*C=White with Gold (standard) A=White (standard)	*16W=16W	*S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set.	T=3000K-4000K Tunable White R=RGB	*B=Black Jack S=Platinum Silver W=Gloss White	*Blank=10' foot 120" (Standard) 5'=5 foot 60" 15'=15 foot 180"
	Full Color Name or RAL number for Custom Colors, select from Color Collections		L=ELV / Triac dimming with 3000K/3500K/4000K Color Selectable D=DMX for RGBW or Tunable White Z=ZigBee for RGBW or Tunable White	Do not select this column if selected "S"	Full Color Name or RAL number for Custom Colors, select from Color Collections	20'=20 foot 240" 25'=25 foot 300"



SB-P02B Black



SB-P02D Black Gold

Model Information:

Example: SB-P02D16WSB

Products Series	Vail housing Finishes	Wattage	Options	RGB/CCT Select Only	Canopy Finishes	Aircraft Cable
*SB-P02	*D=Black with Gold (standard) B=Black(standard)	*16W=16W	*S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set.	T=3000K-4000K Tunable White R=RGB	*B=Black Jack S=Platinum Silver W=Gloss White	*Blank=10' foot 120" (Standard) 5'=5 foot 60" 15'=15 foot 180"
	Full Color Name or RAL number for Custom Colors, select from Color Collections		L=ELV / Triac dimming with 3000K/3500K/4000K Color Selectable D=DMX for RGBW or Tunable White Z=ZigBee for RGBW or Tunable White	Do not select this column if selected "S"	Full Color Name or RAL number for Custom Colors, select from Color Collections	20'=20 foot 240" 25'=25 foot 300"



SB-P03A White



SB-P03C White Gold



SB-P03B Black



SB-P03D Black Gold

Model Information:

Example: SB-P03A25WSB

Products Series	Vail housing Finishes	Wattage	Options	RGB/CCT Select Only	Canopy Finishes	Aircraft Cable
*SB-P03	*A=White (standard) C=white with Gold (standard) Full Color Name or RAL number for Custom Colors, select from Color Collections	*25W=25W	*S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set. L=ELV / Triac dimming with 3000K/3500K/4000K Color Selectable D=DMX for RGBW or Tunable White Z=ZigBee for RGBW or Tunable White	T=3000K-4000K Tunable White R=RGB Do not select this column if selected "S"	*B=Black Jack S=Platinum Silver W=Gloss White Full Color Name or RAL number for Custom Colors, select from Color Collections	*Blank=10' foot 120" (Standard) 5'=5 foot 60" 15'=15 foot 180" 20'=20 foot 240" 25'=25 foot 300"

Model Information:

Example: SB-P03D25WSB

Products Series	Vail housing Finishes	Wattage	Options	RGB/CCT Select Only	Canopy Finishes	Aircraft Cable
*SB-P03	B=Black(standard) *D=Black with Gold (standard) Full Color Name or RAL number for Custom Colors, select from Color Collections	*25W=25W	*S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set. L=ELV / Triac dimming with 3000K/3500K/4000K Color Selectable D=DMX for RGBW or Tunable White Z=ZigBee for RGBW or Tunable White	T=3000K-4000K Tunable White R=RGB Do not select this column if selected "S"	*B=Black Jack S=Platinum Silver W=Gloss White Full Color Name or RAL number for Custom Colors, select from Color Collections	*Blank=10' foot 120" (Standard) 5'=5 foot 60" 15'=15 foot 180" 20'=20 foot 240" 25'=25 foot 300"



SB-P05A White



SB-P05C White Gold

Model Information:

Example: SB-P05C40WSB

Products Series	Vail housing Finishes	Wattage	Options	RGB/CCT Select Only	Canopy Finishes	Aircraft Cable
*SB-P05	*A=White (standard) C=white with Gold (standard) Full Color Name or RAL number for Custom Colors, select from Color Collections	*40W=40W	*S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set. L=ELV / Triac dimming with 3000K/3500K/4000K Color Selectable D=DMX for RGBW or Tunable White Z=ZigBee for RGBW or Tunable White	T=3000K-4000K Tunable White R=RGB Do not select this column if selected "S"	*B=Black Jack S=Platinum Silver W=Gloss White Full Color Name or RAL number for Custom Colors, select from Color Collections	*Blank=10' foot 120" (Standard) 5'=5 foot 60" 15'=15 foot 180" 20'=20 foot 240" 25'=25 foot 300"



SB-P05B Black



SB-P05D Black Gold

Model Information:

Example: SB-P05B40WSB

Products Series	Vail housing Finishes	Wattage	Options	RGB/CCT Select Only	Canopy Finishes	Aircraft Cable
*SB-P05	B=Black *D=Black with Gold (standard) Full Color Name or RAL number for Custom Colors, select from Color Collections	*40W=40W	*S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set. L=ELV / Triac dimming with 3000K/3500K/4000K Color Selectable D=DMX for RGBW or Tunable White Z=ZigBee for RGBW or Tunable White	T=3000K-4000K Tunable White R=RGB Do not select this column if selected "S"	*B=Black Jack S=Platinum Silver W=Gloss White Full Color Name or RAL number for Custom Colors, select from Color Collections	*Blank=10' foot 120" (Standard) 5'=5 foot 60" 15'=15 foot 180" 20'=20 foot 240" 25'=25 foot 300"



SB-P05F
Black with Ring



SB-P05H
Black Gold with Ring



SB-P05E
White with Ring



SB-P05G
White Gold with Ring

Model Information:

Example: **SB-P05G40WSB**

Products Series	Vail housing Finishes	Wattage	Options	RGB/CCT Select Only	Canopy Finishes	Aircraft Cable
*SB-P05	*G=White with Gold (standard) E=White(standard) *F=Black(standard) H=Black with Gold (standard) Full Color Name or RAL number for Custom Colors, select from Color Collections	*40W=40W	*S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set. L=ELV / Triac dimming with 3000K/3500K/4000K Color Selectable D=DMX for RGBW or Tunable White Z=ZigBee for RGBW or Tunable White	T=3000K-4000K Tunable White R=RGB Do not select this column if selected "S"	*B=Black Jack S=Platinum Silver W=Gloss White Full Color Name or RAL number for Custom Colors, select from Color Collections	*Blank=10' foot 120" (Standard) 5'=5 foot 60" 15'=15 foot 180" 20'=20 foot 240" 25'=25 foot 300"



SB-P08A White



SB-P08C White Gold



SB-P08B Black



SB-P08D Black Gold

Model Information:

Example: SB-P08A60WSB

Products Series	Vail housing Finishes	Wattage	Options	RGB/CCT Select Only	Canopy Finishes	Aircraft Cable
*SB-P08	*A=White(standard) C=White with Gold (standard) Full Color Name or RAL number for Custom Colors, select from Color Collections	*60W=60W	*S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set. L=ELV / Triac dimming with 3000K/3500K/4000K Color Selectable D=DMX for RGBW or Tunable White Z=ZigBee for RGBW or Tunable White	T=3000K-4000K Tunable White R=RGB Do not select this column if selected "S"	*B=Black Jack S=Platinum Silver W=Gloss White Full Color Name or RAL number for Custom Colors, select from Color Collections	*Blank=10' foot 120" (Standard) 5'=5 foot 60" 15'=15 foot 180" 20'=20 foot 240" 25'=25 foot 300"

Model Information:

Example: SB-P08B60WSB

Products Series	Vail housing Finishes	Wattage	Options	RGB/CCT Select Only	Canopy Finishes	Aircraft Cable
*SB-P08	*B=Black(standard) D=Black with Gold (standard) Full Color Name or RAL number for Custom Colors, select from Color Collections	*60W=60W	*S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set. L=ELV / Triac dimming with 3000K/3500K/4000K Color Selectable D=DMX for RGBW or Tunable White Z=ZigBee for RGBW or Tunable White	T=3000K-4000K Tunable White R=RGB Do not select this column if selected "S"	*B=Black Jack S=Platinum Silver W=Gloss White Full Color Name or RAL number for Custom Colors, select from Color Collections	*Blank=10' foot 120" (Standard) 5'=5 foot 60" 15'=15 foot 180" 20'=20 foot 240" 25'=25 foot 300"



SB-P08E White

SB-P08G White Gold

SB-P08F Black

SB-P08H Black Gold

Model Information:

Example: SB-P08E60WSB

Products Series	Vail housing Finishes	Wattage	Options	RGB/CCT Select Only	Canopy Finishes	Aircraft Cable
*SB-P08	*G=White with Gold (standard) E=White(standard) *F=Black(standard) H=Black with Gold (standard) Full Color Name or RAL number for Custom Colors, select from Color Collections	*60W=60W	*S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set. L=ELV / Triac dimming with 3000K/3500K/4000K Color Selectable D=DMX for RGBW or Tunable White Z=ZigBee for RGBW or Tunable White	T=3000K-4000K Tunable White R=RGB Do not select this column if selected "S"	*B=Black Jack S=Platinum Silver W=Gloss White Full Color Name or RAL number for Custom Colors, select from Color Collections	*Blank=10' foot 120" (Standard) 5'=5 foot 60" 15'=15 foot 180" 20'=20 foot 240" 25'=25 foot 300"



SB-P08J
White with Ring



SB-P08L
White Gold with Ring

Model Information:

Example: SB-P08C60WSB

Products Series	Vail housing Finishes	Wattage	Options	RGB/CCT Select Only	Canopy Finishes	Aircraft Cable
*SB-P08	*J=White (standard) L=White with Gold (standard) Full Color Name or RAL number for Custom Colors, select from Color Collections	*60W=60W	*S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set. L=ELV / Triac dimming with 3000K/3500K/4000K Color Selectable D=DMX for RGBW or Tunable White Z=ZigBee for RGBW or Tunable White	T=3000K-4000K Tunable White R=RGB	*B=Black Jack S=Platinum Silver W=Gloss White Full Color Name or RAL number for Custom Colors, select from Color Collections	*Blank=10' foot 120" (Standard) 5'=5 foot 60" 15'=15 foot 180" 20'=20 foot 240" 25'=25 foot 300"



SB-P08K
Black with Ring




SB-P08M
Black Gold with Ring

Model Information:

Example: SB-P08K60WSB


Products Series	Vail housing Finishes	Wattage	Options	RGB/CCT Select Only	Canopy Finishes	Aircraft Cable
*SB-P08	*K=Black with Gold (standard) M=Black (standard) Full Color Name or RAL number for Custom Colors, select from Color Collections	*60W=60W	*S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set. L=ELV / Triac dimming with 3000K/3500K/4000K Color Selectable D=DMX for RGBW or Tunable White Z=ZigBee for RGBW or Tunable White	T=3000K-4000K Tunable White R=RGB	*B=Black Jack S=Platinum Silver W=Gloss White Full Color Name or RAL number for Custom Colors, select from Color Collections	*Blank=10' foot 120" (Standard) 5'=5 foot 60" 15'=15 foot 180" 20'=20 foot 240" 25'=25 foot 300"



Model Information:

Example: SB-P08N60WSB

Products Series	Vail housing Finishes	Wattage	Options	RGB/CCT Select Only	Canopy Finishes	Aircraft Cable
*SB-P08	*N=White (standard) P=White with Gold (standard) *O=Black (standard) Q=Black with Gold (standard) Full Color Name or RAL number for Custom Colors, select from Color Collections	*60W=60W	*S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set. L=ELV / Triac dimming with 3000K/3500K/4000K Color Selectable D=DMX for RGBW or Tunable White Z=ZigBee for RGBW or Tunable White	T=3000K-4000K Tunable White R=RGB Do not select this column if selected "S"	*B=Black Jack S=Platinum Silver W=Gloss White Full Color Name or RAL number for Custom Colors, select from Color Collections	*Blank=10' foot 120" (Standard) 5'=5 foot 60" 15'=15 foot 180" 20'=20 foot 240" 25'=25 foot 300"




SB-P16A White

SB-P16C White Gold

Model Information:

Example: SB-P16A100WSB

Products Series	Vail housing Finishes	Wattage	Options	RGB/CCT Select Only	Canopy Finishes	Aircraft Cable
*SB-P16	*A=White with Gold (standard) C=White (standard)	*100W=100W	*S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set.	T=3000K-4000K Tunable White R=RGB	*B=Black Jack S=Platinum Silver	*Blank=10' foot 120" (Standard) 5'=5 foot 60"
	Full Color Name or RAL number for Custom Colors, select from Color Collections		L=ELV / Triac dimming with 3000K/3500K/4000K Color Selectable D=DMX for RGBW or Tunable White Z=ZigBee for RGBW or Tunable White	Do not select this column if selected "S"	W=Gloss White Full Color Name or RAL number for Custom Colors, select from Color Collections	15'=15 foot 180" 20'=20 foot 240" 25'=25 foot 300"



SB-P16B Black

SB-P16D Black Gold

Model Information:

Example: SB-P16B100WSB


Products Series	Vail housing Finishes	Wattage	Options	RGB/CCT Select Only	Canopy Finishes	Aircraft Cable
*SB-P16	*B=Black (standard) D=Black with Gold (standard) Full Color Name or RAL number for Custom Colors, select from Color Collections	*100W=100W	*S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set. L=ELV / Triac dimming with 3000K/3500K/4000K Color Selectable D=DMX for RGBW or Tunable White Z=ZigBee for RGBW or Tunable White	T=3000K-4000K Tunable White R=RGB Do not select this column if selected "S"	*B=Black Jack S=Platinum Silver W=Gloss White Full Color Name or RAL number for Custom Colors, select from Color Collections	*Blank=10' foot 120" (Standard) 5'=5 foot 60" 15'=15 foot 180" 20'=20 foot 240" 25'=25 foot 300"



SB-P16E White Gold Ring



SB-P16G White Gold with Ring



SB-P16F Black with Ring



SB-P16H Black Gold with Ring

Model Information:

Example: SB-P16E100WSB

Products Series	Vail housing Finishes	Wattage	Options	RGB/CCT Select Only	Canopy Finishes	Aircraft Cable
*SB-P16	*E=White (standard) G=White with Gold (standard) Full Color Name or RAL number for Custom Colors, select from Color Collections	*100W=100W	*S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set. L=ELV / Triac dimming with 3000K/3500K/4000K Color Selectable D=DMX for RGBW or Tunable White Z=ZigBee for RGBW or Tunable White	T=3000K-4000K Tunable White R=RGB	*B=Black Jack S=Platinum Silver W=Gloss White Full Color Name or RAL number for Custom Colors, select from Color Collections	*Blank=10' foot 120" (Standard) 5'=5 foot 60" 15'=15 foot 180" 20'=20 foot 240" 25'=25 foot 300"

Model Information:

Example: SB-P16F100WSB

Products Series	Vail housing Finishes	Wattage	Options	RGB/CCT Select Only	Canopy Finishes	Aircraft Cable
*SB-P16	*F=Black (standard) H=Black with Gold (standard) Full Color Name or RAL number for Custom Colors, select from Color Collections	*100W=100W	*S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set. L=ELV / Triac dimming with 3000K/3500K/4000K Color Selectable D=DMX for RGBW or Tunable White Z=ZigBee for RGBW or Tunable White	T=3000K-4000K Tunable White R=RGB	*B=Black Jack S=Platinum Silver W=Gloss White Full Color Name or RAL number for Custom Colors, select from Color Collections	*Blank=10' foot 120" (Standard) 5'=5 foot 60" 15'=15 foot 180" 20'=20 foot 240" 25'=25 foot 300"


CHAMONIX


LED Chamonix Pendant

The modern looking "CHAMONIX" rain drops energy-efficient LED multi-light up and downlighting pendant made by aluminum and acrylic. Create a daydream mood in a modern space with smooth and continuous dimming. Available in 6-40 Lights or any number of Lights by your designs, fixtures color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. It suits any kind of space as a composite lamp for halls, stairwells, foyers, restaurant, bars and more.



Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Standard Finishes - Black, White, Silver, and Bronze. Other finishes color, custom figuration, and additional mounting available.






Model Information:

Example: SB-R06A30WSB


Products series	Wattage	Options	Profile Finishes
SB-R06A	30W=6 lights	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
SB-R08A	40W=8 lights	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	S=Platinum Silver (Stock Color)
SB-R12A	60W=12 lights	L=Line Dimming	W=Gloss White (Stock Color)
			O=Oil Bronze (Stock Color)
			RAL number for other Color



Model Information:

Example: SB-R20A100WSB

Products series	Wattage	Options	Profile Finishes
SB-R20A SB-R21A	100W=20 lights	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard) T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control L=Line Dimming	B=Black Jack (Stock Color) S=Platinum Silver (Stock Color) W=Gloss White (Stock Color) O=Oil Bronze (Stock Color) RAL number for other Color



Model Information:

Example: SB-R20A100WSB

Products series	Wattage	Options	Profile Finishes
SB-R25A	100W=25 lights	S=Color Selectable 3000K/3500K/4000K CRI 90 4000K factory set color 1-10V dim (Standard)	B=Black Jack (Stock Color)
SB-R40A	200W=40 lights	T=3000K-4000K Color Tunable & Dimmable by wall switch including phone App and voice control	S=Platinum Silver (Stock Color)
		L=Line Dimming	W=Gloss White (Stock Color)
			O=Oil Bronze (Stock Color)
			RAL number for other Color

VAL GARDENA

LED Val Gardena Pendant

Snowball "VAL GARDENA" beautiful butterflies explore light ephemeral beauty, elegant and fairies. This model includes bright LED module install inside the polished gold that radiates from the center of the acrylic glow when illuminated. Ranging from 5 piece butterfly to 12 piece butterfly or any amount of butterflies by your designs, without or with filled size of 32" to 72" aluminum with black diamond cloth inside. Lighting illuminates with a soft glow on the rich diamond cloth make a stunning statement lighting. Fixtures 10' long adjustable aircraft cable suspension, color temperatures are 3000K/3500K/4000K all in 1 select by Internal CCT Color selector switch or Tunable white & dimming by Wall switch / Smart phone control / Voice control. Emergency backup battery available, It suits any kind of space as a composite lamp for halls, stairwells, foyers, restaurant, bars and more.




Butterfly Chrome Finish



Butterfly Gold Finish

Fixture can be manually adjusted from 1' to 10' with standard cable. Longer custom lengths available. Canopy & Cloth Diamond ring
Standard Finishes - Black, White, Silver, and Bronze. Other finishes color, custom figuration, and additional mounting available.





Model Information:

Example: SB-N01A08WSA

Products series	Butterfly body Finishes	Wattage/ Size	Options	RGBW/CCT Select Only	Profile Finishes	Aircraft Cable
SB-N01A	A=Brassy Gold (standard)	08W=8W	S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set	T=3000K-4000K Tunable White	A= Brassy Gold (standard)	Blank=10' foot 120" (Standard)
SB-N02A	B=Supper Chrome Plus (standard)	16W=16W	L=ELV/Triac dimming with 3000K/3500K/4000K Color Selectable	R=RGB	B=Supper Chrome Plus (standard)	5'=5 foot 60"
SB-N03A	Full Color Name or RAL number for Custom Colors, select from Color Collections	25W=25W	D=DMX Z=ZigBee DMX for RGBW and Tunable White, control by Wall Switch or DMX control system. ZigBee for RGBW and CCT tunable / dimmable using remote, DMX, App and Google Alexa.	Do not select this column if selected "S"	Full Color Name or RAL number for Custom Colors, select from Color Collections	15'=15 foot 180" 20'=20 foot 240" 25'=25 foot 300"



Model Information:

Example: SB-N01B08WSA

Products series	Butterfly body Finishes	Wattage/ Size	Options	RGBW/CCT Select Only	Profile Finishes	Aircraft Cable
SB-W01B	A=Brassy Gold (standard)	08W=8W	S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set	T=3000K-4000K Tunable White	A= Brassy Gold (standard)	Blank=10' foot 120" (Standard)
SB-N02B	B=Supper Chrome Plus (standard)	16W=16W	L=ELV/Triac dimming with 3000K/3500K/4000K Color Selectable	R=RGB	B=Supper Chrome Plus (standard)	5'=5 foot 60"
SB-N03B	Full Color Name or RAL number for Custom Colors, select from Color Collections	25W=25W	D=DMX Z=ZigBee DMX for RGBW and Tunable White, control by Wall Switch or DMX control system. ZigBee for RGBW and CCT tunable / dimmable using remote, DMX, App and Google Alexa.	Do not select this column if selected "S"	Full Color Name or RAL number for Custom Colors, select from Color Collections	15'=15 foot 180" 20'=20 foot 240" 25'=25 foot 300"



SB-N05A



SB-N07A



SB-N12A

Model Information:

Example: SB-N05A40WSA

Products series	Butterfly body Finishes	Wattage/ Size	Options	RGBW/CCT Select Only	Profile Finishes	Aircraft Cable
SB-N05A	A=Brassy Gold (standard)	40W=40W	S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set	T=3000K-4000K Tunable White	A= Brassy Gold (standard)	Blank=10' foot 120" (Standard)
SB-N07A	C=Supper Chrome Plus (standard)	60W=60W	L=ELV/Triac dimming with 3000K/3500K/4000K Color Selectable	R=RGB	B=Supper Chrome Plus (standard)	5'=5 foot 60"
SB-N12A	Full Color Name or RAL number for Custom Colors, select from Color Collections	100W=100W	D=DMX Z=ZigBee DMX for RGBW and Tunable White, control by Wall Switch or DMX control system. ZigBee for RGBW and CCT tunable / dimmable using remote, DMX, App and Google Alexa.	Do not select this column if selected "S"	Full Color Name or RAL number for Custom Colors, select from Color Collections	15'=15 foot 180" 20'=20 foot 240" 25'=25 foot 300"



SB-N05B



SB-N07B




SB-N12B

Model Information:

Example: SB-N05B40WSA

Products series	Butterfly body Finishes	Wattage/ Size	Options	RGBW/CCT Select Only	Profile Finishes	Aircraft Cable
SB-N05B	B=Brassy Gold (standard)	40W=40W	S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set	T=3000K-4000K Tunable White	A= Brassy Gold (standard)	Blank=10' foot 120" (Standard)
SB-N07B	D=Supper Chrome Plus (standard)	60W=60W	L=ELV/Triac dimming with 3000K/3500K/4000K Color Selectable	R=RGB	B=Supper Chrome Plus (standard)	5'=5 foot 60"
SB-N12B	Full Color Name or RAL number for Custom Colors, select from Color Collections	100W=100W	D=DMX Z=ZigBee DMX for RGBW and Tunable White, control by Wall Switch or DMX control system. ZigBee for RGBW and CCT tunable / dimmable using remote, DMX, App and Google Alexa.	Do not select this column if selected "S"	Full Color Name or RAL number for Custom Colors, select from Color Collections	15'=15 foot 180" 20'=20 foot 240" 25'=25 foot 300"



Model Information:

Example: **SB-N05A40WSA**

Products series	Butterfly body Finishes	Wattage/ Size	Options	RGBW/CCT Select Only	Profile Finishes	Aircraft Cable
SB-N05A	A=Brassy Gold (standard)	40W=40W	S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set	T=3000K-4000K Tunable White	A= Brassy Gold (standard)	Blank=10' foot 120" (Standard)
SB-N07A	C=Supper Chrome Plus (standard)	60W=60W	L=ELV/Triac dimming with 3000K/3500K/4000K Color Selectable	R=RGB	B=Supper Chrome Plus (standard)	5'=5 foot 60"
SB-N12A	Full Color Name or RAL number for Custom Colors, select from Color Collections	100W=100W	D=DMX Z=ZigBee DMX for RGBW and Tunable White, control by Wall Switch or DMX control system. ZigBee for RGBW and CCT tunable / dimmable using remote, DMX, App and Google Alexa.	Do not select this column if selected "S"	Full Color Name or RAL number for Custom Colors, select from Color Collections	15'=15 foot 180" 20'=20 foot 240" 25'=25 foot 300"



Model Information:

Example: **SB-N05B40WSA**

Products series	Butterfly body Finishes	Wattage/ Size	Options	RGBW/CCT Select Only	Profile Finishes	Aircraft Cable
SB-N05B	B=Brassy Gold (standard)	40W=40W	S=1-10V dimming, CRI 90 3000K/3500K/4000K Color Selectable (Standard), 4000K factory color default set	T=3000K-4000K Tunable White	A= Brassy Gold (standard)	Blank=10' foot 120" (Standard)
SB-N07B	D=Supper Chrome Plus (standard)	60W=60W	L=ELV/Triac dimming with 3000K/3500K/4000K Color Selectable	R=RGB	B=Supper Chrome Plus (standard)	5'=5 foot 60"
SB-N12B	Full Color Name or RAL number for Custom Colors, select from Color Collections	100W=100W	D=DMX Z=ZigBee DMX for RGBW and Tunable White, control by Wall Switch or DMX control system. ZigBee for RGBW and CCT tunable / dimmable using remote, DMX, App and Google Alexa.	Do not select this column if selected "S"	Full Color Name or RAL number for Custom Colors, select from Color Collections	15'=15 foot 180" 20'=20 foot 240" 25'=25 foot 300"

