

**SB-A301A**

Aprica-A

PRODUCT DESCRIPTION

The **Aprica** Globe Italian Luxury modern Crystals LED Chandelier. Great application for Hotel, Dining room, Living room and hotel lobby.

FEATURES

- 5-year limited warranty.
- Ships assembled.
- Illumination inside the profile.
- Crystal, Stainless steel body, metal driver canopy.
- Fixture delivered lumens per watt ratio up to 53 LPW.

SPECIFICATIONS









- 90+ CRI.
- Input: 100-277V, 50/60Hz.
- 1-10V dimming standard, ELV / TRIAC dimming available.
- UL listed, suitable for dry location.
- Gloss White, Black Jack, Platinum Silver and Oil bronze color finish as standard, 6,500 custom colors are available.
- Built in color temperature selectable. Choose from 2700K/3500K/4000K ; 3000K/3500K/4000K. Custom color temperatures. lumen outputs, RGBW, Tunable White available.

PARTS PACKED WITH STANDARD FIXTURE

- Plastic Anchors, Screws, Wire Connectors
- [CCT Selector Switch](#)



CRYSTAL OPTIONS:



All Color



STANDARD COLOR FINISHES



ANODIZED GOLD

SUPER CHROME PLUS

In addition to our standard colors, we offer more than 6,500 [finishes and colors](#) for your luminaire. We can match your paint sample or any RAL finish. Add texture and originality to create a perfect match.

DIMENSIONS & WEIGHTS: Canopy Size for ZigBee & DMX: 15.75" x 2.76"

SB-A301A30W



SB-A301A40W



SB-A301A50W



SB-A301A60W



SB-A301A70W



MODEL INFORMATION:

Example: SB-A301A30WAA


Products Series	Wattage/Size	"E" Kelvin temp options (standard)	"W" Controls (don't select this column if selected S or A)	"Z" Canopy Finishes	"Y" Crystal color	"X" Aircraft Cable
*SB-A301A	*30W = 23.62"X12.60" 40W = 31.50"X13.78" 50W = 39.37"X15.75" 60W = 47.24"X19.69" 70W = 59.06"X21.65"	*S=3000K/3500K/4000K Color Select by internal CCT Color Selector, 4000K factory color default set, CRI 90	*Blank=1-10V dimming	*A=Anodized Gold (standard)	*A B C D E F G H I J K L M	*Blank=10' feet 120"(Standard)
		A=2700K/3500K/4000K Color Select by internal CCT color Selector, 4000K factory color default set. CRI 90	L=ELV / Triac dimming	C=Supper Chrome (standard)	5'=5 feet 60"	
		T=3K-4K Tunable White control by remote/wall control	D=DMX (for RGBW and Tunable White, control by Wall Switch or DMX control system)	B=Black Jack	15'=15 feet 180"	
		R3= RGB+3000K	C=Dali	S=Platinum Silver	20'=20 feet 240"	
		R4=RGB+4000K (standard)	Z=ZigBee (for RGBW and CCT tunable / dimmable using remote, App and Google Alexa voice.	W=Gloss White	Other Color 25'=25 feet 300"	
Request price for other Kelvin temp and custom sizes			See control options	Full Color Name or RAL number for Custom Colors, select from Color Collections		30'=30 feet 360"

LUMEN OUTPUT

Model Number	Size	Wattage	Kevin Temp field Selectable	Delivered Lumen
SB-A301A	23.62"	30W	2700K/3500K/3500K 3000K/3500K/4000K	1590 lm
	31.50"	40W	2700K/3500K/3500K 3000K/3500K/4000K	2120 lm
	39.37"	50W	2700K/3500K/3500K 3000K/3500K/4000K	2650 lm
	47.24"	60W	2700K/3500K/3500K 3000K/3500K/4000K	3180 lm
	59.06"	70W	2700K/3500K/3500K 3000K/3500K/4000K	3710 lm

EMERGENCY BATTERY OPTIONS

[SEE SPEC](#)

PICTURE	MODEL NUMBER	DESCRIPTION
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes

RGBW/TUNABLE WHITE SMART CONTROL

[SEE SPEC AND VIDEO](#)

Get Smart

Using Amazon Echo, Echo Dot, or any Alexa-enabled device allows you to turn your luminaire on and off, dim the light and change light color to Red, Green, Blue or White independently by using voice command or Smart phone app, DMX, Handheld remote or wall control.