

[View Sapporo on website](#)

[View Video](#)

[View application photos](#)

PRODUCT DESCRIPTION

Sapporo Custom Modern Creative Luxury Tassel Aluminum Chain LED Ceiling hanging pendant Light, not only provides ambient illumination but also serves as a stylish focal point to any room. **Sapporo** is a grand, cascading pendent to make a dramatic statement. This modern pendent is designed to enhance the ambiance and style of your room, whether you're illuminating your dining room, foyer, wedding hall, hotel or living room offers the perfect blend of contemporary elegance and functional design.

FEATURES

- 5-year limited warranty.
- Ships assembled.
- Illumination direct.
- Aluminum body, Aluminum chain, metal driver canopy.
- Fixture delivered lumens per watt ratio up to 60 LPW, not including RGBW.
- Extruded aluminum housing up to 70.87", 1 continuous ring without joints.
- 10' standard adjustable aircraft cables/power cord adjust by push button grippers, custom length available.

SPECIFICATIONS

- 90+ CRI.
- Input: 100-277V, 50/60Hz.
- 1-10V dimming standard, ELV / TRIAC dimming available.
- UL listed, suitable for dry location.(BAA) Buy American Compliant.
- Gloss White, Black Jack, Platinum Silver and Oil bronze color finish as standard, 6,500 custom colors are available.
- Built in color temperature selectable. Choose from 2700K/3500K/4000K ; 3000K/3500K/4000K. Custom color temperatures. lumen outputs, RGBW, Tunable White available.

PARTS PACKED WITH STANDARD FIXTURE

- Plastic Anchors, Screws, Wire Connectors
- [CCT Selector Switch](#)



Silver Chain



Rose Gold Chain



Gold Chain

MODEL INFORMATION:

Example: SB-D201A30WSB

Products Series	Wattage/Size	"E" Kelvin temp options	"W" Controls (don't select this column if selected S or A)	"Z" Canopy Finishes	"Y" Chain Finishes	"X" Aircraft Cable
*SB-D201A	30W = 23.62"	*S=3000K/3500K/4000K Color Select by internal CCT Color Selector, 4000K factory color default set, CRI 90	*Blank=1-10V dimming	*B=Black Jack	*S=Silver	*Blank=10' feet 120"(Standard
	40W = 31.50"		L=ELV / Triac dimming	S=Platinum Silver	R=Rose Gold	5'=5 feet 60"
	50W = 39.37"	A=2700K/3500K/4000K Color Select by internal CCT color Selector, 4000K factory color default set. CRI 90	D=DMX (for RGBW and Tunable White, control by Wall Switch or DMX control system)	W=Gloss White	G=Gold	15'=15 feet 180"
	60W = 47.24"			O=Oil Rubbed Bronze		20'=20 feet 240"
	70W = 59.06"	T=3K-4K Tunable White control by remote/wall control	Z=ZigBee (for RGBW and CCT tunable / dimmable using remote, App and Google Alexa voice.			25'=25 feet 300"
	80W = 70.87"	R3= RGB+3000K R4=RGB+4000K (standard)	C=Dali			30'=30 feet 360"

Request price for other finishes color for Chain, Canopy and Ring, Full Color Name or RAL number for Custom Colors, select from [Color Collections](#)

STANDARD COLOR FINISHES FOR ALUMINIUM RING AND CANOPY:




In addition to our standard colors, we offer more than 6,500 [finishes and colors](#) for your luminaire. We can match your paint sample or any RAL finish. Add texture and originality to create a perfect match.

LUMEN OUTPUT

Model Number	Size	Wattage	Kevin Temp field Selectable	Delivered Lumen
SB-D201A	23.62"	30W	2700K/3500K/3500K 3000K/3500K/4000K	1800 lm
	31.50"	40W	2700K/3500K/3500K 3000K/3500K/4000K	2400 lm
	39.37"	50W	2700K/3500K/3500K 3000K/3500K/4000K	3000 lm
	47.24"	60W	2700K/3500K/3500K 3000K/3500K/4000K	3600 lm
	59.06"	70W	2700K/3500K/3500K 3000K/3500K/4000K	4200 lm
	70.87"	80W	2700K/3500K/3500K 3000K/3500K/4000K	4800 lm

EMERGENCY BATTERY OPTIONS

[SEE SPEC](#)

PICTURE	MODEL NUMBER	DESCRIPTION
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes

RGBW/TUNABLE WHITE SMART CONTROL





[SEE SPEC AND VIDEO](#)

Get Smart

Using Amazon Echo, Echo Dot, or any Alexa-enabled device allows you to turn your luminaire on and off, dim the light and change light color to Red, Green, Blue or White independently by using voice command or Smart phone app, DMX, Handheld remote or wall control.


DIMENSIONS & WEIGHTS: Canopy Size for ZigBee & DMX: 15.75" x 2.76"

SB-D201A




PHOTOMETRIC: Direct Illumination

SB-D101A30WSZ 23.62" 30W @ 4000K





Flux out: 985.8 lm



Height	Eavg, Emax	Angle: 110.42deg	Diameter
1m	142.8, 487.9lx		287.89cm
2m	35.69, 122.0lx		575.78cm
3m	15.86, 54.22lx		863.66cm
4m	8.923, 30.50lx		1151.55cm
5m	5.711, 19.52lx		1439.44cm
6m	3.966, 13.55lx		1727.33cm
7m	2.914, 9.958lx		2015.22cm
8m	2.231, 7.624lx		2303.11cm
9m	1.763, 6.024lx		2590.99cm
10m	1.428, 4.879lx		2878.88cm






31.50" 40W @ 4000K



39.37" 50W @ 4000K



59.06" 70W @ 4000K



70.87" 80W @ 4000K

