

[View Davos 3 tier on website](#)

[View Video](#)

[View application photos](#)

Davos 3 Tier

PRODUCT DESCRIPTION

Light inside

Light outside



SB-H03A

SB-H03B

SB-H03C



SB-H03D

SB-H03E

SB-H03F



SB-H03G

SB-H03H

SB-H03I



SB-H03J

SB-H03K

SB-H03L



SB-H03M

SB-H03N

SB-H03O

Experience the Davos Circular Design—a luminary masterpiece. Crafted from premium extruded aluminum, it seamlessly blends style and functionality. Available in sizes from 31.5” to 70.87”, it offers options for tunable white and RGBW lighting, along with over 6,500 custom colors to suit your ambiance. Featuring adjustable suspension height and customizable cable length. Shipped fully assembled for your convenience.

FEATURES

- 5-year limited warranty.
- Ships assembled.
- Illumination inside or outside the profile.
- Extruded aluminum housing up to 70.87”, 1 continuous ring without joints. Custom Configuration available.
- Fixture lumens per watt ratio up to 82 LPW for illumination outside, up to 72 LPW for illumination inside, not including RGBW.
- 10’ standard adjustable aircraft cables/power cord adjust by push button grippers, custom length available.
- Can be remote driver mounted or driver concealed within the canopy, can be mounted on sloped ceiling.

SPECIFICATIONS

- 90+ CRI.
- Input: 100-277V, 50/60Hz.
- 1-10V dimming standard, ELV / TRIAC, Dali, DMX, ZigBee available.
- UL listed, suitable for dry location.(BAA) Buy American Compliant.
- Built in color temperature selectable. Choose from 2700K/3500K/4000K Or 3000K/3500K/4000K. Custom color temperatures. lumen outputs, RGBW, Tunable White available.

PARTS PACKED WITH STANDARD FIXTURE

- Plastic Anchors, Screws, Wire Connectors
- CCT Selector Switch







MODEL INFORMATION:

Example: SB-H03A90WSB

Products Series	Wattage/Size	"E" Kelvin temp options	"W" Controls (don't select this column if selected S or A)	"Z" Profile Finishes	"X" Aircraft Cable
SB-H03A SB-H03D SB-H03H SB-H03J SB-H03M SB-H03N SB-H03K SB-H03R	150W= 47.24"+39.37"+31.50" 180W=59.06"+47.24"+39.37" 200W=70.87"+59.06"+47.24"	*S=3000K/3500K/4000K Color Select by internal CCT Color Selector, 4000K factory color default set, CRI 90	*Blank=1-10V dimming (default) D=DMX (for RGBW and Tunable White, control by Wall Switch or DMX control system)	*B=Black Jack S=Platinum Silver	*Blank=10' foot 120" (default) 5'=5 foot 60"
SB-H03B SB-H03C SB-H03G	150W=31.50"+39.37"+47.24" 180W=39.37"+47.24"+59.06" 200W=47.24"+59.06"+70.87"	A=2700K/3500K/4000K Color Select by internal CCT color Selector, 4000K factory color default set. CRI 90	L=ELV / Triac dimming	W=Gloss White O=Oil Rubbed Bronze	15'=15 foot 180" 20'=20 foot 240" 25'=25 foot 300"
SB-H03E SB-H03F SB-H03I	140W= 39.37"+31.50"+39.37" 170W=47.24"+39.37"+47.24" 200W=59.06"+47.24"+59.06" 240W=70.87"+59.06"+70.87"	T=3K-4K Tunable White control by remote/wall control R3= RGB+3000K	C=Dali Z=ZigBee (for RGBW and CCT tunable / dimmable using remote, App and Google Alexa voice.		30'=30 feet 360"
SB-H03H	130W=31.50"+39.37"+31.50" 200W=47.24"+59.06"+47.24" 220W=59.06"+70.87"+59.06"	R4=RGB+4000K		<p>Find page 3 for custom color options or select from website</p> <p>Color Collections</p>	
<p>Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes, variations in aircraft cable length, and available controls.</p>			<p>See control options</p>		

STANDARD COLOR FINISHES



Discover beyond our standard hues with over 6,500 [finishes and colors](#) available for your luminaire, including precise color matching, NFL team colors, and custom RAL finishes. Elevate your design with metallic, sparkle, or transparent textures for a touch of individuality. Explore our most popular selections below and contact our factory for personalized quotes.

You can request color swatches by emailing us at customerservice@snowball-inc.com

Please note: Colors may appear differently due to screen display settings.



SOLID TONE FINISH

PMB-4364 Pearl White	PMB-0593 Soft White	PSB-8051 Dirty White	PMB-0513 Silver Metallic II	PMB-6525 BMW Silver	HSS-1336 Silk Satin Black
PPS-0106 Ink Black	USS-2603 Gloss Black	UMB-0336 Metallic Bronze	UMB-0493 US Bronze	EMS-0940 Spanish Gold	PMB-0808 Performance Gold
PSS-4971 Very Red	PSS-2876 Orange Glow	PSS-1791 JuJu Orange	PSS-0118 Spring Yellow	PSB-5945 Bright Green	PMB-10657 Yama Blue
PPB-2846 Purple Glaze	PSS-1670 Rosette Pink	PSS-4008 Jewel Grey	PSS-4500 Crest Grey	PSS-4647 Beach Tan	PMB-5478 Montana Gold

SHIMMER/ GLITTER FINISH

PMB-5567 Champagne Shimmer	UMB-2062 Shimmer Gold	PMS-5677 Shimmer Copper	PMB-6611 Shimmer Black	PPB-8167 Trans Glitter Gold	PMB-6762 Alloy Glitter
--------------------------------------	---------------------------------	-----------------------------------	----------------------------------	---------------------------------------	----------------------------------

PALLEON METALLIC TEXTURED FINISH

PVB-10274 Palleon Paradise	PVB-10272 Palleon Fire	PVB-10271 Palleon Golden Green	PVB-10268 Dark Palleon Paradise	PVB-10267 Dark Palleon Golden Green	PVB-10268 Dark Palleon Fire
PVB-10273 Palleon Panther	PVB-10269 Dark Palleon Panther				

CHROME/SPECIALTY FINISH

UMS-10671 Super Chrome Plus	PPB-6677 Black Chrome III	PMB-4124 Bronze Chrome	UMB-10813 Rose Chrome	UMB-10815 Brass Chrome	UMB-10816 Copper Chrome
PPS-6530 Brassy Gold	PPB-2262 Anodized Gold	PPB-8034 Melted Bronze	PPB-6325 Metallic Clear	PPB-5633 Tinted Clear	PPB-5936 Anodized Red

SPARKLE FINISH

PPB-4694 Super Red Sparkle	PPB-4727 Silver Sparkle	PPB-5835 Rockstar Sparkle	PMB-4130 Pearl Sparkle	PPB-5004 Ultra Blue Sparkle	PPB-5078 Magnum Blue Sparkle
PMB-2750 Dark Grey Sparkle	PMB-6769 Deep Blue Sparkle	PPB-4499 Gold Sparkle	PMB-4417 Baby Blue Sparkle		

WETSTONE WRINKLED TEXTURE FINISH

PWB-2232 Wetstone Black	PWB-9157 Wetstone Gold Bronze	PWB-9156 Wetstone Copper	PWB-2343 Wetstone Rock Bronze	PWB-2590 Wetstone Emerald II
-----------------------------------	---	------------------------------------	---	--

Model Number	Size	Wattage	Kelvin Temp field Selectable \pm 500K	Delivered Lumen \pm 10%
SB-H03A/D/K/M/G/R	47.24"+39.37"+31.50"	150W	2700K/3500K/4000K or 3000K/3500K/4000K	10800 lm
	59.06"+47.24"+39.37"	180W	2700K/3500K/4000K or 3000K/3500K/4000K	12960 lm
	70.87"+59.06"+47.24"	200W	2700K/3500K/4000K or 3000K/3500K/4000K	14400 lm
SB-H03B/L/N/O	31.50"+39.37"+47.24"	150W	2700K/3500K/4000K or 3000K/3500K/4000K	12300 lm
	39.37"+47.24"+59.06"	180W	2700K/3500K/4000K or 3000K/3500K/4000K	14760 lm
	47.24"+59.06"+70.87"	200W	2700K/3500K/4000K or 3000K/3500K/4000K	16400 lm
SB-H03C	31.50"+39.37"+47.24"	150W	2700K/3500K/4000K or 3000K/3500K/4000K	11300 lm
	39.37"+47.24"+59.06"	180W	2700K/3500K/4000K or 3000K/3500K/4000K	13560 lm
	47.24"+59.06"+70.87"	200W	2700K/3500K/4000K or 3000K/3500K/4000K	15920 lm
SB-H03E	39.37"+31.50"+39.37"	140W	2700K/3500K/4000K or 3000K/3500K/4000K	10800 lm
	47.24"+39.37"+47.24"	170W	2700K/3500K/4000K or 3000K/3500K/4000K	11520 lm
	59.06"+47.24"+59.06"	200W	2700K/3500K/4000K or 3000K/3500K/4000K	14400 lm
	70.87"+59.06"+70.87"	230W	2700K/3500K/4000K or 3000K/3500K/4000K	17280 lm
SB-H03I/F	39.37"+31.50"+39.37"	140W	2700K/3500K/4000K or 3000K/3500K/4000K	10480 lm
	47.24"+39.37"+47.24"	170W	2700K/3500K/4000K or 3000K/3500K/4000K	12740 lm
	59.06"+47.24"+59.06"	200W	2700K/3500K/4000K or 3000K/3500K/4000K	15000 lm
	70.87"+59.06"+70.87"	230W	2700K/3500K/4000K or 3000K/3500K/4000K	17260 lm
SB-H03H	31.50"+39.37"+31.50"	130W	2700K/3500K/4000K or 3000K/3500K/4000K	10160 lm
	47.24"+59.06"+47.24"	200W	2700K/3500K/4000K or 3000K/3500K/4000K	14880 lm
	59.06"+70.87"+59.06"	220W	2700K/3500K/4000K or 3000K/3500K/4000K	17240 lm
SB-H03J	47.24"+39.37"+31.50"	150W	2700K/3500K/4000K or 3000K/3500K/4000K	11300 lm
	59.06"+47.24"+39.37"	180W	2700K/3500K/4000K or 3000K/3500K/4000K	13560 lm
	70.87"+59.06"+47.24"	200W	2700K/3500K/4000K or 3000K/3500K/4000K	15820 lm

EMERGENCY BATTERY OPTIONS

[SEE SPEC](#)

PICTURE	MODEL NUMBER	DESCRIPTION
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes

RGBW/TUNABLE WHITE SMART CONTROL:


[SEE SPEC AND VIDEO](#)

Get Smart


Using Amazon Echo, Echo Dot, or any Alexa-enabled device allows you to turn your luminaire on and off, dim the light and change light color to Red, Green, Blue or White independently by using voice command or Smart phone app, DMX, Handheld remote or wall control.

DIMENSIONS & WEIGHTS: Driver Canopy Size for ZigBee & DMX : 15.75" x 2.76"


SB-H03A Canopy mount with swiveled rings, light inside.




SB-H03B Remote mount with canopy, cables fixed directly to the ceiling, light outside.




SB-H03C Canopy mount with 1st & 3rd ring light inside, 2nd ring light outside.




SB-H03D Remote mount with canopy, cables fixed directly to the ceiling, light inside.




SB-H03E Canopy mount with ring light inside.




SB-H03F Canopy mount with 1st & 3rd ring light inside, 2nd ring light outside.




SB-H03G Canopy mount with ring light inside.




SB-H03H Canopy mount with 1st & 3rd ring light outside, 2nd ring light inside.




SB-H03I Canopy mount with accent ring ,1st & 3rd ring light inside, 2nd ring light outside.




SB-H03J Remote mount with canopy, cables fixed directly to the ceiling, 1st & 3rd ring light inside, 2nd ring light outside.




SB-H03K Canopy mount with accent ring, light inside.




SB-H03L Canopy mount with accent ring light outside.



SB-H03M Canopy mount with ring light inside.



SB-H03N Canopy mount with ring light outside.




SB-H03R Remote mount, cables fixed directly to the ceiling, light inside.
(Driver box size: L10.83" X W3.78" X H1.81")

16.3 lbs


19.2 lbs

22.5 lbs




PHOTOMETRIC Test report for 1 Tier Ring only: Illumination Inside the profile





SB-H01A40W 31.50" 40W @ 4000K







SB-H01A50W 39.37" 50W @ 4000K







SB-H01A60W 47.24" 60W @ 4000K




SB-H01A70W 59.06" 70W @ 4000K




SB-H01A80W 70.87" 80W @ 4000K




Illumination Outside the profile
SB-H01B40W 31.50" 40W @ 4000K




SB-H01B50W 39.37" 50W @ 4000K



SB-H01B60W 47.24" 60W @ 4000K



SB-H01B70W 59.06" 70W @ 4000K



SB-H01B80W 70.87" 80W @ 4000K

