

[View Davos 5 tier on website](#) [View Video](#) [View application photos](#)

## Davos 5 Tier

### PRODUCT DESCRIPTION

Experience the Davos Circular Design—a luminary masterpiece. Crafted from premium extruded aluminum, it seamlessly blends style and functionality. Available in sizes from 31.5” to 70.87”, it offers options for tunable white and RGBW lighting, along with over 6,500 custom colors to suit your ambiance. Featuring adjustable suspension height and customizable cable length. Shipped fully assembled for your convenience.

### FEATURES

- 5-year limited warranty.
- Ships assembled.
- Illumination inside or outside the profile.
- Extruded aluminum housing up to 70.87”, 1 continuous ring without joints. Custom Configuration available.
- Fixture lumens per watt ratio up to 82 LPW for illumination outside, up to 72 LPW for illumination inside, not including RGBW.
- 10’ standard adjustable aircraft cables/power cord adjust by push button grippers, custom length available.
- Can be remote driver mounted or driver concealed within the canopy, can be mounted on sloped ceiling.

### SPECIFICATIONS

- 90+ CRI.
- Input: 100-277V, 50/60Hz.
- 1-10V dimming standard, ELV / TRIAC, Dali, DMX, ZigBee available.
- UL listed, suitable for dry location.(BAA) Buy American Compliant.
- Built in color temperature selectable. Choose from 2700K/3500K/4000K Or 3000K/3500K/4000K. Custom color temperatures. lumen outputs, RGBW, Tunable White available.


### PARTS PACKED WITH STANDARD FIXTURE

- Plastic Anchors, Screws, Wire Connectors
- CCT Selector Switch



Light inside

Light outside







**MODEL INFORMATION:**

**Example: SB-H05A200WSB**

Products Series	Wattage/Size	"E" Kelvin temp options	"W" Controls (don't select this column if selected S or A)	"Z" Profile Finishes	"X" Aircraft Cable
*SB-H05A	*240W = 31.50" + 39.37" + 47.24" + 39.37" + 31.50"	*S=3000K/3500K/4000K Color Select by internal CCT Color Selector, 4000K factory color default set, CRI 90	*Blank=1-10V dimming (default)	*B=Black Jack	*Blank=10' foot 120" (default)
SB-H05B			L=ELV / Triac dimming	S=Platinum Silver	5'=5 foot 60"
SB-H05C			C=Dali	W=Gloss White	15'=15 foot 180"
SB-H05D	290W = 39.37" + 47.24" + 59.06" + 47.24" + 39.37"	A=2700K/3500K/4000K Color Select by internal CCT color Selector, 4000K factory color default set. CRI 90	D=DMX (for RGBW and Tunable White, control by Wall Switch or DMX control system)	O=Oil Rubbed Bronze	20'=20 foot 240"
SB-H05E					25'=25 foot 300"
SB-H05F	340W = 47.24" + 59.06" + 70.87" + 59.06" + 47.24"	T=3K-4K Tunable White control by remote/wall control	Z=ZigBee (for RGBW and CCT Tunable / dimmable using remote, App and Google Alexa voice.	Find page 3 for custom color options or select from website <a href="#">Color Collections</a>	30'=30 foot 360"
SB-H05G					R4=RGB+4000K
SB-H05H					R3= RGB+3000K
SB-H05I	300W = 70.87" + 59.06" + 47.24" + 39.37" + 31.50"	R4=RGB+4000K	Z=ZigBee (for RGBW and CCT Tunable / dimmable using remote, App and Google Alexa voice.	Find page 3 for custom color options or select from website <a href="#">Color Collections</a>	
SB-H05J					R3= RGB+3000K
SB-H05K					
SB-H05L	300W = 70.87" + 59.06" + 47.24" + 39.37" + 31.50"	R4=RGB+4000K	Z=ZigBee (for RGBW and CCT Tunable / dimmable using remote, App and Google Alexa voice.	Find page 3 for custom color options or select from website <a href="#">Color Collections</a>	
SB-H05M					R3= RGB+3000K
SB-H05N					
SB-H05O					
Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes, variations in aircraft cable length, and available controls.			<a href="#">See control options</a>		

**STANDARD COLOR FINISHES**



Discover beyond our standard hues with over 6,500 [finishes and colors](#) available for your luminaire, including precise color matching, NFL team colors, and custom RAL finishes. Elevate your design with metallic, sparkle, or transparent textures for a touch of individuality. Explore our most popular selections below and contact our factory for personalized quotes.

You can request color swatches by emailing us at [customerservice@snowball-inc.com](mailto:customerservice@snowball-inc.com)

Please note: Colors may appear differently due to screen display settings.



### SOLID TONE FINISH

<b>PMB-4364</b> Pearl White	<b>PMB-0593</b> Soft White	<b>PSB-8051</b> Dirty White	<b>PMB-0513</b> Silver Metallic II	<b>PMB-6525</b> BMW Silver	<b>HSS-1336</b> Silk Satin Black
<b>PPS-0106</b> Ink Black	<b>USS-2603</b> Gloss Black	<b>UMB-0336</b> Metallic Bronze	<b>UMB-0493</b> US Bronze	<b>EMS-0940</b> Spanish Gold	<b>PMB-0808</b> Performance Gold
<b>PSS-4971</b> Very Red	<b>PSS-2876</b> Orange Glow	<b>PSS-1791</b> JuJu Orange	<b>PSS-0118</b> Spring Yellow	<b>PSB-5945</b> Bright Green	<b>PMB-10657</b> Yama Blue
<b>PPB-2846</b> Purple Glaze	<b>PSS-1670</b> Rosette Pink	<b>PSS-4008</b> Jewel Grey	<b>PSS-4500</b> Crest Grey	<b>PSS-4647</b> Beach Tan	<b>PMB-5478</b> Montana Gold

### SHIMMER/ GLITTER FINISH

<b>PMB-5567</b> Champagne Shimmer	<b>UMB-2062</b> Shimmer Gold	<b>PMS-5677</b> Shimmer Copper	<b>PMB-6611</b> Shimmer Black	<b>PPB-8167</b> Trans Glitter Gold	<b>PMB-6762</b> Alloy Glitter
--------------------------------------	---------------------------------	-----------------------------------	----------------------------------	---------------------------------------	----------------------------------

### PALLEON METALLIC TEXTURED FINISH

<b>PVB-10274</b> Palleon Paradise	<b>PVB-10272</b> Palleon Fire	<b>PVB-10271</b> Palleon Golden Green	<b>PVB-10268</b> Dark Palleon Paradise	<b>PVB-10267</b> Dark Palleon Golden Green	<b>PVB-10268</b> Dark Palleon Fire
<b>PVB-10273</b> Palleon Panther	<b>PVB-10269</b> Dark Palleon Panther				

### CHROME/SPECIALTY FINISH

<b>UMS-10671</b> Super Chrome Plus	<b>PPB-6677</b> Black Chrome III	<b>PMB-4124</b> Bronze Chrome	<b>UMB-10813</b> Rose Chrome	<b>UMB-10815</b> Brass Chrome	<b>UMB-10816</b> Copper Chrome
<b>PPS-6530</b> Brassy Gold	<b>PPB-2262</b> Anodized Gold	<b>PPB-8034</b> Melted Bronze	<b>PPB-6325</b> Metallic Clear	<b>PPB-5633</b> Tinted Clear	<b>PPB-5936</b> Anodized Red

### SPARKLE FINISH

<b>PPB-4694</b> Super Red Sparkle	<b>PPB-4727</b> Silver Sparkle	<b>PPB-5835</b> Rockstar Sparkle	<b>PMB-4130</b> Pearl Sparkle	<b>PPB-5004</b> Ultra Blue Sparkle	<b>PPB-5078</b> Magnum Blue Sparkle
<b>PMB-2750</b> Dark Grey Sparkle	<b>PMB-6769</b> Deep Blue Sparkle	<b>PPB-4499</b> Gold Sparkle	<b>PMB-4417</b> Baby Blue Sparkle		

### WETSTONE WRINKLED TEXTURE FINISH


<b>PWB-2232</b> Wetstone Black	<b>PWB-9157</b> Wetstone Gold Bronze	<b>PWB-9156</b> Wetstone Copper	<b>PWB-2343</b> Wetstone Rock Bronze	<b>PWB-2590</b> Wetstone Emerald II
-----------------------------------	---	------------------------------------	---	--

## LUMEN OUTPUT

Model Number	Size	Wattage	Kelvin Temp field Selectable ± 500K	Delivered Lumen ±10%
SB-H05C SB-H05D	31.50" + 39.37" + 47.24" + 39.37" + 31.50"	240W	3000K/3500K/4000K or 2700K/3500K/4000K	17280
	39.37" + 47.24" + 59.06" + 47.24" + 39.37"	290W	3000K/3500K/4000K or 2700K/3500K/4000K	20880
	47.24" + 59.06" + 70.87" + 59.06" + 47.24"	340W	3000K/3500K/4000K or 2700K/3500K/4000K	24480
SB-H05A SB-H05R	31.50" + 39.37" + 47.24" + 39.37" + 31.50"	240W	3000K/3500K/4000K or 2700K/3500K/4000K	17280
	39.37" + 47.24" + 59.06" + 47.24" + 39.37"	290W	3000K/3500K/4000K or 2700K/3500K/4000K	20880
	47.24" + 59.06" + 70.87" + 59.06" + 47.24"	340W	3000K/3500K/4000K or 2700K/3500K/4000K	24480
SB-H05E SB-H05H	31.50" + 39.37" + 47.24" + 39.37" + 31.50"	240W	3000K/3500K/4000K or 2700K/3500K/4000K	17280
	39.37" + 47.24" + 59.06" + 47.24" + 39.37"	290W	3000K/3500K/4000K or 2700K/3500K/4000K	20880
	47.24" + 59.06" + 70.87" + 59.06" + 47.24"	340W	3000K/3500K/4000K or 2700K/3500K/4000K	24480
SB-H05B/F/I	31.50" + 39.37" + 47.24" + 39.37" + 31.50"	240W	3000K/3500K/4000K or 2700K/3500K/4000K	19680
	39.37" + 47.24" + 59.06" + 47.24" + 39.37"	290W	3000K/3500K/4000K or 2700K/3500K/4000K	23780
	47.24" + 59.06" + 70.87" + 59.06" + 47.24"	340W	3000K/3500K/4000K or 2700K/3500K/4000K	27880
SB-H05G	31.50" + 39.37" + 47.24" + 39.37" + 31.50"	240W	3000K/3500K/4000K or 2700K/3500K/4000K	18680
	47.24" + 59.06" + 39.37" + 47.24" + 39.37"	290W	3000K/3500K/4000K or 2700K/3500K/4000K	22480
	59.06" + 70.87" + 47.24" + 59.06" + 47.24"	340W	3000K/3500K/4000K or 2700K/3500K/4000K	26380
SB-H05K/L	70.87" + 59.06" + 47.24" + 39.37" + 31.50"	300W	3000K/3500K/4000K or 2700K/3500K/4000K	21600
SB-H05J/O	70.87" + 59.06" + 47.24" + 39.37" + 31.50"	300W	3000K/3500K/4000K or 2700K/3500K/4000K	24600
SB-H05M	70.87" + 59.06" + 47.24" + 39.37" + 31.50"	300W	3000K/3500K/4000K or 2700K/3500K/4000K	23000
SB-H05N	70.87" + 59.06" + 47.24" + 39.37" + 31.50"	300W	3000K/3500K/4000K or 2700K/3500K/4000K	23400

### EMERGENCY BATTERY OPTIONS

[SEE SPEC](#)

PICTURE	MODEL NUMBER	DESCRIPTION
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes

### RGBW/TUNABLE WHITE SMART CONTROL:


[SEE SPEC AND VIDEO](#)

#### Get Smart


Using Amazon Echo, Echo Dot, or any Alexa-enabled device allows you to turn your luminaire on and off, dim the light and change light color to Red, Green, Blue or White independently by using voice command or Smart phone app, DMX, Handheld remote or wall control.

**DIMENSIONS & WEIGHTS:** Driver Canopy Size for ZigBee & DMX : 15.75" x 2.76"


**SB-H05A** Canopy mount with 1<sup>st</sup>, 3<sup>rd</sup> and 5<sup>th</sup> ring light inside, 2<sup>nd</sup> and 4<sup>th</sup> ring light outside.




**SB-H05B** Canopy mount with ring light outside.




**SB-H05C Canopy mount with accent ring, light inside.**




**SB-H05D Canopy mount with ring light inside.**




**SB-H05E Remote mount with canopy, cables fixed directly to the ceiling, light inside.**




**SB-H05F Remote mount with canopy, cables fixed directly to the ceiling, light outside.**




**SB-H05G Remote mount with canopy, cables fixed directly to the ceiling.  
1<sup>st</sup>, 3<sup>rd</sup> and 5<sup>th</sup> ring light outside, 2<sup>nd</sup> and 4<sup>th</sup> ring light inside.**



**SB-H05H Remote mount, cables fixed directly to the ceiling, light inside.  
(Driver box size: L10.83" X W3.78" X H1.81")**





**SB-H05I Remote mount, cables fixed directly to the ceiling, light outside.**  
**(Driver box size: L10.83" X W3.78" X H1.81")**




**SB-H05J Canopy mount with swiveled rings, light outside.**

**SB-H05K Canopy mount with swiveled rings, light inside.**







**SB-H05L**  
Canopy mount with light inside.




**SB- H05M**  
Canopy mount with swiveled rings, 1<sup>st</sup>, and 3<sup>rd</sup> ring light outside, 2<sup>nd</sup>, 3<sup>rd</sup>, and 5<sup>th</sup> light inside.




**SB-H05N** Canopy mount with 1<sup>st</sup>, 3<sup>rd</sup>, 5<sup>th</sup> ring light outside, 2<sup>nd</sup> and 4<sup>th</sup> light inside.  
**33.5 lbs**



**SB-H05O**  
Canopy mount with ring light outside.






**SB-H05R Remote mount, cables fixed directly to the ceiling, 1<sup>st</sup>, 3<sup>rd</sup>, and 5<sup>th</sup> ring light inside, 2<sup>nd</sup> and 4<sup>th</sup> ring light outside. (Driver box size: L10.83" X W3.78" X H1.81")**






**PHOTOMETRIC Test report for 1 Tier Ring only**

**Illumination Inside the profile**


**SB-H01A40W 31.50" 40W @ 4000K**




**SB-H01A50W 39.37" 50W @ 4000K**




**SB-H01A60W 47.24" 60W @ 4000K**




**SB-H01A70W 59.06" 70W @ 4000K**




**SB-H01A80W 70.82" 80W @ 4000K**




**Illumination Outside the profile**  
**SB-H01B40W 31.50" 40W @ 4000K**






**SB-H01B50W 39.37" 50W @ 4000K**



**SB-H01B60W 47.24" 60W @ 4000K**



**SB-H01B70W 59.06" 70W @ 4000K**



**SB-H01B80W 70.87" 80W @ 4000K**

