

[View Whistler 6 tier on website](#)

[View Video](#)

[View application photo](#)

## Whistler 6 Tier

### PRODUCT DESCRIPTION

Discover the Whistler Circular Pendant, a fusion of sleek design and practicality. Crafted from extruded aluminum with a glare-free acrylic ring, these pendants offer sizes from 15.75" to 70.87", allowing for versatile configurations. With tunable white and RGBW options, choose from over 6500 powder-coated colors to set the perfect ambiance. Shipped assembled for convenience.

### FEATURES

- 5-year limited warranty.
- Ships assembled.
- Illumination direct.
- Extruded aluminum housing up to 70.87", 1 continuous ring without joints.
- Lens: White frosted acrylic diffuser, Glare-free
- Fixture delivered lumens per watt ratio up to 80 LPW not including RGBW.
- 10' standard adjustable aircraft cables/thin power cord adjust by push button grippers, custom length available.
- Can be remote driver mounted or driver concealed within the canopy, can be mounted on sloped ceiling.
- Over 50 lbs fixture must be installed using a U.L. listed outlet box or supported independently of the outlet box

### SPECIFICATIONS

- 90+ CRI.
- Input: 100-277V, 50/60Hz.
- 1-10V dimming standard, ELV / TRIAC, Dali, DMX, ZigBee available.
- UL listed, suitable for dry location. (BAA) Buy American compliant.
- Built in color temperature selectable. Choose from 3000K/3500K/4000K Or 2700K/3500K/4000K. Custom color temperatures. lumen outputs, RGBW, Tunable White available.

### PARTS PACKED WITH STANDARD FIXTURE

- Plastic Anchors, Screws, Wire Connectors
- CCT Selector Switch






**MODEL INFORMATION:**

**Example: SB-D06A270WSB**

Products Series	Wattage/Size	"E" Kelvin temp options	"W" Controls (don't select this column if selected S or A)	"Z" Profile Finishes	"X" Aircraft Cable
*SB-D06A	*270W=59.06"+47.24"+39.37"+31.50"+23.62"+15.57"	*S=3000K/3500K/4000K Color Select by internal CCT Color Selector, 4000K factory color default set, CRI 90	*Blank=1-10V dimming (default)	*B=Black Jack	*Blank=10' foot 120" (default)
	280W=70.87"+59.06"+47.24"+39.37"+31.50"+23.62"		C= Dali		5'=5 foot 60"
SB-D06B SB-D06C	320W=39.37"+47.24"+59.06"+47.24"+39.37"+23.62"	A=2700K/3500K/4000K Color Select by internal CCT color Selector, 4000K factory color default set. CRI 90	D=DMX (for RGBW and Tunable White, control by Wall Switch or DMX control system)	S=Platinum Silver	15'=15 foot 180"
	330W=39.37"+47.24"+59.06"+47.24"+39.37"+31.50"				
	390W=47.24"+59.06"+70.87"+59.06"+47.24"+39.37"				
SB-D06D	180W=23.62"+31.5"+15.75"+31.5"+23.62"+15.75"	T=3K-4K Tunable White control by remote/wall control	Z=ZigBee (for RGBW and CCT tunable / dimmable using remote, App and Google Alexa voice.	W=Gloss White	20'=20 foot 240"
	210W=31.50"+47.24"+15.75"+23.62"+15.75"+39.37"				
	330W=47.24"+59.06"+39.37"+47.24"+39.37"+31.50"	R3= RGB+3000K	L=ELV / Triac dimming	O=Oil Rubbed Bronze	25'=25 foot 300"
	380W=59.06"+70.87"+47.24"+59.06"+47.24"+31.50"	R4=RGB+4000K			30'=30 foot 360"
	390W=59.06"+70.87"+47.24"+59.06"+47.24"+39.37"				
Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes, variations in aircraft cable length, and available controls.			<a href="#">See control options</a>	Find page 3 for custom color options or select from website <a href="#">Color Collections</a>	

**STANDARD COLOR FINISHES**



Discover beyond our standard hues with over 6,500 [finishes and colors](#) available for your luminaire, including precise color matching, NFL team colors, and custom RAL finishes. Elevate your design with metallic, sparkle, or transparent textures for a touch of individuality. Explore our most popular selections below and contact our factory for personalized quotes.

You can request color swatches by emailing us at [customerservice@snowball-inc.com](mailto:customerservice@snowball-inc.com)

Please note: Colors may appear differently due to screen display settings.



### SOLID TONE FINISH

<b>PMB-4364</b> Pearl White	<b>PMB-0593</b> Soft White	<b>PSB-8051</b> Dirty White	<b>PMB-0513</b> Silver Metallic II	<b>PMB-6525</b> BMW Silver	<b>HSS-1336</b> Silk Satin Black
<b>PSS-0106</b> Ink Black	<b>USS-2603</b> Gloss Black	<b>UMB-0336</b> Metallic Bronze	<b>UMB-0493</b> US Bronze	<b>EMS-0940</b> Spanish Gold	<b>PMB-0808</b> Performance Gold
<b>PSS-4971</b> Very Red	<b>PSS-2876</b> Orange Glow	<b>PSS-1791</b> JuJu Orange	<b>PSS-0118</b> Spring Yellow	<b>PSB-5945</b> Bright Green	<b>PMB-10657</b> Yama Blue
<b>PPB-2846</b> Purple Glaze	<b>PSS-1670</b> Rosette Pink	<b>PSS-4008</b> Jewel Grey	<b>PSS-4500</b> Crest Grey	<b>PSS-4647</b> Beach Tan	<b>PMB-5478</b> Montana Gold

### SHIMMER/ GLITTER FINISH

<b>PMB-5567</b> Champagne Shimmer	<b>UMB-2062</b> Shimmer Gold	<b>PMS-5677</b> Shimmer Copper	<b>PMB-6611</b> Shimmer Black	<b>PPB-8167</b> Trans Glitter Gold	<b>PMB-6762</b> Alloy Glitter
--------------------------------------	---------------------------------	-----------------------------------	----------------------------------	---------------------------------------	----------------------------------

### PALLEON METALLIC TEXTURED FINISH

<b>PVB-10274</b> Palleon Paradise	<b>PVB-10272</b> Palleon Fire	<b>PVB-10271</b> Palleon Golden Green	<b>PVB-10268</b> Dark Palleon Paradise	<b>PVB-10267</b> Dark Palleon Golden Green	<b>PVB-10268</b> Dark Palleon Fire
<b>PVB-10273</b> Palleon Panther	<b>PVB-10269</b> Dark Palleon Panther				

### CHROME/SPECIALTY FINISH

<b>UMS-10671</b> Super Chrome Plus	<b>PPB-6677</b> Black Chrome III	<b>PMB-4124</b> Bronze Chrome	<b>UMB-10813</b> Rose Chrome	<b>UMB-10815</b> Brass Chrome	<b>UMB-10816</b> Copper Chrome
<b>PPS-6530</b> Brassy Gold	<b>PPB-2262</b> Anodized Gold	<b>PPB-8034</b> Melted Bronze	<b>PPB-6325</b> Metallic Clear	<b>PPB-5633</b> Tinted Clear	<b>PPB-5936</b> Anodized Red

### SPARKLE FINISH

<b>PPB-4694</b> Super Red Sparkle	<b>PPB-4727</b> Silver Sparkle	<b>PPB-5835</b> Rockstar Sparkle	<b>PMB-4130</b> Pearl Sparkle	<b>PPB-5004</b> Ultra Blue Sparkle	<b>PPB-5078</b> Magnum Blue Sparkle
<b>PMB-2750</b> Dark Grey Sparkle	<b>PMB-6769</b> Deep Blue Sparkle	<b>PPB-4499</b> Gold Sparkle	<b>PMB-4417</b> Baby Blue Sparkle		

### WETSTONE WRINKLED TEXTURE FINISH


<b>PWB-2232</b> Wetstone Black	<b>PWB-9157</b> Wetstone Gold Bronze	<b>PWB-9156</b> Wetstone Copper	<b>PWB-2343</b> Wetstone Rock Bronze	<b>PWB-2590</b> Wetstone Emerald II
-----------------------------------	---	------------------------------------	---	--

## LUMEN OUTPUT (for color selectable not RGBW)

Model Number	Size	Wattage	Kelvin Temp field Selectable $\pm 500K$	Delivered Lumen $\pm 10\%$
SB-D06A	59.06"+47.24"+39.37"+31.50"+23.62"+15.57"	270W	2700K/3500K/4000K or 3000K/3500K/4000K	21600 lm
	70.87"+59.06"+47.24"+39.37"+31.50"+23.62"	280W	2700K/3500K/4000K or 3000K/3500K/4000K	22400 lm
SB-D06B/C	39.37"+47.24"+59.06"+47.24"+39.37"+23.62"	320W	2700K/3500K/4000K or 3000K/3500K/4000K	25600 lm
	39.37"+47.24"+59.06"+47.24"+39.37"+31.50"	330W	2700K/3500K/4000K or 3000K/3500K/4000K	26400 lm
	47.24"+59.06"+70.87"+59.06"+47.24"+39.37"	390W	2700K/3500K/4000K or 3000K/3500K/4000K	31200 lm
SB-D06D	23.62"+31.5"+15.75"+ 31.5"+23.62"+15.75"	180W	2700K/3500K/4000K or 3000K/3500K/4000K	14400 lm
	31.50"+47.24"+15.75"+23.62"+15.75"+39.37"	210W	2700K/3500K/4000K or 3000K/3500K/4000K	16800 lm
	47.24"+59.06"+39.37"+ 47.24"+39.37"+31.50"	330W	2700K/3500K/4000K or 3000K/3500K/4000K	26400 lm
	59.06"+70.87"+47.24"+59.06"+47.24"+31.50"	380W	2700K/3500K/4000K or 3000K/3500K/4000K	30400 lm
	59.06"+70.87"+47.24"+59.06"+47.24"+39.37"	390W	2700K/3500K/4000K or 3000K/3500K/4000K	31200 lm

## EMERGENCY BATTERY OPTIONS

[SEE SPEC](#)

PICTURE	MODEL NUMBER	DESCRIPTION
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes

## RGBW/TUNABLE WHITE SMART CONTROL


[SEE SPEC AND VIDEO](#)

### Get Smart


Using Amazon Echo, Echo Dot, or any Alexa-enabled device allows you to turn your luminaire on and off, dim the light and change light color to Red, Green, Blue or White independently by using voice command or Smart phone app, DMX, Handheld remote or wall control.

**DIMENSIONS & WEIGHTS: Canopy Size for ZigBee & DMX: 15.75" x 2.76"**

**SB-D06A Canopy mount with direct lighting.**




**SB-D06B Canopy mount with direct lighting.**






**SB-D06C Canopy mount with cables fixed directly into the ceiling, direct lighting.**







**SB-D06D Canopy mount with cables fixed directly into the ceiling, direct lighting.**







**PHOTOMETRIC: Direct Illumination (Testing for single ring only)**





**15.75" 20W @ 4000K**




**23.62" 30W @ 4000K**




**31.50" 40W @ 4000K**




**39.37" 50W @ 4000K**



**47.24" 60W @ 4000K**




**59.06" 70W @ 4000K**





**70.87" 80W @ 4000K**



Flux out: 3776 lm

Height	Eavg, Emax	Angle: 137.34deg	Diameter
1m	177.1, 1280 lx		512.17cm
2m	44.28, 319.91 lx		1024.34cm
3m	19.68, 142.21 lx		1536.51cm
4m	11.07, 79.97 lx		2048.68cm
5m	7.085, 51.18 lx		2560.86cm
6m	4.920, 35.54 lx		3073.03cm
7m	3.615, 26.11 lx		3585.20cm
8m	2.768, 19.99 lx		4097.37cm
9m	2.187, 15.80 lx		4609.54cm
10m	1.771, 12.80 lx		5121.71cm

