

[View Courchevel on website](#) [View Video](#) [View application photos](#)

Courchevel

PRODUCT DESCRIPTION

Introducing the Courchevel, crafted with acrylic Val Gardena butterflies featuring suspended air bubbles, delicately placed on Kimberley rings. Choose from customizable configurations; each butterfly body comes with a gold or chrome finish, measuring 8.6" x 6.5" and weighing 2.0 lbs. Personalize your selection with over 6,500 color finishes to seamlessly blend into any space, complemented by customizable cable lengths. Enjoy versatile lighting options including adjustable positioning inside or outside on Kimberley rings, selectable color temperatures, tunable white, dimmable features, and RGB options. Available in sizes ranging from 23.62" to 70.87", these luminaires offer endless illumination solutions. Ideal for upscale residential, boutique commercial, and luxury hospitality settings. Shipped fully assembled for convenience.

FEATURES

- 5-year limited warranty.
- Ships assembled.
- Illumination direct/indirect and lighting outside.
- Size from 23.62" up to 70.87".
- White frosted acrylic diffuser, Glare-free lens.
- Fixture delivered lumens per watt ratio up to 75 LPW, 80 LPW for Val Gardena not including RGBW.
- 10' standard adjustable aircraft cables/power cord adjust by push button grippers, custom length available.
- Can be remote driver mounted or driver concealed within the canopy, can be mounted on sloped ceiling.

SPECIFICATIONS


- 90+ CRI.
- Input: 100-277V, 50/60Hz.
- 1-10V dimming standard, ELV / TRIAC, Dali, DMX, ZigBee available.
- UL listed, suitable for dry location. (BAA) Buy American compliant.
- Built in color temperature selectable. Choose from 3000K/3500K/4000K Or 2700K/3500K/4000K. Custom color temperatures. lumen outputs, RGBW, Tunable White available.

PARTS PACKED WITH STANDARD FIXTURE

- Plastic Anchors, Screws, Wire Connectors
- CCT Selector Switch



Selectable CCT



SB-S101A



SB-S101B



SB-S101C



SB-S101D



SB-S102A



SB-S102A



SB-S102B



SB-S102C



SB-S103A







SB-S103B

MODEL INFORMATION:


Example: SB-S101A50WSBC

Products Series	Wattage/Size	"E" Kelvin temp options	"W" Controls (don't select this column if selected S or A)	"Z" Profile Finishes	Butterfly Finishes	"X" Aircraft Cable
*SB-S101A/D	*23.62"=50W	*S=3000K/3500K/4000K Color Select by internal CCT Color Selector, 4000K factory color default set, CRI 90	*Blank=1-10V dimming (default)	*B=Black Jack	*C=Clear wing with gold body	*Blank=10' foot 120" (default)
	31.50"=60W					
	39.37"=70W					
	47.24"=80W					
	59.06"=90W					
	70.87"=100W					
SB-S101B/C	23.62"=40W	A=2700K/3500K/4000K Color Select by internal CCT color Selector, 4000K factory color default set. CRI 90	D=DMX (for RGBW and Tunable White, control by Wall Switch or DMX control system)	W=Gloss White	G=Color wing with gold body	15'=15 foot 180"
	31.50"=50W					
	39.37"=60W					
	47.24"=70W					
	59.06"=80W					
	70.87"=90W					20'=20 foot 240"
SB-S102A/B/C	23.62"+31.50"=90W	T=3K-4K Tunable White control by remote/wall control	Z=ZigBee (for RGBW and CCT tunable / dimmable using remote, App and Google Alexa voice.	O=Oil Rubbed Bronze	S=Clear wing with chrome body	25'=25 foot 300"
	31.50"+39.37"=120W					
	39.37"+47.24"=140W					
	47.24"+59.06"=160W					
	59.06"+70.87"=180W					
SB-S103A/B	39.37"+31.50"+23.62"=160W	R3= RGB+3000K	L=ELV / Triac dimming			30'=30 foot 360"
	47.24"+39.37"+31.50"=180W					
	59.06"+47.24"+39.37"=220W	R4=RGB+4000K				
	70.87"+59.06"+47.24"=240W					
<p>Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes, variations in aircraft cable length, and available controls.</p>			See control options	<p>Find page 3 for custom color options or select from website Color Collections</p>		

RING STANDARD COLOR FINISHES



BUTTERFLY WING AND BODY COLOR FINISHES



C=Clear wing with gold body



G=Gold wing with gold body



S=Clear wing with chrome body

Discover beyond our standard hues with over 6,500 [finishes and colors](#) available for your luminaire, including precise color matching, NFL team colors, and custom RAL finishes. Elevate your design with metallic, sparkle, or transparent textures for a touch of individuality. Explore our most popular selections below and contact our factory for personalized quotes.

You can request color swatches by emailing us at customerservice@snowball-inc.com

Please note: Colors may appear differently due to screen display settings.



SOLID TONE FINISH

PMB-4364 Pearl White	PMB-0593 Soft White	PSB-8051 Dirty White	PMB-0513 Silver Metallic II	PMB-6525 BMW Silver	HSS-1336 Silk Satin Black
PSS-0106 Ink Black	USS-2603 Gloss Black	UMB-0336 Metallic Bronze	UMB-0493 US Bronze	EMS-0940 Spanish Gold	PMB-0808 Performance Gold
PSS-4971 Very Red	PSS-2876 Orange Glow	PSS-1791 JuJu Orange	PSS-0118 Spring Yellow	PSB-5945 Bright Green	PMB-10657 Yama Blue
PPB-2846 Purple Glaze	PSS-1670 Rosette Pink	PSS-4008 Jewel Grey	PSS-4500 Crest Grey	PSS-4647 Beach Tan	PMB-5478 Montana Gold

SHIMMER/ GLITTER FINISH

PMB-5567 Champagne Shimmer	UMB-2062 Shimmer Gold	PMS-5677 Shimmer Copper	PMB-6611 Shimmer Black	PPB-8167 Trans Glitter Gold	PMB-6762 Alloy Glitter
--------------------------------------	---------------------------------	-----------------------------------	----------------------------------	---------------------------------------	----------------------------------

PALLEON METALLIC TEXTURED FINISH

PVB-10274 Palleon Paradise	PVB-10272 Palleon Fire	PVB-10271 Palleon Golden Green	PVB-10268 Dark Palleon Paradise	PVB-10267 Dark Palleon Golden Green	PVB-10268 Dark Palleon Fire
PVB-10273 Palleon Panther	PVB-10269 Dark Palleon Panther				

CHROME/SPECIALTY FINISH

UMS-10671 Super Chrome Plus	PPB-6677 Black Chrome III	PMB-4124 Bronze Chrome	UMB-10813 Rose Chrome	UMB-10815 Brass Chrome	UMB-10816 Copper Chrome
PPS-6530 Brassy Gold	PPB-2262 Anodized Gold	PPB-8034 Melted Bronze	PPB-6325 Metallic Clear	PPB-5633 Tinted Clear	PPB-5936 Anodized Red

SPARKLE FINISH

PPB-4694 Super Red Sparkle	PPB-4727 Silver Sparkle	PPB-5835 Rockstar Sparkle	PMB-4130 Pearl Sparkle	PPB-5004 Ultra Blue Sparkle	PPB-5078 Magnum Blue Sparkle
PMB-2750 Dark Grey Sparkle	PMB-6769 Deep Blue Sparkle	PPB-4499 Gold Sparkle	PMB-4417 Baby Blue Sparkle		

WETSTONE WRINKLED TEXTURE FINISH


PWB-2232 Wetstone Black	PWB-9157 Wetstone Gold Bronze	PWB-9156 Wetstone Copper	PWB-2343 Wetstone Rock Bronze	PWB-2590 Wetstone Emerald II
-----------------------------------	---	------------------------------------	---	--

LUMEN OUTPUT

Model Number	Size	Wattage	Kevin Temp field selectable	Lumen
SB-101A/D	23.62"	50W	2700K/3500K/3500K 3000K/3500K/4000K	3850 lm
	31.50"	60W	2700K/3500K/3500K 3000K/3500K/4000K	4600 lm
	39.37"	70W	2700K/3500K/3500K 3000K/3500K/4000K	5350 lm
	47.24"	80W	2700K/3500K/3500K 3000K/3500K/4000K	6100 lm
	59.06"	90W	2700K/3500K/3500K 3000K/3500K/4000K	6850 lm
	70.87"	100W	2700K/3500K/3500K 3000K/3500K/4000K	7600 lm
SB-101B/C	23.62"	40W	2700K/3500K/3500K 3000K/3500K/4000K	3050 lm
	31.50"	50W	2700K/3500K/3500K 3000K/3500K/4000K	3800 lm
	39.37"	60W	2700K/3500K/3500K 3000K/3500K/4000K	4550 lm
	47.24"	70W	2700K/3500K/3500K 3000K/3500K/4000K	5300 lm
	59.06"	80W	2700K/3500K/3500K 3000K/3500K/4000K	6050 lm
	70.87"	90W	2700K/3500K/3500K 3000K/3500K/4000K	6800 lm
SB-102A/B/C	23.62"+31.50"	90W	2700K/3500K/3500K 3000K/3500K/4000K	6850 lm
	31.50"+39.37"	120W	2700K/3500K/3500K 3000K/3500K/4000K	9150 lm
	39.37"+47.24"	140W	2700K/3500K/3500K 3000K/3500K/4000K	10650 lm
	47.24"+59.06"	160W	2700K/3500K/3500K 3000K/3500K/4000K	12150 lm
	59.06"+70.87"	180W	2700K/3500K/3500K 3000K/3500K/4000K	13650 lm
SB-103A/B	39.37"+31.50"+23.62"	160W	2700K/3500K/3500K 3000K/3500K/4000K	12200 lm
	47.24"+39.37"+31.50"	180W	2700K/3500K/3500K 3000K/3500K/4000K	13650 lm
	59.06"+47.24"+39.37"	220W	2700K/3500K/3500K 3000K/3500K/4000K	16700 lm
	70.87"+59.06"+47.24"	240W	2700K/3500K/3500K 3000K/3500K/4000K	18150 lm

EMERGENCY BATTERY OPTIONS

[SEE SPEC](#)

PICTURE	MODEL NUMBER	DESCRIPTION
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes

RGBW/TUNABLE WHITE SMART CONTROL


[SEE SPEC AND VIDEO](#)

Get Smart


Using Amazon Echo, Echo Dot, or any Alexa-enabled device allows you to turn your luminaire on and off, dim the light and change light color to Red, Green, Blue or White independently by using voice command or Smart phone app, DMX, Handheld remote or wall control.

DIMENSIONS & WEIGHTS: Canopy Size for ZigBee & DMX: 15.75" x 2.76"


SB-S101A Canopy mount with ring light inside, 3 Val Gardena fixtures attached to the ring.




SB-S101B Canopy mount with ring light outside, 1 Val Gardena fixture attached to the ring.




SB-S101B Canopy mount with ring light outside, 1 Val Gardena fixture attached to the ring.




SB-S101C Canopy mount with ring light outside, 2 Val Gardena fixtures attached to the ring.




SB-S101D Canopy mount with accent ring, light inside, 3 Val Gardena fixtures attached to the ring.




SB-S102A Canopy mount with outer ring light outside, inner ring light inside, 4 Val Gardena fixtures attached to the ring.




SB-S102A Canopy mount with outer ring light outside, inner ring light inside, 4 Val Gardena fixtures attached to the ring.




SB-S102B Canopy mount with ring light inside, 3 Val Gardena fixtures attached to the ring.




SB-S102C Canopy mount with swivelled rings, light inside, 3 Val Gardena fixtures attached to the ring.



SB-S103A Canopy mount with ring light inside, 6 Val Gardena fixtures attached to the ring.



SB-S103A Canopy mount with ring light inside, 6 Val Gardena fixtures attached to the ring.



SB-S103B Remote mount with canopy, cables fixed directly to the ceiling, ring light inside, 6 Val Gardena fixtures attached to the ring.

