

[View Kendall 3 Tier on website](#)

[View Video](#)

[View application photos](#)

## Telluride- Kendall 3 Tier

### PRODUCT DESCRIPTION



Introducing the Telluride series: an exquisite range of elegant chandeliers in various sizes and sophisticated styles. This modern chandelier embodies a fusion of avant-garde production techniques and meticulous attention to detail, hallmarking superior craftsmanship. Each piece is adorned with crystal chains of varying lengths, exuding charm and elegance reminiscent of precious jewels. With tunable white and RGBW options, various crystal chain hues, and multiple decorative crystal drop styles, these stunning chandeliers are the perfect addition to enhance the ambiance of any luxury space. Shipped assembled for your convenience.

### FEATURES

- 5-year limited warranty.
- Ships assembled.
- Illumination direct.
- Extruded aluminum housing up to 71.65", 1 continuous ring without joints.
- Crystal chain body, multiple color options available.
- Fixture delivered lumens per watt ratio up to 60 LPW not including RGBW.
- 10' standard adjustable aircraft cables/power cord adjust by push button grippers, custom length available.
- Can be remote driver mounted or driver concealed within the canopy, can be mounted on sloped ceiling.
- Over 50 lbs fixture must be installed using a U.L. listed outlet box or supported independently of the outlet box.

### SPECIFICATIONS

- 90+ CRI.
- Input: 100-277V, 50/60Hz.
- 1-10V dimming standard, ELV / TRIAC, Dali, DMX, ZigBee available.
- UL listed, suitable for dry location. (BAA) Buy American compliant.
- Built in color temperature selectable. Choose from 3000K/3500K/4000K Or 2700K/3500K/4000K. Custom color temperatures. lumen outputs, RGBW, Tunable White available.

### PARTS PACKED WITH STANDARD FIXTURE

- Plastic Anchors, Screws, Wire Connectors
- CCT Selector Switch







**MODEL INFORMATION:**

**Example: SB-D201A20WSWA**

Products Series	Wattage/Size	"E" Kelvin temp options	"W" Controls (don't select this column if selected S or A)	"Z" Canopy and Profile Finishes	"Y" Crystal Chain Hues	"X" Aircraft Cable
*SB-D403A SB-D403B SB-D403C SB-D403D	90W = 32.30"+24.40"+16.50"	*S=3000K/3500K/4000 K Color Select by internal CCT Color Selector, 4000K factory color default set, CRI 90	*Blank=1-10V dimming (default)	*W= Gloss White	*A=Diamond	*Blank= 10' foot 120" (default)
	150W= 48.03"+40.10"+32.30"		L=ELV / Triac dimming		B=Coal Black	
		180W= 59.80"+48.03"+40.10"	A=2700K/3500K/4000 K Color Select by internal CCT color Selector, 4000K factory color default set. CRI 90		D=DMX (for RGBW and Tunable White, control by Wall Switch or DMX control system)	C=Sapphire Blue
	T=3K-4K Tunable White control by remote/wall control			D=Zircon Blue		
	210W= 71.65"+59.80"+48.03"	R3= RGB+3000K	C=Dali	S= Platinum Silver	E=Aquamarine	15'= 15 foot 180"
	R4=RGB+4000K	Z=ZigBee (for RGBW and CCT tunable / dimmable using remote, App and Google Alexa voice.	B= Black Jack	F=Emerald Green	20'= 20 foot 240"	
<p><b>Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes, variations in aircraft cable length, and available controls.</b></p>			<p><a href="#">See control options</a></p>	G=Peridot Green	25'= 25 foot 300"	
				H=Citrine	30'= 30 foot 360"	
				I=Amber		
				J=Ruby Red	<p><b>Request specialty cable lengths from factory.</b></p>	
				K=Rose		
				<p><b>Find page 3 for custom color options or select from website <a href="#">Color Collections</a></b></p>	<p><b>Find page 4 for custom crystal chain and drop color options or ask factory about specific crystal hues or drop styles.</b></p>	

**STANDARD CANOPY AND PROFILE COLOR FINISHES**



Discover beyond our standard hues with over 6,500 [finishes and colors](#) available for your luminaire, including precise color matching, NFL team colors, and custom RAL finishes. Elevate your design with metallic, sparkle, or transparent textures for a touch of individuality. Explore our most popular selections below and contact our factory for personalized quotes.

You can request color swatches by emailing us at [customerservice@snowball-inc.com](mailto:customerservice@snowball-inc.com)

Please note: Colors may appear differently due to screen display settings.



### SOLID TONE FINISH

<b>PMB-4364</b> Pearl White	<b>PMB-0593</b> Soft White	<b>PSB-8051</b> Dirty White	<b>PMB-0513</b> Silver Metallic II	<b>PMB-6525</b> BMW Silver	<b>HSS-1336</b> Silk Satin Black
<b>PSS-0106</b> Ink Black	<b>USS-2603</b> Gloss Black	<b>UMB-0336</b> Metallic Bronze	<b>UMB-0493</b> US Bronze	<b>EMS-0940</b> Spanish Gold	<b>PMB-0808</b> Performance Gold
<b>PSS-4971</b> Very Red	<b>PSS-2876</b> Orange Glow	<b>PSS-1791</b> JuJu Orange	<b>PSS-0118</b> Spring Yellow	<b>PSB-5945</b> Bright Green	<b>PMB-10657</b> Yama Blue
<b>PPB-2846</b> Purple Glaze	<b>PSS-1670</b> Rosette Pink	<b>PSS-4008</b> Jewel Grey	<b>PSS-4500</b> Crest Grey	<b>PSS-4647</b> Beach Tan	<b>PMB-5478</b> Montana Gold

### SHIMMER/ GLITTER FINISH

<b>PMB-5567</b> Champagne Shimmer	<b>UMB-2062</b> Shimmer Gold	<b>PMS-5677</b> Shimmer Copper	<b>PMB-6611</b> Shimmer Black	<b>PPB-8167</b> Trans Glitter Gold	<b>PMB-6762</b> Alloy Glitter
--------------------------------------	---------------------------------	-----------------------------------	----------------------------------	---------------------------------------	----------------------------------

### PALLEON METALLIC TEXTURED FINISH

<b>PVB-10274</b> Palleon Paradise	<b>PVB-10272</b> Palleon Fire	<b>PVB-10271</b> Palleon Golden Green	<b>PVB-10268</b> Dark Palleon Paradise	<b>PVB-10267</b> Dark Palleon Golden Green	<b>PVB-10268</b> Dark Palleon Fire
<b>PVB-10273</b> Palleon Panther	<b>PVB-10269</b> Dark Palleon Panther				

### CHROME/SPECIALTY FINISH

<b>UMS-10671</b> Super Chrome Plus	<b>PPB-6677</b> Black Chrome III	<b>PMB-4124</b> Bronze Chrome	<b>UMB-10813</b> Rose Chrome	<b>UMB-10815</b> Brass Chrome	<b>UMB-10816</b> Copper Chrome
<b>PPS-6530</b> Brassy Gold	<b>PPB-2262</b> Anodized Gold	<b>PPB-8034</b> Melted Bronze	<b>PPB-6325</b> Metallic Clear	<b>PPB-5633</b> Tinted Clear	<b>PPB-5936</b> Anodized Red

### SPARKLE FINISH

<b>PPB-4694</b> Super Red Sparkle	<b>PPB-4727</b> Silver Sparkle	<b>PPB-5835</b> Rockstar Sparkle	<b>PMB-4130</b> Pearl Sparkle	<b>PPB-5004</b> Ultra Blue Sparkle	<b>PPB-5078</b> Magnum Blue Sparkle
<b>PMB-2750</b> Dark Grey Sparkle	<b>PMB-6769</b> Deep Blue Sparkle	<b>PPB-4499</b> Gold Sparkle	<b>PMB-4417</b> Baby Blue Sparkle		

### WETSTONE WRINKLED TEXTURE FINISH

<b>PWB-2232</b> Wetstone Black	<b>PWB-9157</b> Wetstone Gold Bronze	<b>PWB-9156</b> Wetstone Copper	<b>PWB-2343</b> Wetstone Rock Bronze	<b>PWB-2590</b> Wetstone Emerald II
-----------------------------------	---	------------------------------------	---	--

**STANDARD CRYSTAL CHAIN COLOR**

**A**  
Diamond



**ADDITIONAL CRYSTAL CHAIN COLORS**

**B**  
Coal Black



**C**  
Sapphire Blue



**D**  
Zircon Blue



**E**  
Aquamarine



**F**  
Emerald Green



**G**  
Peridot Green



**H**  
Citrine



**I**  
Amber



**J**  
Ruby Red



**K**  
Rose




## LUMEN OUTPUT (for color selectable not RGBW)

Model Number	Size	Wattage	Kelvin Temp field Selectable $\pm 500K$	Delivered Lumen $\pm 10\%$
SB-D403A	32.30"+24.40"+16.50"	90W	2700K/3500K/4000K or 3000K/3500K/4000K	5400 lm
	48.03"+40.10"+32.30"	150W	2700K/3500K/4000K or 3000K/3500K/4000K	9000 lm
	59.80"+48.03"+40.10"	180W	2700K/3500K/4000K or 3000K/3500K/4000K	10800 lm
	71.65"+59.80"+48.03"	210W	2700K/3500K/4000K or 3000K/3500K/4000K	12600 lm

## EMERGENCY BATTERY OPTIONS

[SEE SPEC](#)

PICTURE	MODEL NUMBER	DESCRIPTION
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes

## RGBW/TUNABLE WHITE SMART CONTROL

[SEE SPEC AND VIDEO](#)

### Get Smart

Using Amazon Echo, Echo Dot, or any Alexa-enabled device allows you to turn your luminaire on and off, dim the light and change light color to Red, Green, Blue or White independently by using voice command or Smart phone app, DMX, Handheld remote or wall control.


## RGBW COLOR EXAMPLES

[SEE VIDEO](#)




**DIMENSIONS & WEIGHTS: Canopy Size for ZigBee & DMX: 15.75" x 2.76"**


**SB-D203A Canopy mount with direct lighting.**






**SB-D303B Canopy mount with accent ring, direct lighting.**



**SB-D303C Remote driver with cables fixed directly to the ceiling, direct lighting.**  
(Driver box size: L10.83" X W3.78" X H1.81")




**SB-D303D Remote mount with canopy, cables fixed directly to the ceiling, direct lighting.**




**PHOTOMETRIC: Direct Illumination**

**SB-D101A20WSZ 15.75" 20W @ 4000K**

Flux out: 583.3 lm




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.




**SB-D101A30WSZ 23.62" 30W @ 4000K**




Flux out: 985.8 lm



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.






**SB-D101A40WSZ 31.50" 40W @ 4000K**






Height Eavg, Emax Angle:109.69deg Diameter  
Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

**SB-D101A50WSZ 39.37" 50W @ 4000K**



Height Eavg, Emax Angle:110.84deg Diameter  
Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.


**SB-D101A60WSZ 47.24" 60W @ 4000K**



Height Eavg, Emax Angle:110.12deg Diameter  
Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.




**SB-D101A70WSZ 59.06" 70W @ 4000K**




Flux out:2364 lm

Height	Eavg, Emax	Angle:111.75deg	Diameter
1m	342.3, 1160lx		295.14cm
2m	85.59, 290.0lx		590.28cm
3m	38.04, 128.9lx		885.43cm
4m	21.40, 72.51lx		1180.57cm
5m	13.69, 46.40lx		1475.71cm
6m	9.510, 32.22lx		1770.85cm
7m	6.987, 23.68lx		2066.00cm
8m	5.349, 18.13lx		2361.14cm
9m	4.226, 14.32lx		2656.28cm
10m	3.423, 11.60lx		2951.42cm



**SB-D101A80WSZ 70.87" 80W @ 4000K**



Flux out:2941 lm

Height	Eavg, Emax	Angle:113.14deg	Diameter
1m	394.8, 1394lx		302.99cm
2m	98.70, 348.5lx		605.99cm
3m	43.87, 154.9lx		908.98cm
4m	24.67, 87.12lx		1211.98cm
5m	15.79, 55.76lx		1514.97cm
6m	10.97, 38.72lx		1817.96cm
7m	8.057, 28.45lx		2120.96cm
8m	6.169, 21.78lx		2423.95cm
9m	4.874, 17.21lx		2726.95cm
10m	3.948, 13.94lx		3029.94cm

Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

