

[View Sapporo 3 Tier on website](#)

[View Video](#)

[View application photos](#)

Sapporo 3 Tier

PRODUCT DESCRIPTION

Introducing the Sapporo Custom Modern Creative Luxury Tassel Aluminum Chain LED Ceiling Hanging Pendant Light—a stunning blend of contemporary design and functional elegance. Crafted with meticulous attention to detail, each pendant features a grand cascade of aluminum chains, creating a striking focal point in any space. Available in dimensions ranging from 15.75" to 70.87" and offering over 6,500 powder-coated color options, the Sapporo pendant is perfect for illuminating dining rooms, foyers, wedding halls, hotels, or living rooms with style and sophistication, infusing your space with ambient lighting and timeless allure. Shipped fully assembled for convenience.

FEATURES

- 5-year limited warranty.
- Ships assembled.
- Illumination direct.
- Aluminum body, Aluminum chain, metal driver canopy.
- Fixture delivered lumens per watt ratio up to 60 LPW, not including RGBW.
- Extruded aluminum housing up to 70.87", 1 continuous ring without joints.
- 10' standard adjustable aircraft cables/power cord adjust by push button grippers, custom length available.
- Can be remote driver mounted or driver concealed within the canopy, can be mounted on sloped ceiling.

SPECIFICATIONS

- 90+ CRI.
- Input: 100-277V, 50/60Hz.
- 1-10V dimming standard, ELV / TRIAC, Dali, DMX, ZigBee available.
- UL listed, suitable for dry location.(BAA) Buy American Compliant.
- Gloss White, Black Jack, Platinum Silver, Oil bronze, Rose Gold, Brassy Gold, and Red color finish as standard, 6,500 custom colors are available.
- Built in color temperature selectable. Choose from 2700K/3500K/4000K ; 3000K/3500K/4000K. Custom color temperatures. lumen outputs, RGBW, Tunable White available.

PARTS PACKED WITH STANDARD FIXTURE

- Plastic Anchors, Screws, Wire Connectors
- CCT Selector Switch




MODEL INFORMATION:

Example: SB-D203A90WSSS

Products Series	Wattage/Size	"E" Kelvin temp options	"W" Controls (don't select this column if selected S or A)	"Z" Canopy/ Profile Finishes	"Y" Chain Finishes	"X" Aircraft Cable
*SB-D203A SB-D203B SB-D203C SB-D203D	90W= 31.50"+ 26.32"+ 15.75"	*S=3000K/3500K/4000K Color Select by internal CCT Color Selector, 4000K factory color default set, CRI 90	*Blank=1-10V dimming (default)	*S= Platinum Silver (Standard)	*S= Platinum Silver (Standard)	*Blank= 10' feet 120"(default)
	120W= 39.37"+ 31.50"+ 23.62"		L=ELV / Triac dimming	B= Black Jack (Standard)		
	150W= 47.24"+ 39.37"+ 31.50"	A=2700K/3500K/4000K Color Select by internal CCT color Selector, 4000K factory color default set. CRI 90	D=DMX (for RGBW and Tunable White, control by Wall Switch or DMX control system)	W= Gloss White (Standard)	B= Pearl Black (Standard)	15'=15 feet 180"
				O= Oil Rubbed Bronze (Standard)	R=Rose Gold (Recommended)	20'=20 feet 240"
	180W= 59.06"+ 47.24"+ 39.37"	T=3K-4K Tunable White control by remote/wall control	Z=ZigBee (for RGBW and CCT tunable / dimmable using remote, App and Google Alexa voice.	RG=Rose Gold (Recommended)	BG= Brassy Gold (Recommended)	25'=25 feet 300"
	210W= 70.87"+ 59.06"+ 47.24"			BG= Brassy Gold (Recommended)		
				R3= RGB+3000K	C=Dali	R= Red (Recommended)
	R4=RGB+4000K (standard)					
Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes, variations in aircraft cable length, and available controls.			See control options	Find page 3 for custom color options or select from website Color Collections		

COLOR FINISHES FOR PROFILE AND CANOPY:



COLOR FINISHES FOR ALUMINIUM CHAIN:



Discover beyond our standard hues with over 6,500 [finishes and colors](#) available for your luminaire, including precise color matching, NFL team colors, and custom RAL finishes. Elevate your design with metallic, sparkle, or transparent textures for a touch of individuality. Explore our most popular selections below and contact our factory for personalized quotes.

You can request color swatches by emailing us at customerservice@snowball-inc.com

Please note: Colors may appear differently due to screen display settings.



SOLID TONE FINISH

PMB-4364 Pearl White	PMB-0593 Soft White	PSB-8051 Dirty White	PMB-0513 Silver Metallic II	PMB-6525 BMW Silver	HSS-1336 Silk Satin Black
PPS-0106 Ink Black	USS-2603 Gloss Black	UMB-0336 Metallic Bronze	UMB-0493 US Bronze	EMS-0940 Spanish Gold	PMB-0808 Performance Gold
PSS-4971 Very Red	PSS-2876 Orange Glow	PSS-1791 JuJu Orange	PSS-0118 Spring Yellow	PSB-5945 Bright Green	PMB-10657 Yama Blue
PPB-2846 Purple Glaze	PSS-1670 Rosette Pink	PSS-4008 Jewel Grey	PSS-4500 Crest Grey	PSS-4647 Beach Tan	PMB-5478 Montana Gold

SHIMMER/ GLITTER FINISH

PMB-5567 Champagne Shimmer	UMB-2062 Shimmer Gold	PMS-5677 Shimmer Copper	PMB-6611 Shimmer Black	PPB-8167 Trans Glitter Gold	PMB-6762 Alloy Glitter
--------------------------------------	---------------------------------	-----------------------------------	----------------------------------	---------------------------------------	----------------------------------

PALLEON METALLIC TEXTURED FINISH

PVB-10274 Palleon Paradise	PVB-10272 Palleon Fire	PVB-10271 Palleon Golden Green	PVB-10268 Dark Palleon Paradise	PVB-10267 Dark Palleon Golden Green	PVB-10268 Dark Palleon Fire
PVB-10273 Palleon Panther	PVB-10269 Dark Palleon Panther				

CHROME/SPECIALTY FINISH

UMS-10671 Super Chrome Plus	PPB-6677 Black Chrome III	PMB-4124 Bronze Chrome	UMB-10813 Rose Chrome	UMB-10815 Brass Chrome	UMB-10816 Copper Chrome
PPS-6530 Brassy Gold	PPB-2262 Anodized Gold	PPB-8034 Melted Bronze	PPB-6325 Metallic Clear	PPB-5633 Tinted Clear	PPB-5936 Anodized Red

SPARKLE FINISH

PPB-4694 Super Red Sparkle	PPB-4727 Silver Sparkle	PPB-5835 Rockstar Sparkle	PMB-4130 Pearl Sparkle	PPB-5004 Ultra Blue Sparkle	PPB-5078 Magnum Blue Sparkle
PMB-2750 Dark Grey Sparkle	PMB-6769 Deep Blue Sparkle	PPB-4499 Gold Sparkle	PMB-4417 Baby Blue Sparkle		

WETSTONE WRINKLED TEXTURE FINISH

PWB-2232 Wetstone Black	PWB-9157 Wetstone Gold Bronze	PWB-9156 Wetstone Copper	PWB-2343 Wetstone Rock Bronze	PWB-2590 Wetstone Emerald II
-----------------------------------	---	------------------------------------	---	--

LUMEN OUTPUT

Model Number	Size	Wattage	Kevin Temp field Selectable	Delivered Lumen
SB-D203A SB-D203B SB-D203C SB-D203D	31.50"+ 26.32"+ 15.75"	90w	2700K/3500K/3500K 3000K/3500K/4000K	5400 lm
	39.37"+ 31.50"+ 23.62"	120W	2700K/3500K/3500K 3000K/3500K/4000K	7200 lm
	47.24"+ 39.37"+ 31.50"	150W	2700K/3500K/3500K 3000K/3500K/4000K	9000 lm
	59.06"+ 47.24"+ 39.37"	180W	2700K/3500K/3500K 3000K/3500K/4000K	10800 lm
	70.87"+ 59.06"+ 47.24"	210W	2700K/3500K/3500K 3000K/3500K/4000K	12600 lm

EMERGENCY BATTERY OPTIONS

[SEE SPEC](#)

PICTURE	MODEL NUMBER	DESCRIPTION
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes

RGBW/TUNABLE WHITE SMART CONTROL


[SEE SPEC AND VIDEO](#)

Get Smart

Using Amazon Echo, Echo Dot, or any Alexa-enabled device allows you to turn your luminaire on and off, dim the light and change light color to Red, Green, Blue or White independently by using voice command or Smart phone app, DMX, Handheld remote or wall control.

DIMENSIONS & WEIGHTS: Canopy Size for ZigBee & DMX: 15.75" x 2.76"


SB-D203A Canopy mount with direct lighting.




SB-D203B Canopy mount with accent ring, direct lighting.



**SB-D203C Remote driver with cables fixed directly to the ceiling, direct lighting.
(Driver box size: L10.83" X W3.78" X H1.81")**







SB-D203D Remote mount with canopy, cables fixed directly to the ceiling, direct lighting.







PHOTOMETRIC: Direct Illumination





SB-D201A20WSSS 15.75" 20W @ 4000K






23.62" 30W @ 4000K






31.50" 40W @ 4000K



39.37" 50W @ 4000K



59.06" 70W @ 4000K



70.87" 80W @ 4000K

