

## Breckenridge-L-B

### PRODUCT DESCRIPTION

#### Breckenridge-L-B Natural Spanish Alabaster linear pendant

This modern linear pendant light crafted from translucent alabaster material. The cylindrical form emits a soft, diffused glow through the stone's natural veining, creating an elegant and contemporary look. It's ideal for dining areas, kitchen islands, or minimalist interiors that emphasize refined materials and subtle lighting.

### FEATURES

- 5-year limited warranty.
- Ships assembled.
- Illumination: 306 Degree.
- Size Diameter : 39.37", 47.24", 59.06", 70.87". Custom sizes available.
- Natural Marble linear, Metal finishes: Black Jack, Platinum Silver, Gloss White and Aged Brass. Custom finishes available.
- Fixture delivered lumens per watt ratio up to 80 LPW not including RGBW.
- 78.74" standard adjustable aircraft cables/power cord adjust by push button grippers, custom length available.
- Can be remote driver mounted or driver concealed within the canopy, can be mounted on sloped ceiling.
- More 50 lbs must be installed using a U.L. listed outlet box or supported independently of the outlet box.

### SPECIFICATIONS

- 90+ CRI.
- Input: 120-277V, 50/60Hz.
- 0-10V dimming standard, ELV / TRIAC, Dali, DMX, ZigBee available.
- UL listed, suitable for dry location. (BAA) Buy American compliant.
- Built in color temperature selectable. Choose from 3000K/3500K/4000K Or 2700K/3500K/4000K. Custom color temperatures. lumen outputs, RGBW, Tunable White available.

### PARTS PACKED WITH STANDARD FIXTURE

- Plastic Anchors, Screws, Wire Connectors
- CCT Selector Switch



#### Breckenridge Collection



[Ceiling lights](#)



[Drop Pendant](#)



[Linear Pendant](#)



[Wall Sconce](#)



[Flush Mount](#)

## MODEL INFORMATION:

Example: SB-XL-201B25WSA

| Products Series                                                                                                                                                                                             | Wattage/Size | “E” Kelvin temp options                                                                                      | “W” Controls (don’t select this column if selected S or A)                              | “Z” Metal Finishes                                                                                   | “X” Aircraft Cable                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|-----------------------------------|
| *SB-XL-701A                                                                                                                                                                                                 | *25W=39.37”  | *S=3000K/3500K/4000K<br>Color Select by internal CCT Color Selector, 4000K factory color default set, CRI 90 | *Blank=1-10V dimming (default)                                                          | *A=Aged Brass                                                                                        | *Blank=6.57 foot 78.74” (default) |
|                                                                                                                                                                                                             |              |                                                                                                              | C= Dali                                                                                 | B=Black Jack                                                                                         | 5’=5 foot 60”                     |
| SB-XL-701B                                                                                                                                                                                                  | 40W=47.24”   | A=2700K/3500K/4000K Color Select by internal CCT color Selector, 4000K factory color default set. CRI 90     | D=DMX (for RGBW and Tunable White, control by Wall Switch or DMX control system)        | S=Platinum Silver                                                                                    | 15’=15 foot 180”                  |
|                                                                                                                                                                                                             |              |                                                                                                              |                                                                                         |                                                                                                      | 20’=20 foot 240”                  |
| SB-XL-701C                                                                                                                                                                                                  | 60W=59.06”   | T=3K-4K Tunable White control by remote/wall control                                                         | Z=ZigBee (for RGBW and CCT Tunable / dimmable using remote, App and Google Alexa voice. | W=Gloss White                                                                                        | 25’=25 foot 300”                  |
|                                                                                                                                                                                                             | 70W=70.87”   | R3= RGB+3000K                                                                                                | L=ELV / Triac dimming                                                                   |                                                                                                      | 30’=30 foot 360”                  |
|                                                                                                                                                                                                             |              | R4=RGB+4000K                                                                                                 |                                                                                         |                                                                                                      |                                   |
| Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes, variations in aircraft cable length, and available controls. |              |                                                                                                              | <a href="#">See control options</a>                                                     | Find page 3 for Canopy custom color options or select from website <a href="#">Color Collections</a> |                                   |

## METAL STANDARD COLOR FINISHES

PSS-5690  
Gloss White



PMB-8173  
Platinum Silver



USS-1522  
Black Jack



PPB-10674  
Aged Brass



Discover beyond our standard hues with over 6,500 [finishes and colors](#) available for your luminaire, including precise color matching, NFL team colors, and custom RAL finishes. Elevate your design with metallic, sparkle, or transparent textures for a touch of individuality. Explore our most popular selections below and contact our factory for personalized quotes.

You can request color swatches by emailing us at [customerservice@snowball-inc.com](mailto:customerservice@snowball-inc.com)

Please note: Colors may appear differently due to screen display settings.



#### SOLID TONE FINISH

|                                 |                                 |                                    |                                       |                                 |                                     |
|---------------------------------|---------------------------------|------------------------------------|---------------------------------------|---------------------------------|-------------------------------------|
| <b>PMB-4364</b><br>Pearl White  | <b>PMB-0593</b><br>Soft White   | <b>PSB-8051</b><br>Dirty White     | <b>PMB-0513</b><br>Silver Metallic II | <b>PMB-6525</b><br>BMW Silver   | <b>HSS-1336</b><br>Silk Satin Black |
| <b>PPS-0106</b><br>Ink Black    | <b>USS-2603</b><br>Gloss Black  | <b>UMB-0336</b><br>Metallic Bronze | <b>UMB-0493</b><br>US Bronze          | <b>EMS-0940</b><br>Spanish Gold | <b>PMB-0808</b><br>Performance Gold |
| <b>PSS-4971</b><br>Very Red     | <b>PSS-2876</b><br>Orange Glow  | <b>PSS-1791</b><br>JuJu Orange     | <b>PSS-0118</b><br>Spring Yellow      | <b>PSB-5945</b><br>Bright Green | <b>PMB-10657</b><br>Yama Blue       |
| <b>PPB-2846</b><br>Purple Glaze | <b>PSS-1670</b><br>Rosette Pink | <b>PSS-4008</b><br>Jewel Grey      | <b>PSS-4500</b><br>Crest Grey         | <b>PSS-4647</b><br>Beach Tan    | <b>PMB-5478</b><br>Montana Gold     |

#### SHIMMER/ GLITTER FINISH

|                                      |                                 |                                   |                                  |                                       |                                  |
|--------------------------------------|---------------------------------|-----------------------------------|----------------------------------|---------------------------------------|----------------------------------|
| <b>PMB-5567</b><br>Champagne Shimmer | <b>UMB-2062</b><br>Shimmer Gold | <b>PMS-5677</b><br>Shimmer Copper | <b>PMB-6611</b><br>Shimmer Black | <b>PPB-8167</b><br>Trans Glitter Gold | <b>PMB-6762</b><br>Alloy Glitter |
|--------------------------------------|---------------------------------|-----------------------------------|----------------------------------|---------------------------------------|----------------------------------|

#### PALLEON METALLIC TEXTURED FINISH

|                                      |                                          |                                          |                                           |                                               |                                       |
|--------------------------------------|------------------------------------------|------------------------------------------|-------------------------------------------|-----------------------------------------------|---------------------------------------|
| <b>PVB-10274</b><br>Palleon Paradise | <b>PVB-10272</b><br>Palleon Fire         | <b>PVB-10271</b><br>Palleon Golden Green | <b>PVB-10268</b><br>Dark Palleon Paradise | <b>PVB-10267</b><br>Dark Palleon Golden Green | <b>PVB-10268</b><br>Dark Palleon Fire |
| <b>PVB-10273</b><br>Palleon Panther  | <b>PVB-10269</b><br>Dark Palleon Panther |                                          |                                           |                                               |                                       |

#### CHROME/SPECIALTY FINISH

|                                       |                                     |                                  |                                   |                                  |                                   |
|---------------------------------------|-------------------------------------|----------------------------------|-----------------------------------|----------------------------------|-----------------------------------|
| <b>UMS-10671</b><br>Super Chrome Plus | <b>PPB-6677</b><br>Black Chrome III | <b>PMB-4124</b><br>Bronze Chrome | <b>UMB-10813</b><br>Rose Chrome   | <b>UMB-10815</b><br>Brass Chrome | <b>UMB-10816</b><br>Copper Chrome |
| <b>PPS-6530</b><br>Brassy Gold        | <b>PPB-2262</b><br>Anodized Gold    | <b>PPB-8034</b><br>Melted Bronze | <b>PPB-6325</b><br>Metallic Clear | <b>PPB-5633</b><br>Tinted Clear  | <b>PPB-5936</b><br>Anodized Red   |

#### SPARKLE FINISH

|                                      |                                      |                                     |                                      |                                       |                                        |
|--------------------------------------|--------------------------------------|-------------------------------------|--------------------------------------|---------------------------------------|----------------------------------------|
| <b>PPB-4694</b><br>Super Red Sparkle | <b>PPB-4727</b><br>Silver Sparkle    | <b>PPB-5835</b><br>Rockstar Sparkle | <b>PMB-4130</b><br>Pearl Sparkle     | <b>PPB-5004</b><br>Ultra Blue Sparkle | <b>PPB-5078</b><br>Magnum Blue Sparkle |
| <b>PMB-2750</b><br>Dark Grey Sparkle | <b>PMB-6769</b><br>Deep Blue Sparkle | <b>PPB-4499</b><br>Gold Sparkle     | <b>PMB-4417</b><br>Baby Blue Sparkle |                                       |                                        |

#### WETSTONE WRINKLED TEXTURE FINISH

|                                   |                                         |                                    |                                         |                                        |
|-----------------------------------|-----------------------------------------|------------------------------------|-----------------------------------------|----------------------------------------|
| <b>PWB-2232</b><br>Wetstone Black | <b>PWB-9157</b><br>Wetstone Gold Bronze | <b>PWB-9156</b><br>Wetstone Copper | <b>PWB-2343</b><br>Wetstone Rock Bronze | <b>PWB-2590</b><br>Wetstone Emerald II |
|-----------------------------------|-----------------------------------------|------------------------------------|-----------------------------------------|----------------------------------------|

## LUMEN OUTPUT

| Model Number   | Size   | Wattage | Kelvin Temp field Selectable           | Delivered Lumen $\pm 10\%$ |
|----------------|--------|---------|----------------------------------------|----------------------------|
| SB-XL-701A/B/C | 39.37" | 25W     | 3000K/3500K/4000K or 2700K/3500K/4000K | 2000 lm                    |
|                | 47.24" | 40W     |                                        | 3200 lm                    |
|                | 59.05" | 60W     |                                        | 4800 lm                    |
|                | 70.87" | 70W     |                                        | 5600 lm                    |

## EMERGENCY BATTERY OPTIONS

[SEE SPEC](#)

| PICTURE                                                                             | MODEL NUMBER   | DESCRIPTION                                                      |
|-------------------------------------------------------------------------------------|----------------|------------------------------------------------------------------|
|  | SB-EBP/5W/B    | Factory installed Remote Emergency Battery Pack 5W 90 minutes    |
|                                                                                     | SB-EBP/10.7W/B | Factory installed Remote Emergency Battery Pack 10.7W 90 minutes |
|                                                                                     | SB-EBP/17W/B   | Factory installed Remote Emergency Battery Pack 17W 90 minutes   |

## RGBW/TUNABLE WHITE SMART CONTROL


[SEE SPEC AND VIDEO](#)

### Get Smart





Using Amazon Echo, Echo Dot, or any Alexa-enabled device allows you to turn your luminaire on and off, dim the light and change light color to Red, Green, Blue or White independently by using voice command or Smart phone app, DMX, Handheld remote or wall control.

## DIMENSIONS & WEIGHTS:

### SB-XL-701A : Canopy mount



**SB-XL-701B : Remote driver with cables fixed directly to the ceiling.  
(Driver box size: L10.83" X W3.78" X H1.81")**



**SB-XL-701C : Canopy mount with cables fixed directly to the ceiling.**

