

[View Dolores 3 Tier on website](#)
[View Video](#)
[View application photos](#)

## Telluride- Dolores 3 Tier

### PRODUCT DESCRIPTION

Introducing the Telluride series: an exquisite range of elegant chandeliers in various sizes and sophisticated styles. This modern chandelier embodies a fusion of avant-garde production techniques and meticulous attention to detail, hallmarking superior craftsmanship. Each piece is adorned with crystal chains of varying lengths, exuding charm and elegance reminiscent of precious jewels. With tunable white and RGBW options, various crystal chain hues, and multiple decorative crystal drop styles, these stunning chandeliers are the perfect addition to enhance the ambiance of any luxury space. Shipped assembled for your convenience.

### FEATURES

- 5-year limited warranty.
- Ships assembled.
- Illumination direct.
- Extruded aluminum housing up to 70.87", 1 continuous ring without joints.
- Crystal chain body, multiple color options available.
- Fixture delivered lumens per watt ratio up to 60 LPW not including RGBW.
- 10' standard adjustable aircraft cables/power cord adjust by push button grippers, custom length available.
- Can be remote driver mounted or driver concealed within the canopy, can be mounted on sloped ceiling.
- Over 50 lbs fixture must be installed using a U.L. listed outlet box or supported independently of the outlet box

### SPECIFICATIONS

- 90+ CRI.
- Input: 100-277V, 50/60Hz.
- 1-10V dimming standard, ELV / TRIAC, Dali, DMX, ZigBee available.
- UL listed, suitable for dry location. (BAA) Buy American compliant.
- Built in color temperature selectable. Choose from 3000K/3500K/4000K Or 2700K/3500K/4000K. Custom color temperatures. lumen outputs, RGBW, Tunable White available.

### PARTS PACKED WITH STANDARD FIXTURE

- Plastic Anchors, Screws, Wire Connectors
- CCT Selector Switch



## MODEL INFORMATION:

Example: SB-D701A20WSWA

| Products Series                                                                                                                                                                                             | Wattage/Size                  | “E” Kelvin temp options                                                                                    | “W” Controls (don’t select this column if selected S or A)                              | “Z” Canopy and Profile Finishes                                                               | “Y” Crystal Chain Hues                                                                                                 | “X” Aircraft Cable                            |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|
| *SB-D703A                                                                                                                                                                                                   | 90W =<br>16.50"+24.40"+32.30" | *S=3000K/3500K/4000 K Color Select by internal CCT Color Selector, 4000K factory color default set, CRI 90 | *Blank=1-10V dimming (default)                                                          | * W=<br>Gloss White                                                                           | *A=Diamond                                                                                                             | *Blank= 10’ foot 120” (default)               |
|                                                                                                                                                                                                             |                               |                                                                                                            | L=ELV / Triac dimming                                                                   |                                                                                               | B=Coal Black                                                                                                           | 5’= 5 foot 60”                                |
|                                                                                                                                                                                                             | C=Saphire Blue                |                                                                                                            |                                                                                         |                                                                                               |                                                                                                                        |                                               |
|                                                                                                                                                                                                             |                               | D=Zircon Blue                                                                                              |                                                                                         |                                                                                               |                                                                                                                        |                                               |
|                                                                                                                                                                                                             | 150W=<br>32.30"+40.10"+48.03" | A=2700K/3500K/4000 K Color Select by internal CCT color Selector, 4000K factory color default set. CRI 90  | D=DMX (for RGBW and Tunable White, control by Wall Switch or DMX control system)        | S= Platinum Silver                                                                            | E=Aquamarine                                                                                                           | 15’= 15 foot 180”                             |
|                                                                                                                                                                                                             |                               |                                                                                                            |                                                                                         |                                                                                               | F=Emerald Green                                                                                                        | 20’= 20 foot 240”                             |
|                                                                                                                                                                                                             | 180W=<br>40.10"+48.03"+59.80" | T=3K-4K Tunable White control by remote/wall control                                                       |                                                                                         | B= Black Jack                                                                                 | G=Peridot Green                                                                                                        | 25’= 25 foot 300”                             |
|                                                                                                                                                                                                             |                               |                                                                                                            |                                                                                         |                                                                                               | H=Citrine                                                                                                              |                                               |
|                                                                                                                                                                                                             | 210W=<br>48.03"+59.80"+71.65" | R3= RGB+3000K<br><br>R4=RGB+4000K                                                                          | C=Dali                                                                                  | O= Oil Rubbed Bronze                                                                          | I=Amber                                                                                                                | 30’= 30 foot 360”                             |
|                                                                                                                                                                                                             |                               |                                                                                                            | Z=ZigBee (for RGBW and CCT tunable / dimmable using remote, App and Google Alexa voice. |                                                                                               | J=Ruby Red                                                                                                             |                                               |
| <a href="#">See control options</a>                                                                                                                                                                         |                               |                                                                                                            |                                                                                         |                                                                                               | K=Rose                                                                                                                 |                                               |
| Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes, variations in aircraft cable length, and available controls. |                               |                                                                                                            |                                                                                         | Find page 3 for custom color options or select from website <a href="#">Color Collections</a> | Find page 4 for custom crystal chain and drop color options or ask factory about specific crystal hues or drop styles. | Request specialty cable lengths from factory. |

## STANDARD CANOPY AND PROFILE COLOR FINISHES

**PSS-5690**  
Gloss White



**PMB-8173**  
Platinum Silver



**USS-1522**  
Black Jack



**PCB-1102**  
Oil Rubbed Bronze



Discover beyond our standard hues with over 6,500 [finishes and colors](#) available for your luminaire, including precise color matching, NFL team colors, and custom RAL finishes. Elevate your design with metallic, sparkle, or transparent textures for a touch of individuality. Explore our most popular selections below and contact our factory for personalized quotes.

You can request color swatches by emailing us at [customerservice@snowball-inc.com](mailto:customerservice@snowball-inc.com)

Please note: Colors may appear differently due to screen display settings.



### SOLID TONE FINISH

|                                 |                                 |                                    |                                       |                                 |                                     |
|---------------------------------|---------------------------------|------------------------------------|---------------------------------------|---------------------------------|-------------------------------------|
| <b>PMB-4364</b><br>Pearl White  | <b>PMB-0593</b><br>Soft White   | <b>PSB-8051</b><br>Dirty White     | <b>PMB-0513</b><br>Silver Metallic II | <b>PMB-6525</b><br>BMW Silver   | <b>HSS-1336</b><br>Silk Satin Black |
| <b>PSS-0106</b><br>Ink Black    | <b>USS-2603</b><br>Gloss Black  | <b>UMB-0336</b><br>Metallic Bronze | <b>UMB-0493</b><br>US Bronze          | <b>EMS-0940</b><br>Spanish Gold | <b>PMB-0808</b><br>Performance Gold |
| <b>PSS-4971</b><br>Very Red     | <b>PSS-2876</b><br>Orange Glow  | <b>PSS-1791</b><br>JuJu Orange     | <b>PSS-0118</b><br>Spring Yellow      | <b>PSB-5945</b><br>Bright Green | <b>PMB-10657</b><br>Yama Blue       |
| <b>PPB-2846</b><br>Purple Glaze | <b>PSS-1670</b><br>Rosette Pink | <b>PSS-4008</b><br>Jewel Grey      | <b>PSS-4500</b><br>Crest Grey         | <b>PSS-4647</b><br>Beach Tan    | <b>PMB-5478</b><br>Montana Gold     |

### SHIMMER/ GLITTER FINISH

|                                      |                                 |                                   |                                  |                                       |                                  |
|--------------------------------------|---------------------------------|-----------------------------------|----------------------------------|---------------------------------------|----------------------------------|
| <b>PMB-5567</b><br>Champagne Shimmer | <b>UMB-2062</b><br>Shimmer Gold | <b>PMS-5677</b><br>Shimmer Copper | <b>PMB-6611</b><br>Shimmer Black | <b>PPB-8167</b><br>Trans Glitter Gold | <b>PMB-6762</b><br>Alloy Glitter |
|--------------------------------------|---------------------------------|-----------------------------------|----------------------------------|---------------------------------------|----------------------------------|

### PALLEON METALLIC TEXTURED FINISH

|                                      |                                          |                                          |                                           |                                               |                                       |
|--------------------------------------|------------------------------------------|------------------------------------------|-------------------------------------------|-----------------------------------------------|---------------------------------------|
| <b>PVB-10274</b><br>Palleon Paradise | <b>PVB-10272</b><br>Palleon Fire         | <b>PVB-10271</b><br>Palleon Golden Green | <b>PVB-10268</b><br>Dark Palleon Paradise | <b>PVB-10267</b><br>Dark Palleon Golden Green | <b>PVB-10268</b><br>Dark Palleon Fire |
| <b>PVB-10273</b><br>Palleon Panther  | <b>PVB-10269</b><br>Dark Palleon Panther |                                          |                                           |                                               |                                       |

### CHROME/SPECIALTY FINISH

|                                       |                                     |                                  |                                   |                                  |                                   |
|---------------------------------------|-------------------------------------|----------------------------------|-----------------------------------|----------------------------------|-----------------------------------|
| <b>UMS-10671</b><br>Super Chrome Plus | <b>PPB-6677</b><br>Black Chrome III | <b>PMB-4124</b><br>Bronze Chrome | <b>UMB-10813</b><br>Rose Chrome   | <b>UMB-10815</b><br>Brass Chrome | <b>UMB-10816</b><br>Copper Chrome |
| <b>PPS-6530</b><br>Brassy Gold        | <b>PPB-2262</b><br>Anodized Gold    | <b>PPB-8034</b><br>Melted Bronze | <b>PPB-6325</b><br>Metallic Clear | <b>PPB-5633</b><br>Tinted Clear  | <b>PPB-5936</b><br>Anodized Red   |

### SPARKLE FINISH

|                                      |                                      |                                     |                                      |                                       |                                        |
|--------------------------------------|--------------------------------------|-------------------------------------|--------------------------------------|---------------------------------------|----------------------------------------|
| <b>PPB-4694</b><br>Super Red Sparkle | <b>PPB-4727</b><br>Silver Sparkle    | <b>PPB-5835</b><br>Rockstar Sparkle | <b>PMB-4130</b><br>Pearl Sparkle     | <b>PPB-5004</b><br>Ultra Blue Sparkle | <b>PPB-5078</b><br>Magnum Blue Sparkle |
| <b>PMB-2750</b><br>Dark Grey Sparkle | <b>PMB-6769</b><br>Deep Blue Sparkle | <b>PPB-4499</b><br>Gold Sparkle     | <b>PMB-4417</b><br>Baby Blue Sparkle |                                       |                                        |

### WETSTONE WRINKLED TEXTURE FINISH

|                                   |                                         |                                    |                                         |                                        |
|-----------------------------------|-----------------------------------------|------------------------------------|-----------------------------------------|----------------------------------------|
| <b>PWB-2232</b><br>Wetstone Black | <b>PWB-9157</b><br>Wetstone Gold Bronze | <b>PWB-9156</b><br>Wetstone Copper | <b>PWB-2343</b><br>Wetstone Rock Bronze | <b>PWB-2590</b><br>Wetstone Emerald II |
|-----------------------------------|-----------------------------------------|------------------------------------|-----------------------------------------|----------------------------------------|

## STANDARD CRYSTAL CHAIN COLOR

**A**  
Diamond



## ADDITIONAL CRYSTAL CHAIN COLORS

**B**  
Coal Black



**C**  
Sapphire Blue



**D**  
Zircon Blue



**E**  
Aquamarine



**F**  
Emerald Green



**G**  
Peridot Green



**H**  
Citrine



**I**  
Amber



**J**  
Ruby Red



**K**  
Rose



## LUMEN OUTPUT (for color selectable not RGBW)

| Model Number | Size                 | Wattage | Kelvin Temp field Selectable $\pm 500K$ | Delivered Lumen $\pm 10\%$ |
|--------------|----------------------|---------|-----------------------------------------|----------------------------|
| SB-D703A     | 16.50"+24.40"+32.30" | 90W     | 2700K/3500K/4000K or 3000K/3500K/4000K  | 5400 lm                    |
|              | 32.30"+40.10"+48.03" | 150W    | 2700K/3500K/4000K or 3000K/3500K/4000K  | 9000 lm                    |
|              | 40.10"+48.03"+59.80" | 180W    | 2700K/3500K/4000K or 3000K/3500K/4000K  | 10800 lm                   |
|              | 48.03"+59.80"+71.65" | 210W    | 2700K/3500K/4000K or 3000K/3500K/4000K  | 12600 lm                   |

## EMERGENCY BATTERY OPTIONS

[SEE SPEC](#)

| PICTURE                                                                           | MODEL NUMBER   | DESCRIPTION                                                      |
|-----------------------------------------------------------------------------------|----------------|------------------------------------------------------------------|
|  | SB-EBP/5W/B    | Factory installed Remote Emergency Battery Pack 5W 90 minutes    |
|                                                                                   | SB-EBP/10.7W/B | Factory installed Remote Emergency Battery Pack 10.7W 90 minutes |
|                                                                                   | SB-EBP/17W/B   | Factory installed Remote Emergency Battery Pack 17W 90 minutes   |

## RGBW/TUNABLE WHITE SMART CONTROL

[SEE SPEC AND VIDEO](#)

### Get Smart


Using Amazon Echo, Echo Dot, or any Alexa-enabled device allows you to turn your luminaire on and off, dim the light and change light color to Red, Green, Blue or White independently by using voice command or Smart phone app, DMX, Handheld remote or wall control.

## RGBW COLOR EXAMPLES

[SEE VIDEO](#)





**DIMENSIONS & WEIGHTS: Canopy Size for ZigBee & DMX: 15.75" x 2.76"**

**SB-D703A Remote mount with canopy, cables fixed directly to the ceiling, direct lighting.**






**PHOTOMETRIC: Direct Illumination**



**SB-D101A20WSZ 15.75" 20W @ 4000K**





**SB-D101A30WSZ 23.62" 30W @ 4000K**





## SB-D101A40WSZ 31.50" 40W @ 4000K






## SB-D101A50WSZ 39.37" 50W @ 4000K



## SB-D101A60WSZ 47.24" 60W @ 4000K



**SB-D101A70WSZ 59.06" 70W @ 4000K**



**SB-D101A80WSZ 70.87" 80W @ 4000K**

