



Axis Collection

PRODUCT DESCRIPTION

AXIS Collection is a modular acrylic pendant lighting system featuring high-transmission luminous rods, designed for customizable linear and cascading installations in architectural, commercial, and hospitality environments. The system allows flexible configurations through various canopy formats and pendant arrangements, providing both uniform illumination and strong architectural expression for large-scale spaces.


FEATURES

- 5-year limited warranty.
- Ships assembled.
- 360 Degree Illumination.
- Acrylic Diameter 2", 4", Length 24", 48". Custom sizes and Length are available.
- Fixture lumens per watt ratio 100 LPW.

SPECIFICATIONS

- 90+ CRI.
- Input: 100-277V, 50/60Hz.
- 0-10V dimming standard, ELV / TRIAC dimming available.
- UL listed, suitable for dry location.
- Gloss White, Black Jack, Platinum Silver finish as standard, 6,500 custom colors are available.
- Color temperature Choose 2700K, 3000K, 3500K, 4000K or 5000K. Custom color temperatures. lumen outputs, RGB available.
- 10' standard adjustable aircraft cables/power cord adjust by push button grippers, custom length and Stem suspension available.
- Jack plug for quick connect and interchangeability.
- More 50 lbs must be installed using a U.L. listed outlet box or supported Independently of the outlet box.

Customized designs and crosses are available



A B C D E F G H I



MODEL INFORMATION:

Example: SB-AP-201A20W27A

Series Model	Wattage/Size	“E” Kelvin temp options	“W” Controls	“Z” Metal Finishes	“X” Cable Length
 SB-AP-201A	*SB-AP-201A20W Ø2" × 24" L 1 Light	*27=2700K	*Blank=0-10V (Default)	*B=Black Jack	*Blank=10’ foot 120” (Default)
	SB-AP-201A35W Ø4" × 24" L 1 Light				5’=5 foot 60”
	SB-AP-201A40W Ø2" × 48" L 1 Light			S=Platinum Silver	
	SB-AP-201A60W Ø4" × 48" L 1 Light				
 SB-AP-204A	SB-AP-204A80W Ø2" × 24" L 4 Light	30=3000K	L=ELV/Triac dimming	S=Platinum Silver	15’=15 foot 180”
	SB-AP-204A140W Ø4" × 24" L 4 Light				
	SB-AP-204A160W Ø2" × 48" L 4 Light			25’=25 foot 300”	
	SB-AP-204A240W Ø4" × 48" L 4 Light	30’=30 foot 360”			
 SB-AP-207A	SB-AP-207A140W Ø2" × 24" L 7 Light		35=3500K	L=ELV/Triac dimming	S=Platinum Silver
	SB-AP-207A240W Ø4" × 24" L 7 Light	W=Gloss White			
	SB-AP-207A280W Ø2" × 48" L 7 Light		40=4000K		25’=25 foot 300”
	SB-AP-207A420W Ø4" × 48" L 7 Light	30’=30 foot 360”			
 SB-AP-211A	SB-AP-211A220W Ø2" × 24" L 11 Light		50=5000K	L=ELV/Triac dimming	S=Platinum Silver
	SB-AP-211A380W Ø4" × 24" L 11 Light	W=Gloss White			
	SB-AP-211A440W Ø2" × 48" L 11 Light				25’=25 foot 300”
	SB-AP-211A660W Ø4" × 48" L 1 Light	30’=30 foot 360”			

MODEL INFORMATION:

Example: SB-AP-306A120W27A




Series Model	Wattage/Size	“E” Kelvin temp options	“W” Controls	“Z” Metal Finishes	“X” Cable Length
 SB-AP-306A	*SB-AP-306A120W Ø2" × 24" L 6 Light	*27=2700K		* B=Black Jack	*Blank=10’ foot 120” (Default)
	SB-AP-306A210W Ø4" × 24" L 6 Light				
	SB-AP-306A240W Ø2" × 48" L 6 Light				
	SB-AP-306A360W Ø4" × 48" L 6 Light				
 SB-AP-708A	SB-AP-708A160W Ø2" × 24" L 8 Light	30=3000K	*Blank=0-10V (Default)	S=Platinum Silver	5’=5 foot 60”
	SB-AP-708A280W Ø4" × 24" L 8 Light				
	SB-AP-708A320W Ø2" × 48" L 8 Light	35=3500K			15’=15 foot 180”
	SB-AP-708A480W Ø4" × 48" L 8 Light				
 SB-AP-609A	SB-AP-609A180W Ø2" × 24" L 9 Light	40=4000K			20’=20 foot 240”
	SB-AP-609A320W Ø4" × 24" L 9 Light				
	SB-AP-609A360W Ø2" × 48" L 9 Light				
	SB-AP-609A540W Ø4" × 48" L 9 Light				
 SB-AP-415A	SB-AP-415A300W Ø2" × 24" L 15 Light	50=5000K	L=ELV/Triac dimming	W=Gloss White	25’=25 foot 300”
	SB-AP-415A520W Ø4" × 24" L 15 Light				
	SB-AP-415A600W Ø2" × 48" L 15 Light				30’=30 foot 360”
	SB-AP-415A900W Ø4" × 48" L 15 Light				

MODEL INFORMATION:

Example: SB-AP-830A600W27A

Series Model	Wattage/Size	“E” Kelvin temp options	“W” Controls	“Z” Metal Finishes	“X” Cable Length
 SB-AP-830A	*SB-AP-830A600W Ø2" × 24" L 30 Light	*27=2700K	*Blank=0-10V (Default)	B=Black Jack	*Blank=10' foot 120" (Default)
	SB-AP-830A1050W Ø4" × 24" L 30 Light	30=3000K			5'=5 foot 60"
	SB-AP-830A1200W Ø2" × 48" L 30 Light	35=3500K			15'=15 foot 180"
	SB-AP-830A1800W Ø4" × 48" L 30 Light				
 SB-AP-934A	SB-AP-934A680W Ø2" × 24" L 34 Light	40=4000K	L=ELV/Triac dimming	S=Platinum Silver	20'=20 foot 240"
	SB-AP-934A1190W Ø4" × 24" L 34 Light				25'=25 foot 300"
	SB-AP-934A1360W Ø2" × 48" L 34 Light	50=5000K		W=Gloss White	30'=30 foot 360"
	SB-AP-934A2040W Ø4" × 48" L 34 Light				

STANDARD COLOR FINISHES



Discover beyond our standard hues with over 6,500 [finishes and colors](#) available for your luminaire, including precise color matching, NFL team colors, and custom RAL finishes. Elevate your design with metallic, sparkle, or transparent textures for a touch of individuality. Explore our most popular selections below and contact our factory for personalized quotes.

You can request color swatches by emailing us at customerservice@snowball-inc.com

Please note: Colors may appear differently due to screen display settings.



SOLID TONE FINISH

PMB-4364 Pearl White	PMB-0593 Soft White	PSB-8051 Dirty White	PMB-0513 Silver Metallic II	PMB-6525 BMW Silver	HSS-1336 Silk Satin Black
PSS-0106 Ink Black	USS-2603 Gloss Black	UMB-0336 Metallic Bronze	UMB-0493 US Bronze	EMS-0940 Spanish Gold	PMB-0808 Performance Gold
PSS-4971 Very Red	PSS-2876 Orange Glow	PSS-1791 JuJu Orange	PSS-0118 Spring Yellow	PSB-5945 Bright Green	PMB-10657 Yama Blue
PPB-2846 Purple Glaze	PSS-1670 Rosette Pink	PSS-4008 Jewel Grey	PSS-4500 Crest Grey	PSS-4647 Beach Tan	PMB-5478 Montana Gold

SHIMMER/ GLITTER FINISH

PMB-5567 Champagne Shimmer	UMB-2062 Shimmer Gold	PMS-5677 Shimmer Copper	PMB-6611 Shimmer Black	PPB-8167 Trans Glitter Gold	PMB-6762 Alloy Glitter
--------------------------------------	---------------------------------	-----------------------------------	----------------------------------	---------------------------------------	----------------------------------

PALLEON METALLIC TEXTURED FINISH

PVB-10274 Palleon Paradise	PVB-10272 Palleon Fire	PVB-10271 Palleon Golden Green	PVB-10268 Dark Palleon Paradise	PVB-10267 Dark Palleon Golden Green	PVB-10268 Dark Palleon Fire
PVB-10273 Palleon Panther	PVB-10269 Dark Palleon Panther				

CHROME/SPECIALTY FINISH

UMS-10671 Super Chrome Plus	PPB-6677 Black Chrome III	PMB-4124 Bronze Chrome	UMB-10813 Rose Chrome	UMB-10815 Brass Chrome	UMB-10816 Copper Chrome
PPS-6530 Brassy Gold	PPB-2262 Anodized Gold	PPB-8034 Melted Bronze	PPB-6325 Metallic Clear	PPB-5633 Tinted Clear	PPB-5936 Anodized Red

SPARKLE FINISH

PPB-4694 Super Red Sparkle	PPB-4727 Silver Sparkle	PPB-5835 Rockstar Sparkle	PMB-4130 Pearl Sparkle	PPB-5004 Ultra Blue Sparkle	PPB-5078 Magnum Blue Sparkle
PMB-2750 Dark Grey Sparkle	PMB-6769 Deep Blue Sparkle	PPB-4499 Gold Sparkle	PMB-4417 Baby Blue Sparkle		

WETSTONE WRINKLED TEXTURE FINISH

PWB-2232 Wetstone Black	PWB-9157 Wetstone Gold Bronze	PWB-9156 Wetstone Copper	PWB-2343 Wetstone Rock Bronze	PWB-2590 Wetstone Emerald II
-----------------------------------	---	------------------------------------	---	--

LUMEN OUTPUT

Model Number	Size	Wattage	Kevin	Lumen
SB-AP-201A20W	1 Light	20W	2700K/3000K/3500K/4000K/5000K	2000 lm
SB-AP-201A35W	1 Light	35W		3500 lm
SB-AP-201A40W	1 Light	40W		4000 lm
SB-AP-201A60W	1 Light	60W		6000 lm
SB-AP-204A80W	4 Light	80W		8000 lm
SB-AP-204A140W	4 Light	140W		14000 lm
SB-AP-204A160W	4 Light	160W		16000 lm
SB-AP-204A240W	4 Light	240W		24000 lm
SB-AP-207A140W	7 Light	140W		14000 lm
SB-AP-207A240W	7 Light	240W		24000 lm
SB-AP-207A280W	7 Light	280W		28000 lm
SB-AP-207A420W	7 Light	420W		42000 lm
SB-AP-211A220W	11 Light	220W		22000 lm
SB-AP-211A380W	11 Light	380W		38000 lm
SB-AP-211A440W	11 Light	440W		44000 lm
SB-AP-211A660W	11 Light	660W		66000 lm
SB-AP-306A120W	6 Light	120W		12000 lm
SB-AP-306A210W	6 Light	210W		21000 lm
SB-AP-306A240W	6 Light	240W		24000 lm
SB-AP-306A360W	6 Light	360W		36000 lm
SB-AP-708A160W	8 Light	160W		16000 lm
SB-AP-708A280W	8 Light	280W		28000 lm
SB-AP-708A320W	8 Light	320W		32000 lm
SB-AP-708A480W	8 Light	480W		48000 lm
SB-AP-609A180W	9 Light	180W		18000 lm
SB-AP-609A320W	9 Light	320W		32000 lm
SB-AP-609A360W	9 Light	360W		36000 lm
SB-AP-609A540W	9 Light	540W		54000 lm
SB-AP-415A300W	15 Light	300W		30000 lm
SB-AP-415A520W	15 Light	520W		52000 lm
SB-AP-415A600W	15 Light	600W		60000 lm

LUMEN OUTPUT

Model Number	Size	Wattage	Kevin	Lumen
SB-AP-415A900W	15 Light	900W	2700K/3000K/3500K/4000K/5000K	90000 lm
SB-AP-830A600W	30 Light	600W		60000 lm
SB-AP-830A1050W	30 Light	1050W		105000 lm
SB-AP-830A1200W	30 Light	1200W		120000 lm
SB-AP-830A1800W	30 Light	1800W		180000 lm
SB-AP-934A680W	34 Light	680W		68000 lm
SB-AP-934A1190W	34 Light	1190W		119000 lm
SB-AP-934A1360W	34 Light	1360W		136000 lm
SB-AP-934A2040W	34 Light	2040W		204000 lm

EMERGENCY BATTERY OPTIONS

[SEE SPEC](#)

PICTURE	MODEL NUMBER	DESCRIPTION
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes

RGBW/TUNABLE WHITE SMART CONTROL


[SEE SPEC AND VIDEO](#)

Get Smart

Using Amazon Echo, Echo Dot, or any Alexa-enabled device allows you to turn your luminaire on and off, dim the light and change light color to Red, Green, Blue or White independently by using voice command or Smart phone app, DMX, Handheld remote or wall control.


DIMENSIONS & WEIGHTS:

SB-AP-201A 1Light




5 lbs

SB-AP-201A 3 Lights




18 lbs

SB-AP-207A 7 Lights




26 lbs

SB-AP-211A 11 Lights




34 lbs

SB-AP-306A 6 Lights




22 lbs


SB-AP-708A




28 lbs




38 lbs



49 lbs




70 lbs




85 lbs


SB-AP-708A




49 lbs



75 lbs



100 lbs



125 lbs

DIMENSIONS & WEIGHTS:

SB-AP-934A

