



SB-T-201C




SB-T-201D



SB-T-201E



SB-C301A



SB-C301B



SB-C301C



SB-C301D

ST. ANTON – FRAME Collection

PRODUCT DESCRIPTION

The **ST. ANTON – FRAME Collection** features sculptural LED luminaires defined by clean circular forms and balanced proportions. Designed as modular frame elements, each fixture can be configured in varying diameters and vertical compositions to create striking architectural focal points.

With a streamlined plug-and-play suspension system, the FRAME Collection allows for efficient installation and flexible customization while delivering soft, uniform ambient illumination. It is well suited for hotel lobbies, atriums, stair voids, reception areas, and other large-scale hospitality and commercial interiors.

SPECIFICATIONS

- 90+ CRI.
- Input: 120-277V, 50/60Hz.
- 0-10V dimming standard, ELV / TRIAC available.
- UL listed, suitable for dry location. (BAA) Buy American compliant.
- Color temperatures: 2700K, 3000K, 3500K, 4000K, 5000K. custom color temperatures.

FEATURES


- 5-year limited warranty.
- Profile size: 2.95" x 2.76" standard, 2.95" x 2.0" and 2.95" x 3.15" available. Custom sizes available.
- Material: Metal, Diffuser with integrated LED.
- Metal finishes: Satin White and Satin Black, custom finishes available.
- Fixture delivered lumens per watt ratio up to 100 LPW.
- More 50 lbs must be installed using a U.L. listed outlet box or supported independently of the outlet box.

SMART MALE AND FEMALE CONNECTOR SYSTEM FOR SECTIONS



MODEL INFORMATION:

Example: SB-T-201C60W27B

Model number / Wattage/ Size	“E” Kelvin temp options	“W” Controls	“Z” Profile Finishes	“X” Aircraft Cable
*SB-T-201C60W= 23.6” W × 23.6” L 6000 lm	*27=2700K CRI 90	*Blank=0-10V (default) 120V-277V	* B=Satin Black 	*Blank= Default set per drawing
SB-T-201C80W = 31.3” W × 31.5” H 8000 lm				5’=5 foot 60”
SB-T-201C100W = 39.4” W × 39.4” H 10000 lm	30=3000K CRI 90			
SB-T-201C120W = 39.4” W × 39.4” H 12000 lm			35=3500K CRI 90	20’=20 foot 240”
SB-T-201C150W = 39.4” W × 39.4” H 15000 lm	40=4000K CRI 90	25’=25 foot 300”		
SB-T-201D100W= 59.1” W × 98.4” H 10000 lm			L=ELV / Triac dimming 100V-130V	W=Satin White 
SB-T-201D120W= 39.4” W × 78.7” H 12000 lm				
SB-T-201D150W= 39.4” W × 98.4” L 15000 lm				
SB-T-20D180W= 39.4” W × 118” L 18000 lm	50=5000K CRI 90			
SB-T-201E120W= 39.4” W × 78.7” L 12000 lm				
SB-T-201E150W= 39.4” W × 98.4” L 15000 lm	Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes, variations in aircraft cable length, and available controls.		Find page 3 for custom color options or select from website Color Collections	
SB-T-201E180W= 39.4” W × 118” L 18000 lm				
SB-C-301A120W= 79.5” W × 40.9” D 12000 lm				
SB-C-301A160W= 79.8” W × 80.4” D 16000 lm				
SB-C-301A400W= 114.1” W × 1118.7” D 40000 lm				
SB-C-301A500W= 114.1” W × 157.6” D 50000 lm				

Discover beyond our standard hues with over 6,500 [finishes and colors](#) available for your luminaire, including precise color matching, NFL team colors, and custom RAL finishes. Elevate your design with metallic, sparkle, or transparent textures for a touch of individuality. Explore our most popular selections below and contact our factory for personalized quotes.

You can request color swatches by emailing us at customerservice@snowball-inc.com

Please note: Colors may appear differently due to screen display settings.



SOLID TONE FINISH

PMB-4364 Pearl White	PMB-0593 Soft White	PSB-8051 Dirty White	PMB-0513 Silver Metallic II	PMB-6525 BMW Silver	HSS-1336 Silk Satin Black
PPS-0106 Ink Black	USS-2603 Gloss Black	UMB-0336 Metallic Bronze	UMB-0493 US Bronze	EMS-0940 Spanish Gold	PMB-0808 Performance Gold
PSS-4971 Very Red	PSS-2876 Orange Glow	PSS-1791 JuJu Orange	PSS-0118 Spring Yellow	PSB-5945 Bright Green	PMB-10657 Yama Blue
PPB-2846 Purple Glaze	PSS-1670 Rosette Pink	PSS-4008 Jewel Grey	PSS-4500 Crest Grey	PSS-4647 Beach Tan	PMB-5478 Montana Gold

SHIMMER/ GLITTER FINISH

PMB-5567 Champagne Shimmer	UMB-2062 Shimmer Gold	PMS-5677 Shimmer Copper	PMB-6611 Shimmer Black	PPB-8167 Trans Glitter Gold	PMB-6762 Alloy Glitter
--------------------------------------	---------------------------------	-----------------------------------	----------------------------------	---------------------------------------	----------------------------------

PALLEON METALLIC TEXTURED FINISH

PVB-10274 Palleon Paradise	PVB-10272 Palleon Fire	PVB-10271 Palleon Golden Green	PVB-10268 Dark Palleon Paradise	PVB-10267 Dark Palleon Golden Green	PVB-10268 Dark Palleon Fire
PVB-10273 Palleon Panther	PVB-10269 Dark Palleon Panther				

CHROME/SPECIALTY FINISH

UMS-10671 Super Chrome Plus	PPB-6677 Black Chrome III	PMB-4124 Bronze Chrome	UMB-10813 Rose Chrome	UMB-10815 Brass Chrome	UMB-10816 Copper Chrome
PPS-6530 Brassy Gold	PPB-2262 Anodized Gold	PPB-8034 Melted Bronze	PPB-6325 Metallic Clear	PPB-5633 Tinted Clear	PPB-5936 Anodized Red

SPARKLE FINISH

PPB-4694 Super Red Sparkle	PPB-4727 Silver Sparkle	PPB-5835 Rockstar Sparkle	PMB-4130 Pearl Sparkle	PPB-5004 Ultra Blue Sparkle	PPB-5078 Magnum Blue Sparkle
PMB-2750 Dark Grey Sparkle	PMB-6769 Deep Blue Sparkle	PPB-4499 Gold Sparkle	PMB-4417 Baby Blue Sparkle		

WETSTONE WRINKLED TEXTURE FINISH

PWB-2232 Wetstone Black	PWB-9157 Wetstone Gold Bronze	PWB-9156 Wetstone Copper	PWB-2343 Wetstone Rock Bronze	PWB-2590 Wetstone Emerald II
-----------------------------------	---	------------------------------------	---	--

EMERGENCY BATTERY OPTIONS

[SEE SPEC](#)


PICTURE	MODEL NUMBER	DESCRIPTION
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes

DIMENSIONS & WEIGHTS:

SB-T-201C




10.5 lbs




13.5 lbs



17.5 lbs




21.0 lbs




27.0 lbs

DIMENSIONS & WEIGHTS:


SB-T-201D



22.0 lbs




27.0 lbs




31.0 lbs


SB-T-201E



25.0 lbs




30.0 lbs




35.0 lbs

DIMENSIONS & WEIGHTS:


SB-C301A




25.0 lbs



36.0 lbs



85.0 lbs



106.0 lbs