

Acrylic Glow Oval Collection

PRODUCT DESCRIPTION



The **Acrylic Glow Oval Collection** features architectural luminaires crafted from premium optical-grade acrylic, delivering soft, uniform 360-degree illumination with refined visual clarity. Designed with seamless luminous profiles and precision metal components, integrated high-efficiency LED technology ensures reliable performance, energy efficiency, and long service life. All fixtures are customizable in size, finish, suspension, and control options.

FEATURES

- 5-year limited warranty.
- Ships assembled.
- Illumination: 360 Degree.
- Size / Diameter: 1.6". Width from 19.7" to 39.4". Length ranges from 59.1" to 118". Custom sizes available.
- Acrylic diffuser with integrated LED, Metal finishes: Black Jack, Platinum Silver, Gloss White and Aged Brass. Custom finishes available.
- Fixture delivered lumens per watt ratio up to 100 LPW not including RGBW.
- 78.7" standard adjustable aircraft cables/power cord adjust by push button grippers, custom length available.
- Can be remote driver mounted or driver concealed within the canopy, can be mounted on sloped ceiling.
- More 50 lbs must be installed using a U.L. listed outlet box or supported independently of the outlet box.

SPECIFICATIONS

- 90+ CRI.
- Input: 120-277V, 50/60Hz.
- 0-10V dimming standard, ELV / TRIAC available.
- UL listed, suitable for dry location. (BAA) Buy American compliant.
- Built in color temperature selectable. Choose from 3000K/3500K/4000K Or 2700K/3500K/4000K. Custom color temperatures. lumen outputs, RGBW, Tunable White available.

PARTS PACKED WITH STANDARD FIXTURE

- Plastic Anchors, Screws, Wire Connectors
- CCT Selector Switch






MODEL INFORMATION:

Example: SB-C601A40WSA

Products Series	Wattage/Size/Lumen	"E" Kelvin temp options	"W" Controls (don't select this column if selected S or A)	"Z" Metal Finishes	"X" Aircraft Cable
*SB-C601A Canopy-mounted with driver in canopy	*40W=39.4"L x 19.7"W 4000 lm	*S=3000K/3500K/4000K Color Select by internal CCT Color Selector, 4000K factory color default set, CRI 90	*Blank=1-10V dimming (default)	*A=Aged Brass	*Blank=6.56' foot 78.7" (default)
	50W=47.2"L x 23.6"W 5000 lm				
SB-C601B Remote-mounted with driver in round driver box	90W=59.1"L x 39.4"W 9000 lm	A=2700K/3500K/4000K Color Select by internal CCT color Selector, 4000K factory color default set. CRI 90	C= Dali	B=Black Jack	10'=10 foot 120"
	100W=78.7"L x 39.4"W 10000 lm		D=DMX (for RGBW and Tunable White, control by Wall Switch or DMX control system)	S=Platinum Silver	15'=15 foot 180" 20'=20 foot 240"
SB-C601C Remote-mounted with driver in rectangular box	120W=98.4"L x 39.4"W 12000 lm	T=3K-4K Tunable White control by remote/wall control	Z=ZigBee (for RGBW and CCT Tunable / dimmable using remote, App and Google Alexa voice.	W=Gloss White	25'=25 foot 300"
	140W=118"L x 39.4"W 14000 lm	R3= RGB+3000K R4=RGB+4000K	L=ELV / Triac dimming		30'=30 foot 360"
Specialty pricing is available upon request for alternative Kelvin temperatures, expanded light quantities and sizes, specialty finishes, variable cable lengths, and advanced control options.			See control options	Find page 3 for Canopy custom color options or select from website Color Collections	

METAL STANDARD COLOR FINISHES



Discover beyond our standard hues with over 6,500 [finishes and colors](#) available for your luminaire, including precise color matching, NFL team colors, and custom RAL finishes. Elevate your design with metallic, sparkle, or transparent textures for a touch of individuality. Explore our most popular selections below and contact our factory for personalized quotes.

You can request color swatches by emailing us at customerservice@snowball-inc.com

Please note: Colors may appear differently due to screen display settings.



SOLID TONE FINISH

PMB-4364 Pearl White 	PMB-0593 Soft White 	PSB-8051 Dirty White 	PMB-0513 Silver Metallic II 	PMB-6525 BMW Silver 	HSS-1336 Silk Satin Black 
PPS-0106 Ink Black 	USS-2603 Gloss Black 	UMB-0336 Metallic Bronze 	UMB-0493 US Bronze 	EMS-0940 Spanish Gold 	PMB-0808 Performance Gold 
PSS-4971 Very Red 	PSS-2876 Orange Glow 	PSS-1791 JuJu Orange 	PSS-0118 Spring Yellow 	PSB-5945 Bright Green 	PMB-10657 Yama Blue 
PPB-2846 Purple Glaze 	PSS-1670 Rosette Pink 	PSS-4008 Jewel Grey 	PSS-4500 Crest Grey 	PSS-4647 Beach Tan 	PMB-5478 Montana Gold 

SHIMMER/ GLITTER FINISH

PMB-5567 Champagne Shimmer 	UMB-2062 Shimmer Gold 	PMS-5677 Shimmer Copper 	PMB-6611 Shimmer Black 	PPB-8167 Trans Glitter Gold 	PMB-6762 Alloy Glitter 
---	--	--	--	--	---

PALLEON METALLIC TEXTURED FINISH

PVB-10274 Palleon Paradise 	PVB-10272 Palleon Fire 	PVB-10271 Palleon Golden Green 	PVB-10268 Dark Palleon Paradise 	PVB-10267 Dark Palleon Golden Green 	PVB-10268 Dark Palleon Fire 
PVB-10273 Palleon Panther 	PVB-10269 Dark Palleon Panther 				

CHROME/SPECIALTY FINISH

UMS-10671 Super Chrome Plus 	PPB-6677 Black Chrome III 	PMB-4124 Bronze Chrome 	UMB-10813 Rose Chrome 	UMB-10815 Brass Chrome 	UMB-10816 Copper Chrome 
PPS-6530 Brassy Gold 	PPB-2262 Anodized Gold 	PPB-8034 Melted Bronze 	PPB-6325 Metallic Clear 	PPB-5633 Tinted Clear 	PPB-5936 Anodized Red 

SPARKLE FINISH

PPB-4694 Super Red Sparkle 	PPB-4727 Silver Sparkle 	PPB-5835 Rockstar Sparkle 	PMB-4130 Pearl Sparkle 	PPB-5004 Ultra Blue Sparkle 	PPB-5078 Magnum Blue Sparkle 
PMB-2750 Dark Grey Sparkle 	PMB-6769 Deep Blue Sparkle 	PPB-4499 Gold Sparkle 	PMB-4417 Baby Blue Sparkle 		

WETSTONE WRINKLED TEXTURE FINISH

PWB-2232 Wetstone Black 	PWB-9157 Wetstone Gold Bronze 	PWB-9156 Wetstone Copper 	PWB-2343 Wetstone Rock Bronze 	PWB-2590 Wetstone Emerald II 
---	---	--	--	--


EMERGENCY BATTERY OPTIONS

[SEE SPEC](#)


PICTURE	MODEL NUMBER	DESCRIPTION
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes

DIMENSIONS & WEIGHTS:


SB-C-601A: Canopy mount (Driver inside rectangular canopy)




6.8 lbs




8.8 lbs




11.0 lbs



12.5 lbs




14.3 lbs




16.0 lbs

DIMENSIONS & WEIGHTS:


SB-C-601B: Remote mount (Driver in round driver box).



6.8 lbs




8.8 lbs




11.0 lbs



12.5 lbs




14.3 lbs




16.0 lbs

SB-C-601C: Remote mount (Driver in rectangular driver box).




6.8 lbs




8.8 lbs




11.0 lbs



12.5 lbs



14.3 lbs



16.0 lbs