

The quantity of lights, fixture sizes, canopy sizes, and ring sizes can be adjusted. Different mounting options and different light styles are also available.

Axis Collection

PRODUCT DESCRIPTION

AXIS Collection is a modular acrylic pendant lighting system featuring high-transmission luminous rods, designed for customizable linear and cascading installations in architectural, commercial, and hospitality environments. The system allows flexible configurations through various canopy formats and pendant arrangements, providing both uniform illumination and strong architectural expression for large-scale spaces.

FEATURES

- 5-year limited warranty.
- Ships assembled.
- 360 Degree Illumination.
- Acrylic Diameter 2", 4", Length 24", 48". Custom sizes and Length are available.
- Fixture lumens per watt ratio 100 LPW.

SPECIFICATIONS

- 90+ CRI.
- Input: 100-277V, 50/60Hz.
- 0-10V dimming standard, ELV / TRIAC dimming available.
- UL listed, suitable for dry location.
- Gloss White, Black Jack, Platinum Silver finish as standard, 6,500 custom colors are available.
- Color temperature Choose 2700K, 3000K, 3500K, 4000K or 5000K. Custom color temperatures. lumen outputs, RGB available.
- 10' standard adjustable aircraft cables/power cord adjust by push button grippers, custom length and Stem suspension available.
- Jack plug for quick connect and interchangeability.
- More 50 lbs must be installed using a U.L. listed outlet box or supported Independently of the outlet box.





Customized designs and crosses are available



A B C D E F G H I





MODEL INFORMATION:

Example: SB-AP-201A20WSB

Series Model	Size/ Wattage/Lumen	"E" Kelvin temp options	"W" Controls	"Z" Metal Finishes	"X" Cable Length
 <p>SB-AP-201A</p>	<p>*SB-AP-201A20W Ø2" × 24" L 1 Light 20W 2000 lm</p>	<p>*S=3000K/3500K/4000K Color Select by internal CCT Color Selector, 4000K factory color default set, CRI 90</p>	<p>*Blank=0-10V (Default)</p>	<p>*B=Black Jack</p>	<p>*Blank=10 foot 120" (Default)</p>
	<p>SB-AP-201A20WB Ø4" × 24" L 1 Light 20W 2000 lm</p>				<p>5'=5 foot 60"</p>
	<p>SB-AP-201A40W Ø2" × 48" L 1 Light 40W 4000 lm</p>				<p>15'=15 foot 180"</p>
	<p>SB-AP-201A40WB Ø4" × 48" L 1 Light 40W 4000 lm</p>				
 <p>SB-AP-204A</p>	<p>SB-AP-204A80W Ø2" × 24" L 4 Light 80W 8000 lm</p>			<p>S=Platinum Silver</p>	<p>20'=20 foot 240"</p>
	<p>SB-AP-204A80WB Ø4" × 24" L 4 Light 80W 8000 lm</p>				
	<p>SB-AP-204A160W Ø2" × 48" L 4 Light 160W 16000 lm</p>				
	<p>SB-AP-204A160WB Ø4" × 48" L 4 Light 160W 16000 lm</p>				
 <p>SB-AP-207A</p>	<p>SB-AP-207A140W Ø2" × 24" L 7 Light 140W 14000 lm</p>	<p>A=2700K/3500K/4000K Color Select by internal CCT color Selector, 4000K factory color default set. CRI 90</p>	<p>L=ELV/Triac Dimming</p>	<p>W=Gloss White</p>	<p>25'=25 foot 300"</p>
	<p>SB-AP-207A140WB Ø4" × 24" L7 Light 140W 14000 lm</p>				
	<p>SB-AP-207A280W Ø2" × 48" L 7 Light 280W 28000 lm</p>				
	<p>SB-AP-207A280WB Ø4" × 48" L 7 Light 280W 28000 lm</p>				
 <p>SB-AP-211A</p>	<p>SB-AP-211A220W Ø2" × 24" L 11 Light 220W 22000 lm</p>			<p>W=Gloss White</p>	<p>30'=30 foot 360"</p>
	<p>SB-AP-211A220WB Ø4" × 24" L 11 Light 220W 22000 lm</p>				
	<p>SB-AP-211A440W Ø2" × 48" L 11 Light 440W 44000 lm</p>				
	<p>SB-AP-211A440WB Ø4" × 48" L 11 Light 440W 44000 lm</p>				




MODEL INFORMATION:

Example: SB-AP-306A120WSB


Series Model	Size/ Wattage/Lumen	"E" Kelvin temp options	"W" Controls	"Z" Metal Finishes	"X" Cable Length			
 <p>SB-AP-306A</p>	<p>*SB-AP-306A120W Ø2" × 24" L 6 Light 120W 12000 lm</p> <p>SB-AP-306A120WB Ø4" × 24" L 6 Light 120W 12000 lm</p> <p>SB-AP-306A240W Ø2" × 48" L 6 Light 240W 24000 lm</p> <p>SB-AP-306A240WB Ø4" × 48" L 6 Light 240W 24000 lm</p>	<p>*S=3000K/3500K/4000K Color Select by internal CCT Color Selector, 4000K factory color default set, CRI 90</p>	<p>*Blank=0-10V (Default)</p>	<p>*B=Black Jack</p>	<p>*Blank=10 foot 120" (Default)</p>			
 <p>SB-AP-708A</p>	<p>SB-AP-708A160W Ø2" × 24" L 8 Light 160W 16000 lm</p> <p>SB-AP-708A160WB Ø4" × 24" L 8 Light 160W 16000 lm</p> <p>SB-AP-708A320W Ø2" × 48" L 8 Light 320W 32000 lm</p> <p>SB-AP-708A320WB Ø4" × 48" L 8 Light 320W 32000 lm</p>				<p>5'=5 foot 60"</p>			
 <p>SB-AP-609A</p>	<p>SB-AP-609A180W Ø2" × 24" L 9 Light 180W 18000 lm</p> <p>SB-AP-609A180WB Ø4" × 24" L 9 Light 180W 18000 lm</p> <p>SB-AP-609A360W Ø2" × 48" L 9 Light 360W 36000 lm</p> <p>SB-AP-609A360WB Ø4" × 48" L 9 Light 360W 36000 lm</p>				<p>15'=15 foot 180"</p>			
 <p>SB-AP-415A</p>	<p>SB-AP-415A300W Ø2" × 24" L 15 Light 300W 30000 lm</p> <p>SB-AP-415A300WB Ø4" × 24" L 15 Light 300W 30000 lm</p> <p>SB-AP-415A540W Ø2" × 48" L 15 Light 540W 54000 lm</p> <p>SB-AP-415A540WB Ø4" × 48" L 15 Light 540W 54000 lm</p>				<p>A=2700K/3500K/4000K Color Select by internal CCT color Selector, 4000K factory color default set. CRI 90</p>	<p>L=ELV/Triac Dimming</p>	<p>S=Platinum Silver</p>	<p>20'=20 foot 240"</p>
					<p>25'=25 foot 300"</p>			
					<p>30'=30 foot 360"</p>			

MODEL INFORMATION:

Example: SB-AP-516A320WSB

Series Model	Size/ Wattage/Lumen	"E" Kelvin temp options	"W" Controls	"Z" Metal Finishes	"X" Cable Length				
 <p>SB-AP-516A</p>	SB-AP-516A320W Ø2" × 24" L 16 Light 320W 32000 lm	*S=3000K/3500K/4000K Color Select by internal CCT Color Selector, 4000K factory color default set, CRI 90	*Blank=0-10V (Default)	*B=Black Jack	*Blank=10 foot 120" (Default)				
	SB-AP-516A320WB Ø4" × 24" L 16 Light 320W 32000 lm				5'=5 foot 60"				
	SB-AP-516A540W Ø2" × 48" L 16 Light 540W 54000 lm				15'=15 foot 180"				
	SB-AP-516A540WB Ø4" × 48" L 16 Light 540W 54000 lm								
 <p>SB-AP-814A</p>	SB-AP-814A280W Ø2" × 24" L 14 Light 280W 28000 lm				A=2700K/3500K/4000K Color Select by internal CCT color Selector, 4000K factory color default set. CRI 90	L=ELV/Triac Dimming	S=Platinum Silver W=Gloss White	20'=20 foot 240"	
	SB-AP-814A280WA Ø4" × 24" L 14 Light 280W 28000 lm							25'=25 foot 300"	
	SB-AP-814A540WA Ø2" × 48" L 14 Light 540W 54000 lm								30'=30 foot 360"
	SB-AP-814A540WB Ø4" × 48" L 14 Light 540W 54000 lm								
 <p>SB-AP-926A</p>	SB-AP-926A520W Ø2" × 24" L 26 Light 520W 52000 lm								
	SB-AP-926A520WB Ø4" × 24" L 26 Light 520W 52000 lm								
	SB-AP-926A1040W Ø2" × 48" L 26 Light 1040W 104000 lm								
	SB-AP-926A1040WB Ø4" × 48" L 26 Light 1040W 104000 lm								

STANDARD COLOR FINISHES



Discover beyond our standard hues with over 6,500 [finishes and colors](#) available for your luminaire, including precise color matching, NFL team colors, and custom RAL finishes. Elevate your design with metallic, sparkle, or transparent textures for a touch of individuality. Explore our most popular selections below and contact our factory for personalized quotes.

You can request color swatches by emailing us at customerservice@snowball-inc.com

Please note: Colors may appear differently due to screen display settings.



SOLID TONE FINISH

PMB-4364 Pearl White	PMB-0593 Soft White	PSB-8051 Dirty White	PMB-0513 Silver Metallic II	PMB-6525 BMW Silver	HSS-1336 Silk Satin Black
PSS-0106 Ink Black	USS-2603 Gloss Black	UMB-0336 Metallic Bronze	UMB-0493 US Bronze	EMS-0940 Spanish Gold	PMB-0808 Performance Gold
PSS-4971 Very Red	PSS-2876 Orange Glow	PSS-1791 JuJu Orange	PSS-0118 Spring Yellow	PSB-5945 Bright Green	PMB-10657 Yama Blue
PPB-2846 Purple Glaze	PSS-1670 Rosette Pink	PSS-4008 Jewel Grey	PSS-4500 Crest Grey	PSS-4647 Beach Tan	PMB-5478 Montana Gold

SHIMMER/ GLITTER FINISH

PMB-5567 Champagne Shimmer	UMB-2062 Shimmer Gold	PMS-5677 Shimmer Copper	PMB-6611 Shimmer Black	PPB-8167 Trans Glitter Gold	PMB-6762 Alloy Glitter
--------------------------------------	---------------------------------	-----------------------------------	----------------------------------	---------------------------------------	----------------------------------

PALLEON METALLIC TEXTURED FINISH

PVB-10274 Palleon Paradise	PVB-10272 Palleon Fire	PVB-10271 Palleon Golden Green	PVB-10268 Dark Palleon Paradise	PVB-10267 Dark Palleon Golden Green	PVB-10268 Dark Palleon Fire
PVB-10273 Palleon Panther	PVB-10269 Dark Palleon Panther				

CHROME/SPECIALTY FINISH

UMS-10671 Super Chrome Plus	PPB-6677 Black Chrome III	PMB-4124 Bronze Chrome	UMB-10813 Rose Chrome	UMB-10815 Brass Chrome	UMB-10816 Copper Chrome
PPS-6530 Brassy Gold	PPB-2262 Anodized Gold	PPB-8034 Melted Bronze	PPB-6325 Metallic Clear	PPB-5633 Tinted Clear	PPB-5936 Anodized Red

SPARKLE FINISH

PPB-4694 Super Red Sparkle	PPB-4727 Silver Sparkle	PPB-5835 Rockstar Sparkle	PMB-4130 Pearl Sparkle	PPB-5004 Ultra Blue Sparkle	PPB-5078 Magnum Blue Sparkle
PMB-2750 Dark Grey Sparkle	PMB-6769 Deep Blue Sparkle	PPB-4499 Gold Sparkle	PMB-4417 Baby Blue Sparkle		

WETSTONE WRINKLED TEXTURE FINISH

PWB-2232 Wetstone Black	PWB-9157 Wetstone Gold Bronze	PWB-9156 Wetstone Copper	PWB-2343 Wetstone Rock Bronze	PWB-2590 Wetstone Emerald II
-----------------------------------	---	------------------------------------	---	--

EMERGENCY BATTERY OPTIONS


[SEE SPEC](#)

PICTURE	MODEL NUMBER	DESCRIPTION
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes


DIMENSIONS & WEIGHTS:

The quantity of lights, fixture sizes, canopy sizes, and ring sizes can be adjusted. Different mounting options and different light styles are also available.


SB-AP-201A 1Light




SB-AP-204A 4 Lights




SB-AP-207A 7 Lights




SB-AP-211A 11 Lights




SB-AP-306A 6 Lights




SB-AP-708A 8 Lights



SB-AP-814A 14 Lights




SB-AP-934A 26 Lights




DIMENSIONS & WEIGHTS:

The quantity of lights, fixture sizes, canopy sizes, and ring sizes can be adjusted. Different mounting options and different light styles are also available.

SB-AP-609A 9 Lights



SB-AP-516A 16 Lights



SB-AP-415A 15 Lights

