

Kava Pendant Collection

PRODUCT DESCRIPTION

The Kava Pendant Collection blends handcrafted artistry with timeless design, featuring decorative pendants crafted from natural shell, mosaic glass, and durable iron accents. Each fixture showcases a unique arrangement of iridescent shell and colorful mosaic details that create a warm, inviting glow while adding texture and character to any space. Finished with elegant, brushed brass hardware, the collection offers a variety of distinctive shade shapes—from rounded globes to classic bell and cylindrical silhouettes—making it ideal for kitchens, restaurants, cafés, bedrooms, hospitality spaces, and boutique interiors. The Kava Collection brings together artisanal craftsmanship and modern functionality to create striking focal points with a soft, ambient illumination.

FEATURES

- 5-year limited warranty.
- Ships assembled.
- 360 Degree Illumination.
- Each Globe Diameter: Ø4.72", Ø5.91", Ø6.10", and Ø7.09". Adjustable Suspension Length: Up to 59.06". Custom sizes, finishes, and suspension lengths are available.
- Fixture lumens per watt ratio 100 LPW.


SPECIFICATIONS

- 90+ CRI.
- Input: 120-277V, 50/60Hz.
- 0-10V dimming standard, ELV / TRIAC dimming available.
- UL listed, suitable for dry location.
- Gloss White, Black Jack, Platinum Silver finish and Aged brass as standard, 6,500 custom colors are available.
- Color temperature Choose 2700K, 3000K, 3500K, 4000K or 5000K.
Custom color temperatures. lumen outputs, RGB available.
- 59.06" standard adjustable aircraft cables/power cord adjust by push button grippers, custom length and Stem suspension available.
- More 50lbs must be installed using a U.L. listed outlet box or supported Independently of the outlet box.



MODEL INFORMATION:

Example: SB-11654-1PB60W27A

Series Model	Size/ Wattage/Lumen	"E" Kelvin temp options	"W" Controls	"Z" Metal Finishes	"X" Cable Length
 SB-11654-1PB	SB-11654-1PB60W Ø6.10" × 6.69" H x 59.06" L Max Wattage: 60W, 800 lm E26/E27*1 IP Rating: IP20	*27=2700K	*Blank=0-10V (Default)	*A=Aged Brass	*Blank=4' foot 48" (Default)
		30=3000K			
 SB-11654-1PA	SB-11654-1PA60W Ø6.10" × 6.69" H x 59.06" L Max Wattage: 60W, 800 lm E26/E27*1 IP Rating: IP20	35=3500K	L=ELV / Triac dimming	B=Black Jack	10'=10 foot 120"
		40=4000K		S=Platinum Silver	15'=15 foot 180"
 SB-11655-1P	SB-11655-1P60W Ø7.09" × 6.69" H x 59.06" L Max Wattage: 60W, 800 lm E26/E27*1 IP Rating: IP20	50=5000K		W=Gloss White	20'=20 foot 240"

MODEL INFORMATION:

Example: SB-11656-1P60W27A

Series Model	Size/ Wattage/Lumen	"E" Kelvin temp options	"W" Controls	"Z" Metal Finishes	"X" Cable Length
 SB-11656-1P	SB-11656-1P60W Ø4.92" × 6.30" H x 59.06" L Max Wattage: 60W, 800 lm E26/E27*1 IP Rating: IP20	*27=2700K	*Blank=0-10V (Default)	*A=Aged Brass	*Blank=4' foot 48" (Default)
		30=3000K		B=Black Jack	10'=10 foot 120"
		35=3500K	L=ELV / Triac dimming	S=Platinum Silver	15'=15 foot 180"
 SB-11657-1P	SB-11657-1P60W Ø5.91" × 7.09" H x 59.06" L Max Wattage: 60W, 800 lm E26/E27*1 IP Rating: IP20	40=4000K		W=Gloss White	20'=20 foot 240"
		50=5000K			

STANDARD COLOR FINISHES

PSS-5690
Gloss White



PMB-8173
Platinum Silver



USS-1522
Black Jack



PPB-10674
Aged Brass



Discover beyond our standard hues with over 6,500 [finishes and colors](#) available for your luminaire, including precise color matching, NFL team colors, and custom RAL finishes. Elevate your design with metallic, sparkle, or transparent textures for a touch of individuality. Explore our most popular selections below and contact our factory for personalized quotes.

You can request color swatches by emailing us at customerservice@snowball-inc.com

SOLID TONE FINISH



PMB-4364 Pearl White	PMB-0593 Soft White	PSB-8051 Dirty White	PMB-0513 Silver Metallic II	PMB-6525 BMW Silver	HSS-1336 Silk Satin Black
PPS-0106 Ink Black	USS-2603 Gloss Black	UMB-0336 Metallic Bronze	UMB-0493 US Bronze	EMS-0940 Spanish Gold	PMB-0808 Performance Gold
PSS-4971 Very Red	PSS-2876 Orange Glow	PSS-1791 JuJu Orange	PSS-0118 Spring Yellow	PSB-5945 Bright Green	PMB-10657 Yama Blue
PPB-2846 Purple Glaze	PSS-1670 Rosette Pink	PSS-4008 Jewel Grey	PSS-4500 Crest Grey	PSS-4647 Beach Tan	PMB-5478 Montana Gold

SHIMMER/ GLITTER FINISH

PMB-5567 Champagne Shimmer	UMB-2062 Shimmer Gold	PMS-5677 Shimmer Copper	PMB-6611 Shimmer Black	PPB-8167 Trans Glitter Gold	PMB-6762 Alloy Glitter
--------------------------------------	---------------------------------	-----------------------------------	----------------------------------	---------------------------------------	----------------------------------

PALLEON METALLIC TEXTURED FINISH

PVB-10274 Palleon Paradise	PVB-10272 Palleon Fire	PVB-10271 Palleon Golden Green	PVB-10268 Dark Palleon Paradise	PVB-10267 Dark Palleon Golden Green	PVB-10268 Dark Palleon Fire
PVB-10273 Palleon Panther	PVB-10269 Dark Palleon Panther				

CHROME/SPECIALTY FINISH

UMS-10671 Super Chrome Plus	PPB-6677 Black Chrome III	PMB-4124 Bronze Chrome	UMB-10813 Rose Chrome	UMB-10815 Brass Chrome	UMB-10816 Copper Chrome
PPS-6530 Brassy Gold	PPB-2262 Anodized Gold	PPB-8034 Melted Bronze	PPB-6325 Metallic Clear	PPB-5633 Tinted Clear	PPB-5936 Anodized Red

SPARKLE FINISH

PPB-4694 Super Red Snarkle	PPB-4727 Silver Snarkle	PPB-5835 Rockstar Snarkle	PMB-4130 Pearl Snarkle	PPB-5004 Ultra Blue Snarkle	PPB-5078 Magnum Blue Snarkle
PMB-2750 Dark Grey Sparkle	PMB-6769 Deep Blue Sparkle	PPB-4499 Gold Sparkle	PMB-4417 Baby Blue Sparkle		

WETSTONE WRINKLED TEXTURE FINISH

PWB-2232 Wetstone Black	PWB-9157 Wetstone Gold Bronze	PWB-9156 Wetstone Copper	PWB-2343 Wetstone Rock Bronze	PWB-2590 Wetstone Emerald II
-----------------------------------	---	------------------------------------	---	--

EMERGENCY BATTERY OPTIONS

[SEE SPEC](#)


PICTURE	MODEL NUMBER	DESCRIPTION
	SB-EBP/5W/B	Factory installed Remote Emergency Battery Pack 5W 90 minutes
	SB-EBP/10.7W/B	Factory installed Remote Emergency Battery Pack 10.7W 90 minutes
	SB-EBP/17W/B	Factory installed Remote Emergency Battery Pack 17W 90 minutes

DIMENSIONS & WEIGHTS:

SB-11654-1PB

1 Light


3.2 lbs



SB-11654-1PA

1 Light


3.2 lbs



SB-11655-1P

1 Light


3.7 lbs



SB-11656-1P

1 Light

2.6 lbs



SB-11657-1P

1 Light

3 lbs

