





## PROFILE LINE DRAWING




Ø2.0" Standard; Ø2.76" and Ø3.15" Optional




**Canopy Size:** 9.84 x 2.76 in




**Remote driver size:** 10.83 x 3.78 in




**SB-T01A** Canopy Mount



**SB-T01B** Canopy Remote



**SB-T01C** Standard Remote



**SB-T01D** Central Collared



**SB-T01E** Ceiling Mount

## Big Sky

### PRODUCT DESCRIPTION

Introducing Big Sky Mounted fixture: this circular lighting with circular shade, excellent finished color, compact design, unique connect system make it very easy for customers to install. Size from 2' to 23'.

### SPECIFICATIONS

- CRI 90.
- 0-10V dimming 120VAC-277VAC standard, ELV / TRIAC 120VAC.
- UL listed, suitable for dry location. (BAA) Buy American compliant.
- Operated Ambient temperature ranges from -4°F to 122°F ( -20°C to 50°C).
- 2700K/3000K/3500K/4000K or 5000K

### FEATURES





















- 5-year limited warranty.
- Available in direct, indirect, and direct/indirect illumination configurations.
- Size from 2' up to 23', custom diameters and sizes available.
- 47W-560W per ring.
- Extruded & Welded Aluminum.
- Diffused acrylic lens.
- 3 standard finishes at no extra charge. Two-tone & custom finishes available.
- Lighting Beam Angle: 106°
- Fixture delivered lumens per watt ratio up to 100 LPW
- Power cables come standard in a transparent sheathing to match steel aircraft suspension cables. Please contact customer support if custom cables are required for your application.

### SMART MALE AND FEMALE CONNECTON SYSEM FOR SECTIONS






## MODEL INFORMATION:

Example: SB-T01A47WD27B

| Products Series<br>Mount Styles                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Wattage/Size/Suspension Points/Sections<br>Approx Weight                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | "A" Light<br>Distribution                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | "E" Kelvin<br>temp options                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | "W"<br>Controls                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | "Z" Profile<br>Finishes                                                                                                                        | "X" Aircraft<br>Cable                                                                                                                          |                                                                                                                                                |                                                                                               |                                                                                               |                                                                                               |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|--|
| <div><div><div>*SB-T01A</div><div></div><div>Canopy Mount 2'-8'</div></div></div> <div><div><div>47W=2'</div><div>3 Suspension points, 1 section ring, 8.5 lbs</div></div><div><div>70W=3'</div><div>3 Suspension points, 1 section ring, 17 lbs</div></div></div> <tr><td><div><div><div>SB-T01B</div><div></div><div>Canopy Remote 2'-23'</div></div></div><div><div><div>80W=4'</div><div>3 Suspension points, 1 section ring, 21 lbs</div></div><div><div>120W=5'</div><div>4 Suspension points, 1 section ring, 25 lbs</div></div></div><tr><td><div><div><div>SB-T01C</div><div></div><div>Standard Remote<br/>2'-23'</div></div></div><div><div><div>140W=6'</div><div>4 Suspension points, 4 section ring, 30 lbs</div></div><div><div>160W=7'</div><div>4 Suspension points, 4 section ring, 32 lbs<br/>All Mounting Types</div></div><div><div>188W=8'</div><div>4 Suspension points, 4 section ring, 37.5 lbs</div></div><div><div>235W=10'</div><div>6 Suspension points, 4 section rings 46 lbs.<br/>For T01B,C,E Mount styles</div></div></div><tr><td><div><div><div>SB-T01D</div><div></div><div>Central Collared 2'-8'</div></div></div><div><div><div>280W=12'</div><div>8 Suspension points, 8 section ring, 54 lbs<br/>For T01B,C,E Mount styles</div></div><div><div>315W=13'</div><div>8 Suspension points, 8 section ring, 59.5 lbs<br/>For T01B,C,E Mount styles</div></div></div><tr><td><div><div><div>SB-T01E</div><div></div><div>Ceiling Mount<br/>2'-23'<br/>Direct Only</div></div></div><div><div><div>330W=14'</div><div>8 Suspension points, 8 section ring, 62.5 lbs<br/>No T01A,D Mount styles</div></div><div><div>390W=16'</div><div>8 Suspension points, 8 section ring, 73.5 lbs<br/>For T01B,C,E Mount styles</div></div><div><div>470W=20'</div><div>10 Suspension points, 10 section ring,<br/>87 lbs. For T01B,C,E Mount styles</div></div><div><div>550W=23'</div><div>10 Suspension points, 10 section ring<br/>101 lbs. For T01B,C,E Mount styles</div></div></div><tr><td colspan="2"></td><td colspan="3">Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes.</td><td colspan="2">Find page 3 for custom color options or select from website <a href="#">Color Collections</a></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div>SB-T01B</div><div></div><div>Canopy Remote 2'-23'</div></div></div> <div><div><div>80W=4'</div><div>3 Suspension points, 1 section ring, 21 lbs</div></div><div><div>120W=5'</div><div>4 Suspension points, 1 section ring, 25 lbs</div></div></div> <tr><td><div><div><div>SB-T01C</div><div></div><div>Standard Remote<br/>2'-23'</div></div></div><div><div><div>140W=6'</div><div>4 Suspension points, 4 section ring, 30 lbs</div></div><div><div>160W=7'</div><div>4 Suspension points, 4 section ring, 32 lbs<br/>All Mounting Types</div></div><div><div>188W=8'</div><div>4 Suspension points, 4 section ring, 37.5 lbs</div></div><div><div>235W=10'</div><div>6 Suspension points, 4 section rings 46 lbs.<br/>For T01B,C,E Mount styles</div></div></div><tr><td><div><div><div>SB-T01D</div><div></div><div>Central Collared 2'-8'</div></div></div><div><div><div>280W=12'</div><div>8 Suspension points, 8 section ring, 54 lbs<br/>For T01B,C,E Mount styles</div></div><div><div>315W=13'</div><div>8 Suspension points, 8 section ring, 59.5 lbs<br/>For T01B,C,E Mount styles</div></div></div><tr><td><div><div><div>SB-T01E</div><div></div><div>Ceiling Mount<br/>2'-23'<br/>Direct Only</div></div></div><div><div><div>330W=14'</div><div>8 Suspension points, 8 section ring, 62.5 lbs<br/>No T01A,D Mount styles</div></div><div><div>390W=16'</div><div>8 Suspension points, 8 section ring, 73.5 lbs<br/>For T01B,C,E Mount styles</div></div><div><div>470W=20'</div><div>10 Suspension points, 10 section ring,<br/>87 lbs. For T01B,C,E Mount styles</div></div><div><div>550W=23'</div><div>10 Suspension points, 10 section ring<br/>101 lbs. For T01B,C,E Mount styles</div></div></div><tr><td colspan="2"></td><td colspan="3">Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes.</td><td colspan="2">Find page 3 for custom color options or select from website <a href="#">Color Collections</a></td></tr></td></tr></td></tr></td></tr> | <div><div><div>SB-T01C</div><div></div><div>Standard Remote<br/>2'-23'</div></div></div> <div><div><div>140W=6'</div><div>4 Suspension points, 4 section ring, 30 lbs</div></div><div><div>160W=7'</div><div>4 Suspension points, 4 section ring, 32 lbs<br/>All Mounting Types</div></div><div><div>188W=8'</div><div>4 Suspension points, 4 section ring, 37.5 lbs</div></div><div><div>235W=10'</div><div>6 Suspension points, 4 section rings 46 lbs.<br/>For T01B,C,E Mount styles</div></div></div> <tr><td><div><div><div>SB-T01D</div><div></div><div>Central Collared 2'-8'</div></div></div><div><div><div>280W=12'</div><div>8 Suspension points, 8 section ring, 54 lbs<br/>For T01B,C,E Mount styles</div></div><div><div>315W=13'</div><div>8 Suspension points, 8 section ring, 59.5 lbs<br/>For T01B,C,E Mount styles</div></div></div><tr><td><div><div><div>SB-T01E</div><div></div><div>Ceiling Mount<br/>2'-23'<br/>Direct Only</div></div></div><div><div><div>330W=14'</div><div>8 Suspension points, 8 section ring, 62.5 lbs<br/>No T01A,D Mount styles</div></div><div><div>390W=16'</div><div>8 Suspension points, 8 section ring, 73.5 lbs<br/>For T01B,C,E Mount styles</div></div><div><div>470W=20'</div><div>10 Suspension points, 10 section ring,<br/>87 lbs. For T01B,C,E Mount styles</div></div><div><div>550W=23'</div><div>10 Suspension points, 10 section ring<br/>101 lbs. For T01B,C,E Mount styles</div></div></div><tr><td colspan="2"></td><td colspan="3">Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes.</td><td colspan="2">Find page 3 for custom color options or select from website <a href="#">Color Collections</a></td></tr></td></tr></td></tr> | <div><div><div>SB-T01D</div><div></div><div>Central Collared 2'-8'</div></div></div> <div><div><div>280W=12'</div><div>8 Suspension points, 8 section ring, 54 lbs<br/>For T01B,C,E Mount styles</div></div><div><div>315W=13'</div><div>8 Suspension points, 8 section ring, 59.5 lbs<br/>For T01B,C,E Mount styles</div></div></div> <tr><td><div><div><div>SB-T01E</div><div></div><div>Ceiling Mount<br/>2'-23'<br/>Direct Only</div></div></div><div><div><div>330W=14'</div><div>8 Suspension points, 8 section ring, 62.5 lbs<br/>No T01A,D Mount styles</div></div><div><div>390W=16'</div><div>8 Suspension points, 8 section ring, 73.5 lbs<br/>For T01B,C,E Mount styles</div></div><div><div>470W=20'</div><div>10 Suspension points, 10 section ring,<br/>87 lbs. For T01B,C,E Mount styles</div></div><div><div>550W=23'</div><div>10 Suspension points, 10 section ring<br/>101 lbs. For T01B,C,E Mount styles</div></div></div><tr><td colspan="2"></td><td colspan="3">Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes.</td><td colspan="2">Find page 3 for custom color options or select from website <a href="#">Color Collections</a></td></tr></td></tr> | <div><div><div>SB-T01E</div><div></div><div>Ceiling Mount<br/>2'-23'<br/>Direct Only</div></div></div> <div><div><div>330W=14'</div><div>8 Suspension points, 8 section ring, 62.5 lbs<br/>No T01A,D Mount styles</div></div><div><div>390W=16'</div><div>8 Suspension points, 8 section ring, 73.5 lbs<br/>For T01B,C,E Mount styles</div></div><div><div>470W=20'</div><div>10 Suspension points, 10 section ring,<br/>87 lbs. For T01B,C,E Mount styles</div></div><div><div>550W=23'</div><div>10 Suspension points, 10 section ring<br/>101 lbs. For T01B,C,E Mount styles</div></div></div> <tr><td colspan="2"></td><td colspan="3">Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes.</td><td colspan="2">Find page 3 for custom color options or select from website <a href="#">Color Collections</a></td></tr> |                                                                                                                                                |                                                                                                                                                | Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes. |                                                                                               |                                                                                               | Find page 3 for custom color options or select from website <a href="#">Color Collections</a> |  |
| <div><div><div>SB-T01B</div><div></div><div>Canopy Remote 2'-23'</div></div></div> <div><div><div>80W=4'</div><div>3 Suspension points, 1 section ring, 21 lbs</div></div><div><div>120W=5'</div><div>4 Suspension points, 1 section ring, 25 lbs</div></div></div> <tr><td><div><div><div>SB-T01C</div><div></div><div>Standard Remote<br/>2'-23'</div></div></div><div><div><div>140W=6'</div><div>4 Suspension points, 4 section ring, 30 lbs</div></div><div><div>160W=7'</div><div>4 Suspension points, 4 section ring, 32 lbs<br/>All Mounting Types</div></div><div><div>188W=8'</div><div>4 Suspension points, 4 section ring, 37.5 lbs</div></div><div><div>235W=10'</div><div>6 Suspension points, 4 section rings 46 lbs.<br/>For T01B,C,E Mount styles</div></div></div><tr><td><div><div><div>SB-T01D</div><div></div><div>Central Collared 2'-8'</div></div></div><div><div><div>280W=12'</div><div>8 Suspension points, 8 section ring, 54 lbs<br/>For T01B,C,E Mount styles</div></div><div><div>315W=13'</div><div>8 Suspension points, 8 section ring, 59.5 lbs<br/>For T01B,C,E Mount styles</div></div></div><tr><td><div><div><div>SB-T01E</div><div></div><div>Ceiling Mount<br/>2'-23'<br/>Direct Only</div></div></div><div><div><div>330W=14'</div><div>8 Suspension points, 8 section ring, 62.5 lbs<br/>No T01A,D Mount styles</div></div><div><div>390W=16'</div><div>8 Suspension points, 8 section ring, 73.5 lbs<br/>For T01B,C,E Mount styles</div></div><div><div>470W=20'</div><div>10 Suspension points, 10 section ring,<br/>87 lbs. For T01B,C,E Mount styles</div></div><div><div>550W=23'</div><div>10 Suspension points, 10 section ring<br/>101 lbs. For T01B,C,E Mount styles</div></div></div><tr><td colspan="2"></td><td colspan="3">Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes.</td><td colspan="2">Find page 3 for custom color options or select from website <a href="#">Color Collections</a></td></tr></td></tr></td></tr></td></tr>                                                                                                                                                                                                                                                                                                                                                                    | <div><div><div>SB-T01C</div><div></div><div>Standard Remote<br/>2'-23'</div></div></div> <div><div><div>140W=6'</div><div>4 Suspension points, 4 section ring, 30 lbs</div></div><div><div>160W=7'</div><div>4 Suspension points, 4 section ring, 32 lbs<br/>All Mounting Types</div></div><div><div>188W=8'</div><div>4 Suspension points, 4 section ring, 37.5 lbs</div></div><div><div>235W=10'</div><div>6 Suspension points, 4 section rings 46 lbs.<br/>For T01B,C,E Mount styles</div></div></div> <tr><td><div><div><div>SB-T01D</div><div></div><div>Central Collared 2'-8'</div></div></div><div><div><div>280W=12'</div><div>8 Suspension points, 8 section ring, 54 lbs<br/>For T01B,C,E Mount styles</div></div><div><div>315W=13'</div><div>8 Suspension points, 8 section ring, 59.5 lbs<br/>For T01B,C,E Mount styles</div></div></div><tr><td><div><div><div>SB-T01E</div><div></div><div>Ceiling Mount<br/>2'-23'<br/>Direct Only</div></div></div><div><div><div>330W=14'</div><div>8 Suspension points, 8 section ring, 62.5 lbs<br/>No T01A,D Mount styles</div></div><div><div>390W=16'</div><div>8 Suspension points, 8 section ring, 73.5 lbs<br/>For T01B,C,E Mount styles</div></div><div><div>470W=20'</div><div>10 Suspension points, 10 section ring,<br/>87 lbs. For T01B,C,E Mount styles</div></div><div><div>550W=23'</div><div>10 Suspension points, 10 section ring<br/>101 lbs. For T01B,C,E Mount styles</div></div></div><tr><td colspan="2"></td><td colspan="3">Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes.</td><td colspan="2">Find page 3 for custom color options or select from website <a href="#">Color Collections</a></td></tr></td></tr></td></tr>                                                                                                                                                                                                                                                                                                                                                                     | <div><div><div>SB-T01D</div><div></div><div>Central Collared 2'-8'</div></div></div> <div><div><div>280W=12'</div><div>8 Suspension points, 8 section ring, 54 lbs<br/>For T01B,C,E Mount styles</div></div><div><div>315W=13'</div><div>8 Suspension points, 8 section ring, 59.5 lbs<br/>For T01B,C,E Mount styles</div></div></div> <tr><td><div><div><div>SB-T01E</div><div></div><div>Ceiling Mount<br/>2'-23'<br/>Direct Only</div></div></div><div><div><div>330W=14'</div><div>8 Suspension points, 8 section ring, 62.5 lbs<br/>No T01A,D Mount styles</div></div><div><div>390W=16'</div><div>8 Suspension points, 8 section ring, 73.5 lbs<br/>For T01B,C,E Mount styles</div></div><div><div>470W=20'</div><div>10 Suspension points, 10 section ring,<br/>87 lbs. For T01B,C,E Mount styles</div></div><div><div>550W=23'</div><div>10 Suspension points, 10 section ring<br/>101 lbs. For T01B,C,E Mount styles</div></div></div><tr><td colspan="2"></td><td colspan="3">Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes.</td><td colspan="2">Find page 3 for custom color options or select from website <a href="#">Color Collections</a></td></tr></td></tr>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <div><div><div>SB-T01E</div><div></div><div>Ceiling Mount<br/>2'-23'<br/>Direct Only</div></div></div> <div><div><div>330W=14'</div><div>8 Suspension points, 8 section ring, 62.5 lbs<br/>No T01A,D Mount styles</div></div><div><div>390W=16'</div><div>8 Suspension points, 8 section ring, 73.5 lbs<br/>For T01B,C,E Mount styles</div></div><div><div>470W=20'</div><div>10 Suspension points, 10 section ring,<br/>87 lbs. For T01B,C,E Mount styles</div></div><div><div>550W=23'</div><div>10 Suspension points, 10 section ring<br/>101 lbs. For T01B,C,E Mount styles</div></div></div> <tr><td colspan="2"></td><td colspan="3">Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes.</td><td colspan="2">Find page 3 for custom color options or select from website <a href="#">Color Collections</a></td></tr>                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                | Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes. |                                                                                                                                                |                                                                                               | Find page 3 for custom color options or select from website <a href="#">Color Collections</a> |                                                                                               |  |
| <div><div><div>SB-T01C</div><div></div><div>Standard Remote<br/>2'-23'</div></div></div> <div><div><div>140W=6'</div><div>4 Suspension points, 4 section ring, 30 lbs</div></div><div><div>160W=7'</div><div>4 Suspension points, 4 section ring, 32 lbs<br/>All Mounting Types</div></div><div><div>188W=8'</div><div>4 Suspension points, 4 section ring, 37.5 lbs</div></div><div><div>235W=10'</div><div>6 Suspension points, 4 section rings 46 lbs.<br/>For T01B,C,E Mount styles</div></div></div> <tr><td><div><div><div>SB-T01D</div><div></div><div>Central Collared 2'-8'</div></div></div><div><div><div>280W=12'</div><div>8 Suspension points, 8 section ring, 54 lbs<br/>For T01B,C,E Mount styles</div></div><div><div>315W=13'</div><div>8 Suspension points, 8 section ring, 59.5 lbs<br/>For T01B,C,E Mount styles</div></div></div><tr><td><div><div><div>SB-T01E</div><div></div><div>Ceiling Mount<br/>2'-23'<br/>Direct Only</div></div></div><div><div><div>330W=14'</div><div>8 Suspension points, 8 section ring, 62.5 lbs<br/>No T01A,D Mount styles</div></div><div><div>390W=16'</div><div>8 Suspension points, 8 section ring, 73.5 lbs<br/>For T01B,C,E Mount styles</div></div><div><div>470W=20'</div><div>10 Suspension points, 10 section ring,<br/>87 lbs. For T01B,C,E Mount styles</div></div><div><div>550W=23'</div><div>10 Suspension points, 10 section ring<br/>101 lbs. For T01B,C,E Mount styles</div></div></div><tr><td colspan="2"></td><td colspan="3">Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes.</td><td colspan="2">Find page 3 for custom color options or select from website <a href="#">Color Collections</a></td></tr></td></tr></td></tr>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <div><div><div>SB-T01D</div><div></div><div>Central Collared 2'-8'</div></div></div> <div><div><div>280W=12'</div><div>8 Suspension points, 8 section ring, 54 lbs<br/>For T01B,C,E Mount styles</div></div><div><div>315W=13'</div><div>8 Suspension points, 8 section ring, 59.5 lbs<br/>For T01B,C,E Mount styles</div></div></div> <tr><td><div><div><div>SB-T01E</div><div></div><div>Ceiling Mount<br/>2'-23'<br/>Direct Only</div></div></div><div><div><div>330W=14'</div><div>8 Suspension points, 8 section ring, 62.5 lbs<br/>No T01A,D Mount styles</div></div><div><div>390W=16'</div><div>8 Suspension points, 8 section ring, 73.5 lbs<br/>For T01B,C,E Mount styles</div></div><div><div>470W=20'</div><div>10 Suspension points, 10 section ring,<br/>87 lbs. For T01B,C,E Mount styles</div></div><div><div>550W=23'</div><div>10 Suspension points, 10 section ring<br/>101 lbs. For T01B,C,E Mount styles</div></div></div><tr><td colspan="2"></td><td colspan="3">Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes.</td><td colspan="2">Find page 3 for custom color options or select from website <a href="#">Color Collections</a></td></tr></td></tr>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <div><div><div>SB-T01E</div><div></div><div>Ceiling Mount<br/>2'-23'<br/>Direct Only</div></div></div> <div><div><div>330W=14'</div><div>8 Suspension points, 8 section ring, 62.5 lbs<br/>No T01A,D Mount styles</div></div><div><div>390W=16'</div><div>8 Suspension points, 8 section ring, 73.5 lbs<br/>For T01B,C,E Mount styles</div></div><div><div>470W=20'</div><div>10 Suspension points, 10 section ring,<br/>87 lbs. For T01B,C,E Mount styles</div></div><div><div>550W=23'</div><div>10 Suspension points, 10 section ring<br/>101 lbs. For T01B,C,E Mount styles</div></div></div> <tr><td colspan="2"></td><td colspan="3">Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes.</td><td colspan="2">Find page 3 for custom color options or select from website <a href="#">Color Collections</a></td></tr>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes. |                                                                                                                                                |                                                                                                                                                | Find page 3 for custom color options or select from website <a href="#">Color Collections</a> |                                                                                               |                                                                                               |  |
| <div><div><div>SB-T01D</div><div></div><div>Central Collared 2'-8'</div></div></div> <div><div><div>280W=12'</div><div>8 Suspension points, 8 section ring, 54 lbs<br/>For T01B,C,E Mount styles</div></div><div><div>315W=13'</div><div>8 Suspension points, 8 section ring, 59.5 lbs<br/>For T01B,C,E Mount styles</div></div></div> <tr><td><div><div><div>SB-T01E</div><div></div><div>Ceiling Mount<br/>2'-23'<br/>Direct Only</div></div></div><div><div><div>330W=14'</div><div>8 Suspension points, 8 section ring, 62.5 lbs<br/>No T01A,D Mount styles</div></div><div><div>390W=16'</div><div>8 Suspension points, 8 section ring, 73.5 lbs<br/>For T01B,C,E Mount styles</div></div><div><div>470W=20'</div><div>10 Suspension points, 10 section ring,<br/>87 lbs. For T01B,C,E Mount styles</div></div><div><div>550W=23'</div><div>10 Suspension points, 10 section ring<br/>101 lbs. For T01B,C,E Mount styles</div></div></div><tr><td colspan="2"></td><td colspan="3">Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes.</td><td colspan="2">Find page 3 for custom color options or select from website <a href="#">Color Collections</a></td></tr></td></tr>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <div><div><div>SB-T01E</div><div></div><div>Ceiling Mount<br/>2'-23'<br/>Direct Only</div></div></div> <div><div><div>330W=14'</div><div>8 Suspension points, 8 section ring, 62.5 lbs<br/>No T01A,D Mount styles</div></div><div><div>390W=16'</div><div>8 Suspension points, 8 section ring, 73.5 lbs<br/>For T01B,C,E Mount styles</div></div><div><div>470W=20'</div><div>10 Suspension points, 10 section ring,<br/>87 lbs. For T01B,C,E Mount styles</div></div><div><div>550W=23'</div><div>10 Suspension points, 10 section ring<br/>101 lbs. For T01B,C,E Mount styles</div></div></div> <tr><td colspan="2"></td><td colspan="3">Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes.</td><td colspan="2">Find page 3 for custom color options or select from website <a href="#">Color Collections</a></td></tr>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                |                                                                                                                                                | Find page 3 for custom color options or select from website <a href="#">Color Collections</a>                                                  |                                                                                               |                                                                                               |                                                                                               |  |
| <div><div><div>SB-T01E</div><div></div><div>Ceiling Mount<br/>2'-23'<br/>Direct Only</div></div></div> <div><div><div>330W=14'</div><div>8 Suspension points, 8 section ring, 62.5 lbs<br/>No T01A,D Mount styles</div></div><div><div>390W=16'</div><div>8 Suspension points, 8 section ring, 73.5 lbs<br/>For T01B,C,E Mount styles</div></div><div><div>470W=20'</div><div>10 Suspension points, 10 section ring,<br/>87 lbs. For T01B,C,E Mount styles</div></div><div><div>550W=23'</div><div>10 Suspension points, 10 section ring<br/>101 lbs. For T01B,C,E Mount styles</div></div></div> <tr><td colspan="2"></td><td colspan="3">Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes.</td><td colspan="2">Find page 3 for custom color options or select from website <a href="#">Color Collections</a></td></tr>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                | Find page 3 for custom color options or select from website <a href="#">Color Collections</a>                                                  |                                                                                                                                                |                                                                                               |                                                                                               |                                                                                               |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Please request specialty pricing for alternative Kelvin temperatures, additional sizes, customizable configurations, specialty color finishes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Find page 3 for custom color options or select from website <a href="#">Color Collections</a>                                                  |                                                                                                                                                |                                                                                                                                                |                                                                                               |                                                                                               |                                                                                               |  |

## STANDARD COLOR FINISHES



Discover beyond our standard hues with over 6,500 [finishes and colors](#) available for your luminaire, including precise color matching, NFL team colors, and custom RAL finishes. Elevate your design with metallic, sparkle, or transparent textures for a touch of individuality. Explore our most popular selections below and contact our factory for personalized quotes.

You can request color swatches by emailing us at [customerservice@snowball-inc.com](mailto:customerservice@snowball-inc.com)

Please note: Colors may appear differently due to screen display settings.



### SOLID TONE FINISH

|                                 |                                 |                                    |                                       |                                 |                                     |
|---------------------------------|---------------------------------|------------------------------------|---------------------------------------|---------------------------------|-------------------------------------|
| <b>PMB-4364</b><br>Pearl White  | <b>PMB-0593</b><br>Soft White   | <b>PSB-8051</b><br>Dirty White     | <b>PMB-0513</b><br>Silver Metallic II | <b>PMB-6525</b><br>BMW Silver   | <b>HSS-1336</b><br>Silk Satin Black |
| <b>PPS-0106</b><br>Ink Black    | <b>USS-2603</b><br>Gloss Black  | <b>UMB-0336</b><br>Metallic Bronze | <b>UMB-0493</b><br>US Bronze          | <b>EMS-0940</b><br>Spanish Gold | <b>PMB-0808</b><br>Performance Gold |
| <b>PSS-4971</b><br>Very Red     | <b>PSS-2876</b><br>Orange Glow  | <b>PSS-1791</b><br>JuJu Orange     | <b>PSS-0118</b><br>Spring Yellow      | <b>PSB-5945</b><br>Bright Green | <b>PMB-10657</b><br>Yama Blue       |
| <b>PPB-2846</b><br>Purple Glaze | <b>PSS-1670</b><br>Rosette Pink | <b>PSS-4008</b><br>Jewel Grey      | <b>PSS-4500</b><br>Crest Grey         | <b>PSS-4647</b><br>Beach Tan    | <b>PMB-5478</b><br>Montana Gold     |

### SHIMMER/ GLITTER FINISH

|                                      |                                 |                                   |                                  |                                       |                                  |
|--------------------------------------|---------------------------------|-----------------------------------|----------------------------------|---------------------------------------|----------------------------------|
| <b>PMB-5567</b><br>Champagne Shimmer | <b>UMB-2062</b><br>Shimmer Gold | <b>PMS-5677</b><br>Shimmer Copper | <b>PMB-6611</b><br>Shimmer Black | <b>PPB-8167</b><br>Trans Glitter Gold | <b>PMB-6762</b><br>Alloy Glitter |
|--------------------------------------|---------------------------------|-----------------------------------|----------------------------------|---------------------------------------|----------------------------------|

### PALLEON METALLIC TEXTURED FINISH

|                                      |                                          |                                          |                                           |                                               |                                       |
|--------------------------------------|------------------------------------------|------------------------------------------|-------------------------------------------|-----------------------------------------------|---------------------------------------|
| <b>PVB-10274</b><br>Palleon Paradise | <b>PVB-10272</b><br>Palleon Fire         | <b>PVB-10271</b><br>Palleon Golden Green | <b>PVB-10268</b><br>Dark Palleon Paradise | <b>PVB-10267</b><br>Dark Palleon Golden Green | <b>PVB-10268</b><br>Dark Palleon Fire |
| <b>PVB-10273</b><br>Palleon Panther  | <b>PVB-10269</b><br>Dark Palleon Panther |                                          |                                           |                                               |                                       |

### CHROME/SPECIALTY FINISH

|                                       |                                     |                                  |                                   |                                  |                                   |
|---------------------------------------|-------------------------------------|----------------------------------|-----------------------------------|----------------------------------|-----------------------------------|
| <b>UMS-10671</b><br>Super Chrome Plus | <b>PPB-6677</b><br>Black Chrome III | <b>PMB-4124</b><br>Bronze Chrome | <b>UMB-10813</b><br>Rose Chrome   | <b>UMB-10815</b><br>Brass Chrome | <b>UMB-10816</b><br>Copper Chrome |
| <b>PPS-6530</b><br>Brassy Gold        | <b>PPB-2262</b><br>Anodized Gold    | <b>PPB-8034</b><br>Melted Bronze | <b>PPB-6325</b><br>Metallic Clear | <b>PPB-5633</b><br>Tinted Clear  | <b>PPB-5936</b><br>Anodized Red   |

### SPARKLE FINISH

|                                      |                                      |                                     |                                      |                                       |                                        |
|--------------------------------------|--------------------------------------|-------------------------------------|--------------------------------------|---------------------------------------|----------------------------------------|
| <b>PPB-4694</b><br>Super Red Sparkle | <b>PPB-4727</b><br>Silver Sparkle    | <b>PPB-5835</b><br>Rockstar Sparkle | <b>PMB-4130</b><br>Pearl Sparkle     | <b>PPB-5004</b><br>Ultra Blue Sparkle | <b>PPB-5078</b><br>Magnum Blue Sparkle |
| <b>PMB-2750</b><br>Dark Grey Sparkle | <b>PMB-6769</b><br>Deep Blue Sparkle | <b>PPB-4499</b><br>Gold Sparkle     | <b>PMB-4417</b><br>Baby Blue Sparkle |                                       |                                        |

### WETSTONE WRINKLED TEXTURE FINISH

|                                   |                                         |                                    |                                         |                                        |
|-----------------------------------|-----------------------------------------|------------------------------------|-----------------------------------------|----------------------------------------|
| <b>PWB-2232</b><br>Wetstone Black | <b>PWB-9157</b><br>Wetstone Gold Bronze | <b>PWB-9156</b><br>Wetstone Copper | <b>PWB-2343</b><br>Wetstone Rock Bronze | <b>PWB-2590</b><br>Wetstone Emerald II |
|-----------------------------------|-----------------------------------------|------------------------------------|-----------------------------------------|----------------------------------------|

## LUMEN OUTPUT

| Model Number | Size | Wattage $\pm 10\%$ | Kelvin Temp field Selectable $\pm 500K$ | Delivered Lumen $\pm 10\%$ |
|--------------|------|--------------------|-----------------------------------------|----------------------------|
| SB-T01       | 2'   | 47W                | 2700K/3000K/3500K/4000K or 5000K        | 4700 lm                    |
|              | 3'   | 70W                |                                         | 7000 lm                    |
|              | 4'   | 80W                |                                         | 8000 lm                    |
|              | 5'   | 120W               |                                         | 12000 lm                   |
|              | 6'   | 140W               |                                         | 14000 lm                   |
|              | 7'   | 160W               |                                         | 16000 lm                   |
|              | 8'   | 188W               |                                         | 18800 lm                   |
|              | 10'  | 235W               |                                         | 23500 lm                   |
|              | 12'  | 280W               |                                         | 28000 lm                   |
|              | 13'  | 315W               |                                         | 31500 lm                   |
|              | 14'  | 330W               |                                         | 33000 lm                   |
|              | 16'  | 390W               |                                         | 39000 lm                   |
|              | 20'  | 470W               |                                         | 47000 lm                   |
|              | 23'  | 550W               |                                         | 55000 lm                   |